



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Ağaoğlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## Aplisens

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

| Product                                                                             | Description                                          |
|-------------------------------------------------------------------------------------|------------------------------------------------------|
| <a href="#">APC-2000 ALW / 0-1 BAR/ S-TK-P/K= 1m</a>                                | Smart Pressure Transmitter                           |
| <a href="#">BAK-Q80</a>                                                             | Industrial diaphragm seal                            |
| <a href="#">PEM-1000</a>                                                            | Electromagnetic flowmeter                            |
| <a href="#">SGE-25 (SGE-25/0 mH2O/L=10m)</a>                                        | Level probe                                          |
| <a href="#">PRE-28</a>                                                              | Differential pressure transmitter with field housing |
| <a href="#">APR-2000ALW</a>                                                         | differential pressure transmitter                    |
| <a href="#">CTGN1-100-G1/2"-Pt100-B-2</a>                                           | Thermometer mit NA-Anschlusskopf                     |
| <a href="#">CTGN1-50-G1/2"-Pt100-B-2</a>                                            | Thermometer mit NA-Anschlusskopf                     |
| <a href="#">APCE-2000PD</a>                                                         | Pressure Transmitter                                 |
| <a href="#">PCE-28/0...10bar/PD/1/2NPTM</a>                                         | Pressure transmitter                                 |
| <a href="#">APRE-2000G/-250...250Pa/0-100Pa/PCV.</a>                                | SMART DIFFERENTIAL PRESSURE TRANSMITTER              |
| <a href="#">ERH-01-04K-3</a>                                                        | Schwimmerschalter                                    |
| <a href="#">ERH-01-04K-4.0</a>                                                      | Schwimmerschalter                                    |
| <a href="#">APC-2000/ALW/0...700 kPa)</a>                                           | Smart Pressure Transmitter                           |
| <a href="#">APT-28</a>                                                              | Smart temperature transmitter                        |
| <a href="#">APIS-250-D00-Rst-IAN-T00-P0-M1-W0-A0</a>                                | APIS-2/ Electropneumatic Positioner                  |
| <a href="#">VM-5</a>                                                                | 5-valve manifold                                     |
| <a href="#">APR-2000GALW/0...25 mbar/0...1000Pa/PCV</a>                             | Differential Pressure Transmitter                    |
| <a href="#">APC-2000ALWExd/0-30Mpa/1/2", NpT</a>                                    | Smart pressure transmitter                           |
| <a href="#">APC2000ALW/Exd/ 0 -2,5MPa/1 /2 " NPT</a>                                | Smart pressure transmitter                           |
| <a href="#">APCE-2000</a>                                                           | Smart Pressure Transmitter                           |
| <a href="#">Type: PCE-28</a>                                                        | Pressure Transmitter, wetted parts SS316L            |
| <a href="#">PMS-970T</a>                                                            | Digital indicator with relay outputs                 |
| <a href="#">PCE-28 (PCE-28/0...100kPa/PD/CG1")</a>                                  | Pressure transmitter                                 |
| <a href="#">APC-2000ALW, accuracy 0.07 5%</a>                                       | Smart Pressure Transmitter APC-                      |
| <a href="#">APT-2000ALW,L=271mm</a>                                                 | Smart Temperature transmitter type APT-2000ALW       |
| <a href="#">APT-2000ALW, L=419MM</a>                                                | Smart Temperature transmitter type APT-2000ALW       |
| <a href="#">ZS-30EX1</a>                                                            | isolator                                             |
| <a href="#">ZS-30EX1/25V/0-10V</a>                                                  | transmitter                                          |
| <a href="#">APT-2000ALW</a>                                                         | Smart Temperature transmitter type                   |
| <a href="#">APRE-2000 (male thread M20x1.5 )</a>                                    | Smart Differential Pressure Transmitter              |
| <a href="#">APRE-2000 ( 1/4" NPT)</a>                                               | Precision pressure transmitter                       |
| <a href="#">PCE-28 / Exia / 0...1MPa / PK / M</a>                                   | PRESSURE TRANSMITTER                                 |
| <a href="#">PCE-28/ Exia / 0...1MPa / PK / CM20x1.5</a>                             | PRESSURE TRANSMITTER                                 |
| <a href="#">LI-24ALW - LI-24ALW/Exd/SS/IP67/Pt100/ -40...80° C/WRGN/Exd/L=160mm</a> | Smart temperature transmitter                        |

| Product                                                                  | Description                                                           |
|--------------------------------------------------------------------------|-----------------------------------------------------------------------|
| <a href="#">PC -28 \ 0-2.5 MPa \ PD \ M</a>                              | Pressure Transmitter                                                  |
| <a href="#">APRE-2000</a>                                                | Pressure transmitter                                                  |
| <a href="#">06163019 Type APRE-2000G / PD / PCV</a>                      | Smart differential pressure transmitter                               |
| <a href="#">ERH-01-18/L 10m</a>                                          | Float Level Switch                                                    |
| <a href="#">PC-29B (PC-29B/Ex/0-70bar/0-2.5V/PD/G1/4")</a>               | Pressure Transmitter                                                  |
| <a href="#">APR-2000ALW (Art.Nr: APR-2000ALW/Exia/-0.5...7kPa/C)</a>     | Differential pressure transmitter                                     |
| <a href="#">PCE-28/Exia/0-250mbar/PD/G1/2 , Type PCE-28</a>              | Pressure Transmitter                                                  |
| <a href="#">PCE-28.SMART/0...25bar/PD/G1/4"</a>                          | Pressure Transmitter                                                  |
| <a href="#">PCE-28.SMART/PD/0...7MPa/G1/4"M</a>                          | Pressure Transmitter                                                  |
| <a href="#">PCE-28.SMART/0...25bar/PM12(IP65)/G1/4"</a>                  | Pressure Transmitter                                                  |
| <a href="#">PCE-28.SMART/0...70bar/PM12(IP65)/G1/4"</a>                  | Pressure Transmitter                                                  |
| <a href="#">PCE-28.SMART/0...25bar/PM12(IP67)/G1/4"</a>                  | Pressure Transmitter                                                  |
| <a href="#">PCE-28.SMART/0...70bar/PM12(IP67)/G1/4"</a>                  | Pressure Transmitter                                                  |
| <a href="#">SGE-25, 0...10mH2O</a>                                       | Level sensor                                                          |
| <a href="#">APRE-2000G , APRE-2000G/N/-250...250Pa/PCV</a>               | Smart Differential Pressure Transmitter                               |
| <a href="#">PCE-28.SMART</a>                                             | Pressure transmitter                                                  |
| <a href="#">MS100</a>                                                    | Industrial Pressure Gauge                                             |
| <a href="#">APRE-2000G/N/-2.5...2.5mbar/PCV , APRE-2000G</a>             | Pressure transmitter                                                  |
| <a href="#">PCE-28/-1...2bar/4...20mA/PD/G1/2"</a>                       | Pressure Transducer                                                   |
| <a href="#">PCE-28/Exia/0...25bar/PD/CG1/2"</a>                          | Pressure transmitter                                                  |
| <a href="#">170 521</a>                                                  | sensor                                                                |
| <a href="#">ERH-01-16-1-1</a>                                            | .                                                                     |
| <a href="#">SGE-25/0...2mH2O/L=6m</a>                                    | Sensor                                                                |
| <a href="#">APRE-2000GN -25 / + 25 Pa</a>                                | Smart differential pressure transmitter                               |
| <a href="#">PCE-28/025</a>                                               | Pressure Transmitter                                                  |
| <a href="#">SGE-16</a>                                                   | hydrostatic better level sensor                                       |
| <a href="#">PC-28/0...30 kPa/PD/CM30*2</a>                               | Pressure Converter                                                    |
| <a href="#">SGE-25</a>                                                   | Hydrostatic level probe                                               |
| <a href="#">ERH-01-16-3-1</a>                                            | float switch                                                          |
| <a href="#">PC-28 /0...60kPa</a>                                         | Pressure Transmitters                                                 |
| <a href="#">PC-28 /0...100kPa</a>                                        | Pressure Transmitters                                                 |
| <a href="#">PC-28 /0...25kPa</a>                                         | Pressure Transmitters                                                 |
| <a href="#">Socket CM30x2</a>                                            | Socket fitting for process instrumentation                            |
| <a href="#">APRE-2000G / 0...100Pa</a>                                   | Differential Pressure Transmitter                                     |
| <a href="#">Test Certificate</a>                                         | Official test certification for instruments                           |
| <a href="#">APC-2000ALW - APC-2000ALW/Exd/IP67/0...25kPa/1/2"NPTM/US</a> | Pressure Transmitters                                                 |
| <a href="#">WW-11ALW</a>                                                 | display                                                               |
| <a href="#">PCE-28/0.100mbar/PD/4-20mA/G1/2"</a>                         | Precision differential pressure transmitter                           |
| <a href="#">PCE-28/Exia/0...400/PD/G1/4"</a>                             | Pressure transmitter with angle plug in accordance with DIN/EN 175301 |
| <a href="#">PCE-28/Exia/0...400bar/PZ316/G1/4"</a>                       | Pressure Transmitter with Stainless Steel Field Bag                   |
| <a href="#">pce-28.Modbus/0... 700kPa/pm12 (IP67) /G1/2"</a>             | pressure transmitter                                                  |
| <a href="#">PCE-28/Exia/0...100mbar/PD/CG1"</a>                          | Pressure Transmitters                                                 |
| <a href="#">SGE-25/0...4mH2O/0...10V/L=6m/PU</a>                         | Hydrostatic level probe - standard version                            |

| Product                                                                                | Description                                                |
|----------------------------------------------------------------------------------------|------------------------------------------------------------|
| <a href="#">SGE-25/0...2mH2O/0...10V/L=4m/PU+Teflon shielding</a>                      | Hydrostatic level probe - standard version                 |
| <a href="#">LI-24</a>                                                                  | Intelligent temperature transmitter with HART protocol     |
| <a href="#">CT-GN1-Pt100-A-4-G1/2"-L=300-S=45-KZ</a>                                   | Temperature sensor                                         |
| <a href="#">ERH-01-07-3-2</a>                                                          | Float switch with 3m cable                                 |
| <a href="#">ERH-01-06-3-1</a>                                                          | float switch                                               |
| <a href="#">APR-2000ALW/MR/Exd/-2.5...2.5kPa/C/VM-5/A</a>                              | Differential pressure transmitter with HART protocol       |
| <a href="#">SGE-25/0-5[m]/PU/L=10</a>                                                  | SENSOR                                                     |
| <a href="#">APCE-2000PD/Exia/-7...7mbar/G1/2"</a>                                      | Pressure Transmitter                                       |
| <a href="#">CT/GN1X/Exia/II/PT100/A/3/SW1/L=200/ATX-2/0-400°C/H/1.4404</a>             | Temperature Sensor type CT                                 |
| <a href="#">APC-2000ALW (NPTF)</a>                                                     | Digital pressure transmitter for industrial applications   |
| <a href="#">PM-22</a>                                                                  | Transmitter                                                |
| <a href="#">APC-2000ALW (1/2 "NPTM)</a>                                                | Smart Pressure Transmitter                                 |
| <a href="#">ERH-01-07-4-0-1</a>                                                        | float switch                                               |
| <a href="#">PCE-28 P</a>                                                               | Sensor,nivel hidrostático, 10.5-30 VDC; 4-20MA/4-20MA+HART |
| <a href="#">Country of Origin certificate issued by Poland chamber of commerce</a>     | Certification document for product origin                  |
| <a href="#">APC-2000ALW/ 0 – 6 bar</a>                                                 | Smart Pressure Transmitter                                 |
| <a href="#">BAK-Q60</a>                                                                | Anti-theft fuel device for truck tanks                     |
| <a href="#">PCE-28 0:600kPa</a>                                                        | Pressure transmitter                                       |
| <a href="#">Type: APRE-2000GN</a>                                                      | Differential pressure transmitter                          |
| <a href="#">APC-2000ALW/SS/Exd/0...70bar/ 0...50bar/1/2"NPTM/US</a>                    | Pressure transmitter                                       |
| <a href="#">APC-2000ALW/SS/Exd/0...25bar/ 0...20bar/1/2"NPTM/US</a>                    | Pressure transmitter                                       |
| <a href="#">KAP-03</a>                                                                 | Communicator                                               |
| <a href="#">PCE-28.SMART/Exia/MR/0...25bar/0...14bar/SG/1/2"NPTF</a>                   | Pressure transmitter with HART protocol                    |
| <a href="#">APRE-2000G / 0-60Pa</a>                                                    | Precision low-pressure transmitter                         |
| <a href="#">APR-2000ALW/XP/0...2.5bar/C/US/C-2"(SS)</a>                                | Differential pressure transmitter with HART protocol       |
| <a href="#">APIS-2X0-D00-RSt-IHE-T20-P3-M2</a>                                         | Electropneumatic positioner                                |
| <a href="#">PCE-28 model 0...1 bar</a>                                                 | Pressure Transmitter                                       |
| <a href="#">PCE-28/Exia/-1...9bar/PD/G1/2"</a>                                         | Pressure transmitter                                       |
| <a href="#">APC- 2000ALW/HS/IP67/0...25bar/1/2"NPTF/US/AL / APC-2000AL W</a>           | Pressure transmitters                                      |
| <a href="#">BAK-Q60/S</a>                                                              | Anti-theft fuel device for truck tanks                     |
| <a href="#">BAK-Q80/S</a>                                                              | fuel anti-theft device                                     |
| <a href="#">APR-2000ALW/Safety/Exia/-7...7mbar/GP</a>                                  | Differential pressure transmitter                          |
| <a href="#">APC-2000ALW/G1/2</a>                                                       | PRESSURE TRANSMITTER                                       |
| <a href="#">APC-2000ALW/1/2 NPT</a>                                                    | PRESSURE TRANSMITTER                                       |
| <a href="#">PCE-28/0...6bar/PD/G1/2"</a>                                               | pressure transmitter                                       |
| <a href="#">PCE-28/Exia/-1..0bar/PD/G1/4"</a>                                          | pressure transmitter                                       |
| <a href="#">p/n: APRE-2000G PZ type: APRE-2000G/Exia/PZ/ 0...2500Pa/0...1000Pa/C</a>   | Differential pressure transmitter with HART protocol       |
| <a href="#">p/n: APRE-2000G PZ type: APRE-2000G/Exia/PZ/ -700...700Pa/0...500Pa/C</a>  | Differential pressure transmitter with HART protocol       |
| <a href="#">p/n: APRE-2000G PZ type: APRE-2000G/Exia/PZ/ -250...250Pa/-50...50Pa/C</a> | Differential pressure transmitter with HART protocol       |

| Product                                                                     | Description                                                          |
|-----------------------------------------------------------------------------|----------------------------------------------------------------------|
| <a href="#">APRE-2000G/-7...7mbar/PCV</a>                                   | Differential pressure transmitter with HART protocol                 |
| <a href="#">SG-Ch</a>                                                       | SG cable hanger                                                      |
| <a href="#">APR-2000ALW/Safety/Exia/-25...25mbar/GP</a>                     | Differential Pressure Transmitter                                    |
| <a href="#">CTX-6/Exia/60/K/1/O/MA</a>                                      | Intrinsically safe pressure transmitter                              |
| <a href="#">SG-25</a>                                                       | Hydrostatic pressure transducer                                      |
| <a href="#">Type: AS-dP PD/P S/N: 09152781</a>                              | TRANSMITTER, PRESSURE                                                |
| <a href="#">APRE-2000G</a>                                                  | Smart Differential pressure transmitter                              |
| <a href="#">PCE-28/0...10bar/PD/G1/2"</a>                                   | pressure transmitter                                                 |
| <a href="#">PCE-28/0...25bar/PD/CG1/2"</a>                                  | pressure transmitter                                                 |
| <a href="#">CT-GN1-Pt100-A-3/OG2.9/L= 100mm/1/2"NPTM/F/AT-2(-10...60°C)</a> | thermometer                                                          |
| <a href="#">PCE-28 G1</a>                                                   | High-precision differential pressure transmitter                     |
| <a href="#">PCE-28 G1/2"</a>                                                | High-precision differential pressure transmitter                     |
| <a href="#">PMS-920</a>                                                     | controller                                                           |
| <a href="#">APR-2000ALW/0...1bar/C</a>                                      | differential pressure transmitter                                    |
| <a href="#">APR-2000ALW/-500...500mbar/C</a>                                | differential pressure transmitter                                    |
| <a href="#">PCE-28/Exia/MR/0...600mbar/PD/GP</a>                            | Pressure transmitter                                                 |
| <a href="#">APRE-2000G/Exia/PZ/0...25mbar/ 0...1000Pa/PCV</a>               | ATEX Differential Pressure Smart Transmitter                         |
| <a href="#">PCE-28 (PCE-28/Exia/0...16bar/PD/CG1/2")</a>                    | Pressure transmitter with angled plug                                |
| <a href="#">APRE-2000G/Exia/PZ/-2.5...2.5mbar/PCV</a>                       | ATEX Smart Differential Pressure Transmitter                         |
| <a href="#">APR-2000AL W/G</a>                                              | Differential pressure transducer                                     |
| <a href="#">PRE-28/Exia/0...3bar/PD/PN</a>                                  | differential pressure transmitter                                    |
| <a href="#">PRE-28/Exia/0...0.5bar/PD/PN</a>                                | differential pressure transmitter                                    |
| <a href="#">APRE-2000PZ</a>                                                 | differential pressure transmitter                                    |
| <a href="#">PC-28 0...10 kPa/PZ/S-Clamp 2"</a>                              | Pressure transducer                                                  |
| <a href="#">APR-2000/ALW/SS/Exia/0÷1bar/GP//FI25</a>                        | Intrinsically safe pressure transmitter for low-pressure ranges      |
| <a href="#">APC-2000/ALW/SS/Exia/-1÷7bar/GP//AL(SS)</a>                     | Advanced digital pressure transmitter for vacuum and pressure ranges |
| <a href="#">APR-2000/ALW/SS/Exia/0÷0.25bar/GP///FI25</a>                    | Low-pressure transmitter for precise measurements                    |
| <a href="#">APC-2000/ALW/SS/Exia/0÷7 bar ABS/GP//AL(SS)</a>                 | Digital pressure transmitter for medium pressure ranges              |
| <a href="#">APCE-2000PD/0-10KPA/CG1</a>                                     | SMART PRESSURE TRANSMITTER                                           |
| <a href="#">APRE-2000PD</a>                                                 | differential pressure transmitter                                    |
| <a href="#">APC-2000/ALW/- APC-2000/ALW/</a>                                | Sensor                                                               |
| <a href="#">PCE-28/Exia/-1...16bar/PZ316/CG1/2</a>                          | Pressure transmitter with field housing                              |
| <a href="#">SGE-25 – 0/10 m – 4-20mA</a>                                    | Hydrostatic level probe                                              |
| <a href="#">PCE-28/Exia/-1...3bar/PK/GP/K=3m</a>                            | Pressure transmitter with 3m connection cable                        |
| <a href="#">APR-2000GALW/0...25 mbar/0...1000Pa/C</a>                       | Differential pressure transmitter                                    |
| <a href="#">APCE-2000 (0-40bar)</a>                                         | Pressure transmitter                                                 |
| <a href="#">APC-2000ALW (0-40bar)</a>                                       | Pressure transmitter                                                 |
| <a href="#">PCE-28/Exia/0...100MPa/PZ/M</a>                                 | Measuring pressure transducer                                        |
| <a href="#">PCE-28/Exia/0...10MPa/PZ/M</a>                                  | Measuring pressure transducer                                        |
| <a href="#">PCE-28/Exia/0...25MPa/PZ/M</a>                                  | Measuring pressure transducer                                        |
| <a href="#">PCE-28/Exia/0...40MPa/PZ/M</a>                                  | Measuring pressure transducer                                        |
| <a href="#">PCE-28/Exia/0...60MPa/PZ/M</a>                                  | Measuring pressure transducer                                        |

| Product                                                                            | Description                                                           |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| <a href="#">SGE-25 S</a>                                                           |                                                                       |
| <a href="#">PCE-28 DIN/EN 175301</a>                                               | Pressure transmitter                                                  |
| <a href="#">APC-2000ALW/L</a>                                                      | Hydrostatic level probe                                               |
| <a href="#">PCE-28/0-400mbar/4-20mA/PD/G1/2"</a>                                   | Pressure sensor                                                       |
| <a href="#">SGE-250-6mH2O</a>                                                      | Hydrostatic level probe                                               |
| <a href="#">APRE-2000G/PD/-2.5...2.5mbar/ -200...50Pa/PCV</a>                      | Precision pressure transmitter for differential measurements          |
| <a href="#">APRE-2000G/PD/0...25mbar/0...1000Pa/PCV</a>                            | Low-pressure transmitter for sensitive applications                   |
| <a href="#">APCE-2000P D / EXIA/0BAR - 25BAR/G1/2</a>                              | Smart Pressure Transmitter                                            |
| <a href="#">PCE-28 PD/M</a>                                                        | Pressure transmitter                                                  |
| <a href="#">PCE-28 PD/G1/2</a>                                                     | Brand Pressure Transmitter                                            |
| <a href="#">SGE-25/0...4mH2O/L=10m/PU/SG</a>                                       | Level transmitter                                                     |
| <a href="#">UZ-2</a>                                                               | Overvoltage protection circuit                                        |
| <a href="#">APRE-2000G/PD/-100...100mbar/PCV</a>                                   | differential pressure transmitter                                     |
| <a href="#">APR-2000ALW/Safety/Exd/-25...25mbar/GP</a>                             | Intrinsically safe pressure transmitter for hazardous areas           |
| <a href="#">PCE-28.SMART/Exd/MR/0...600bar/ PZ2/1/2"NPTM</a>                       | Advanced smart pressure transmitter for high-pressure ranges          |
| <a href="#">PCE-28.Smart/Exd(IECEX)/MR/0/600 bar/SGM (1/2"NPTM)/L=10/G1/2"</a>     | Explosion Proof Smart Pressure Transmitter                            |
| <a href="#">ERH-01-06-1-1</a>                                                      | float switch                                                          |
| <a href="#">PCE-28/0/ 0.25bar/PD/1/2"NPTM</a>                                      | Pressure transmitter                                                  |
| <a href="#">AR984</a>                                                              | General-purpose pressure transmitter                                  |
| <a href="#">PCE-28/Exia/0...120kPa/PD/G1/2</a>                                     | Pressure transmitter with angle plug in accordance with DIN/EN 175301 |
| <a href="#">ERH-01-06-4-1-1</a>                                                    | float switch                                                          |
| <a href="#">ERH/01/06/4-0/1</a>                                                    | Reliable level sensor for industrial applications                     |
| <a href="#">PMS-970P/24</a>                                                        | digital display                                                       |
| <a href="#">SGE-25/0...10mH2O/L=10m/PU/SG</a>                                      | Level probe                                                           |
| <a href="#">PCE-28/Exd/MR/0...600bar/SGM/ L=10m/1/2"NPTM</a>                       | High-pressure transmitter for hazardous environments                  |
| <a href="#">PCE-28/Exd/MR/0...160bar/SGM/ L=10m/1/2"NPTM</a>                       | Medium-range pressure transmitter for Exd environments                |
| <a href="#">W-Kal.</a>                                                             | Calibration device for pressure instruments                           |
| <a href="#">APCE-2000PZ</a>                                                        | Pressure transducer                                                   |
| <a href="#">CM30x2</a>                                                             | Ring                                                                  |
| <a href="#">PCE-28 - PCE-28/MR/0</a>                                               | Advanced pressure transmitter for industrial systems                  |
| <a href="#">TYPE: LI-24L</a>                                                       | temperature transmitter                                               |
| <a href="#">APR-2000ALW (APR-2000ALW/SS/Exd/413bar/0...16bar/ 0...16bar/C/NBR)</a> | High-pressure transmitter with Exd certification                      |
| <a href="#">APT-2000ALW L=100mm</a>                                                | Precision temperature transmitter                                     |
| <a href="#">APC-2000ALW/0-7bar/0-6bar/S-PK-DN50PN40/K=6m/AK/US/AL</a>              | Pressure transmitter with HART protocol,                              |
| <a href="#">PCE-28 - PCE-28/0...25bar/PD/G1/4</a>                                  | Medium-range pressure transmitter for industrial applications         |
| <a href="#">PCE-28 - PCE-28/0...400bar/PD/G1/4</a>                                 | High-pressure transmitter for demanding applications                  |
| <a href="#">APC-2000ALW/0...7barg/0...5bar/M</a>                                   | pressure transmitter with HART protocol,                              |
| <a href="#">PCE-28 - PCE-28/Exia/0...100mbar/1/2"NPTM</a>                          | Intrinsically safe low-pressure transmitter                           |
| <a href="#">PCE-28/0...10bar/PD/CG1/2</a>                                          | Medium-pressure transmitter with durable design                       |

| Product                                                                    | Description                                                   |
|----------------------------------------------------------------------------|---------------------------------------------------------------|
| <a href="#">ERH-02-16.1-1-1</a>                                            | float switch                                                  |
| <a href="#">ERH-01-7-4-0-1 Float Switch Type</a>                           | float switch                                                  |
| <a href="#">APIS-/2X/0/D00/RS/T20/P3/M2/W1/A0</a>                          | Customizable industrial pressure sensor                       |
| <a href="#">APIS-C093-100</a>                                              | High-precision pressure sensor for specific applications      |
| <a href="#">APRE-2000G/PZ/</a>                                             | Differential pressure transmitter with high accuracy          |
| <a href="#">VM-3</a>                                                       | Compact and efficient industrial pressure sensor              |
| <a href="#">PMS-920/20</a>                                                 | digital display                                               |
| <a href="#">CT/GN1X/2xPt100/A-4/d=6mm/ L=140mm/M18x1,5</a>                 | thermometer                                                   |
| <a href="#">SGE-16 // SGE-16/0...5mH2O/PU/L=5m/SG</a>                      | Submersible pressure transmitter for liquid level measurement |
| <a href="#">PEM1000 316L</a>                                               | Durable industrial pressure transmitter                       |
| <a href="#">PCE-28/0-16/PZ/G1/2</a>                                        | Pressure transmitter                                          |
| <a href="#">PCE-28/Exia/-20...10mbar/PD/G1/2</a>                           | Pressure transmitter                                          |
| <a href="#">APC-2000ALW/L/SGE-25</a>                                       | Smart Pressure Transmitter                                    |
| <a href="#">TE-120-517A</a>                                                | Precision temperature transmitter for industrial applications |
| <a href="#">PRE-28 0...0.1 bar</a>                                         | Differential Pressure Transmitter PRE- 28                     |
| <a href="#">APC-2000/ALW/0÷0.25 bar/0-0.25bar/G1/2"</a>                    | Smart Pressure Transmitter APC- 2000ALW                       |
| <a href="#">APC-2000ALW/Safety/Exia/-25...25mbar/GP</a>                    | Pressure transmitter                                          |
| <a href="#">PCE-28.Smart/0÷5.5 bar</a>                                     | pressure transmitter                                          |
| <a href="#">PCE-28.Smart/0÷2 bar</a>                                       | pressure transmitter                                          |
| <a href="#">PCE-28.Smart/0÷7 bar</a>                                       | pressure transmitter                                          |
| <a href="#">PCE-28/G1/2/PK ( 250 BAR )</a>                                 | TRANSDUCERS                                                   |
| <a href="#">PCE-28/G1/2/PK (160 BAR)</a>                                   |                                                               |
| <a href="#">APC-2000AL W - APC-2000ALW/0...30MPa/1/2"NPTM</a>              |                                                               |
| <a href="#">LI-24ALW - LI-24ALW/Exia/x...xx°C/</a>                         |                                                               |
| <a href="#">Level Switch ERH</a>                                           | FLOAT SWITCH                                                  |
| <a href="#">PRE-28/0-5[bar]/0/10V/PD/PN/</a>                               | TRANSMITTER                                                   |
| <a href="#">APC-2000ALW Safety</a>                                         | pressure switch                                               |
| <a href="#">APC-2000/ALW/IP67/0-7 BAR/0-6 BAR/S-P</a>                      |                                                               |
| <a href="#">APC-2000/ALW/IP67/0-1 BAR/11-650mBAR/S-P</a>                   |                                                               |
| <a href="#">APC-2000/ALW/IP67/0-2 BAR</a>                                  |                                                               |
| <a href="#">SGE-25/SGE-25/0...4mH2O/4...20mA/L=7m/PU</a>                   | Standard hydrostatic level probe design                       |
| <a href="#">SGE-25/SGE-25/0...6mH2O/4...20mA/L=10m/PU</a>                  | standard hydrostatic level probe design,                      |
| <a href="#">SGE-25/SGE-25/0...6.025mH2O/4...20mA/L=10m/PU</a>              | standard hydrostatic level probe design,                      |
| <a href="#">SGE-25/SGE-25/0...7mH2O/4...20mA/L=10m/PU</a>                  | standard hydrostatic level probe design,                      |
| <a href="#">PCE-28</a>                                                     | Pressure transmitter                                          |
| <a href="#">APR-2000/ALW/IP67/0-1 BAR/0-600mbar</a>                        |                                                               |
| <a href="#">APC-2000AL W / PN: APC-2000ALW/0...160bar/0...140bar/CG1/2</a> |                                                               |
| <a href="#">LI-24ALW</a>                                                   |                                                               |
| <a href="#">CT-E2/2000/Pt100/A-4</a>                                       |                                                               |
| <a href="#">04-Pt100-A-4-KS2-24-1200-RT401-B5/KS121-250°C</a>              |                                                               |
| <a href="#">3 point calibration certificate</a>                            |                                                               |
| <a href="#">PCE-28/0...1000bar/PM12/G1/2</a>                               | Pressure Transmitter                                          |
| <a href="#">PR-28/0...2.5 MPa/PD/P</a>                                     | Pressure differential sensor                                  |

| Product                                                                     | Description                       |
|-----------------------------------------------------------------------------|-----------------------------------|
| <a href="#">APR-2000/ALW/G/SS/Exd(2G)/-100...100mbar/-5000...5000Pa/PCV</a> | Differential Pressure Transmitter |
| <a href="#">KR 02210936</a>                                                 | Temperature sensor                |
| <a href="#">KR 02210935</a>                                                 | Temperature sensor                |
| <a href="#">KR 02210866</a>                                                 | Temperature sensor                |
| <a href="#">KR 02210867</a>                                                 | Temperature sensor                |
| <a href="#">KR 02210868</a>                                                 | Temperature sensor                |
| <a href="#">KR 02210869</a>                                                 | Temperature sensor                |
| <a href="#">KR 02210520</a>                                                 | Temperature sensor                |
| <a href="#">KR 02210518</a>                                                 | Temperature sensor                |
| <a href="#">KR 02210519</a>                                                 | Temperature sensor                |
| <a href="#">KR 02210517</a>                                                 | Temperature sensor                |
| <a href="#">R45</a>                                                         | Module                            |
| <a href="#">PMS-111R</a>                                                    |                                   |
| <a href="#">FI2</a>                                                         |                                   |