







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





Baco o

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

CntrlsRANnDI'SPR

NcaOUTd	louTceideap
<u>2A3103</u>	ADA3CB 2CDNEO(EO)CO 4OC2EZZ TD4X(Z
<u>2A30P2A</u>	A2 NC3(ABE R 2XOOED((OADZ6T((EO
<u>2A30PLZN3</u>	ZE3E2(CO C) 6TDT6X6 NA3XE
<u>2D3IP</u>	Higital 2onverter
2D30IHSig	high voltage isolation numeric converter
<u>2D3I+95</u>	digital converter
<u>2435/5</u>	4OCBOA66A:3E 4CWEO 2CDNEO(EO 2435/5
<u>HZ35L 0P</u>	
TD3P/	3ENE3 TDHT2A(CO
<u>T431II</u>	electrical network analyser
<u>O4310LI//</u>	
<u>2D3 I+</u>	(OADZHX2EO
<u>2D30P9Z1</u>	Xniversal Higital 2onverter
<u>OZ101</u>	3TDG 2A:3E 9XZ:
<u>2A340/TB</u>	converter
A35QP	4ower Zupply
<u>2A31PTB9</u> 1	BA3NADT2 TDZX3A(CO
<u>T43P/39Z</u>	programmable network indicator
2D30Pssi9O59Z1	converter for encoder
OZ101 3TDG 2A:3E 9XZ:	usb
2A310HmALZ1LZi30	
<u>Z45//7TO251/</u>	Z2OEWLTD O(H 4OC:E
)101Q57//5	2CT3 WA(2S
<u>64A1</u>	Oedundancy module
<u>2430P</u>	Noltmeter
TD3 5P/926(24_	57 2SADDE3Z A3AO6 ADDXD2TA(CO
<u>2D30Pssi9O19Z</u> 1	converter
<u>T4307390</u> 5	panel Noltmeter, Ammeter, frequency meter
<u>2430P3</u>	current and voltage converter
<u>2430P39O1</u>	current and voltage transducer
<u>64A13SN</u>	redundancy module
<u>2A30/(O6Z</u>	
<u>64A13</u>	Oedundancy module
A30P3inLI	
(E6A85/P32H9T47P9I	
<u>XZ:LOZ101</u>	

<u>N44866</u>	Specific details for this product are not readily available in the provided sources. For precise information, please consult Baco Controls' official documentation or contact their customer support.

LWA0234	
172200	three-pole switch block
PR12-1101 A4 E Q48PN	Cam Switch
HC01GRQ7	SWITCH
P/N: 41381, Type: BACO 172179	Auxiliary switch
<u>33S01</u>	1 Normally Closed (NC) Screw Terminal Base Mount Contact Block
GC63	Large Level Handle
L21AA01	22 mm Red Spring Return Push Button Head
L21KA03	22 mm Black 2-Position Maintained Chrome Bezel Selector Switch
L21AA02	22 mm Green Spring Return Push Button Head
NC03GQ1	12 A, 3-Pole, 6-Contact Cam Switch
NC03GX80	Cam Switch with Extended Shaft
<u>33S10</u>	contact element
33SARL	Red 24 V Base Mount LED Module
33SABL	Blue 24 V Base Mount LED Module
33SAGL	LED element
BACO 331ED10	contact block
PR12 2201 C8 E Q48PN50 / NC01GQ1	12 A, 1-Pole, 2-Contact Cam Switch
PR12 1101 A8 E N48MD5048PN50 / NB01EX80	12 A, 1-Pole, 1-Contact On-Off Cam Switch
PR12 5201 R23 E N48MD50 / NS01R23X80A	12 A, 1-Pole, 2-Contact Reversing Cam Switch
333E20	contact element
ZS3EV733-IP65	PR26 25 A Main On/Off Panel Mount Yellow/Red Cam Switch with 3 Poles and 3 Contacts

SS3EV493A	cam switch
L20SE10-3EARM	22 mm Red Pilot Light Head with 130 V LED and 3-Position Clip
L20SE20-3EAGM	22 mm Green Pilot Light Head with 130 V LED and 3-Position Clip
227613	20 A Cam Switch, 2-Poles, 4-Contacts
N16930X-C	Specific details for this product are not readily available in the provided sources. For precise information, please consult Baco Controls' official documentation or contact their customer support.
<u>N26430</u>	12 A, 3-Pole, 4-Position Cam Switch
<u>0165309LS</u>	Electromechanical Switch
<u>L61BA22</u>	22 mm Blue Illuminated Push Button with 1 Normally Open (NO) Contact
L21ME20-3EAGL20	22 mm Green Illuminated Maintained Selector Switch with 3 Positions and 2 Normally Open (NO) Contacts
L21ME20-3EAGM20	22 mm Green Illuminated Maintained Selector Switch with 3 Positions and 2 Normally Open (NO) Contacts
<u>L21AB01</u>	22 mm Blue Flush Momentary Non-Illuminated Pushbutton with 1 Normally Open (NO) Contact
33EAYL	24 V AC/DC Yellow LED Module for 22 mm Illuminated Devices
333E (PER PCS)	3-Position Clip for 22 mm Control and Signaling Devices
LT60 (Illuninated)	button caps
LT50 (Illuminated)	button caps
LT10 (Illuninated)	button caps
LT40 (Illuninated)	button caps
LT06 (Non- illuminated)	button caps
LT05 (Non- illuminated)	button caps
LT01 (Non- illuminated)	button caps
LT04 (Non- illuminated)	button caps
<u>L21AH40</u>	22 mm Yellow Flush Momentary Illuminated Pushbutton with Chrome Bezel
<u>L21AH10</u>	22 mm Red Flush Momentary Illuminated Pushbutton with Chrome Bezel
<u>L21AH50</u>	22 mm White Flush Momentary Illuminated Pushbutton with Chrome Bezel
TC02GQ1	2-Position Selector Switch with Key Operated Mechanism
<u>L21AH00</u>	Spring Return Push Button Head
<u>L21KV30</u>	3-position Key Switch Head
<u>L21NA00</u>	3-position Key Switch Head
PR12 2301 A4 E Q48 PN50	
L21KA03-3E11	





Product	Description
<u>0172500</u>	3-pole switch body without handle - 100 A.
<u>NR51UQ1</u>	
<u>41041</u>	
L21KA03-1E10	
L21MD03-3E20	
L21AH20-3EAGM11	
L21AH40-3EAYM11	
L21AB01-3E11	
NC53DQ1	Cam switches
41831 / L62QB21	double push button
L21LC00	
L22AF02	
L22AF01	
<u>L21MA03</u>	
<u>L22AP10</u>	
<u>L22AP20</u>	
33EARM	
33EAWL	
<u>335E</u>	
<u>0172175</u>	Additional Pole
33PABL	