



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Binder

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
09-4228-00-07	Connector: round; 692.693, RD24; 250V; PIN: 7; socket; female
09-0449-387-05	flanged plug
OMW516001A00-24 51604D00	Throw vibrator 24040003
33 43311A03	Overexcitation rectifier
41130226	CSA single lift magnet
690 09 0055 00 03	Bayonet Male Cable Connector, 3 Contacts
690 09 0058 00 03	Bayonet Male Cable Connector, 8 Contacts
71705-33Z7A	Lamellenbremse
73 43111H00-0006	three-phase brakle
73 43113H00-0024	three-phase brake
73 43116H00-0017	Three-phase brake
73 24513E00-0002	three-phase brake
73 43111H00-0015	three-phase brake
76 13113A03-0001	Spring-Applied Single-Disc Brake
77 50024A15-0003	Spring-Applied Single-Disc Brake Module
76 14110E12-0006	Federdruck - Einscheibenbremse
77 60024A15-0022	brake
86 61107H00-0052	encoder
86 611-09H49	Brake + Armature
86 62103H00-0007	Permanent magnet brake
86 62103H00 0001	Electromagnetic Brake
86 62109H00-0001	Electromagnetic Brake
86 61109H09	Permanent magnet brake
86 62103H00-0004	24VDC P91381 / W 0001
99 0217 00 07	plugs
99-4225-00-07	Connector: round; 692.693, RD24; 250V; PIN: 7; plug; male
99-0421-10-07	Connector
99 0429 14 04	CABLE CONNECTOR
P/N: 99-3729-810-04, Type: M12-D	cable plug
99-4217-14-07	circular connectors
99-4644-00-19	M23 Female Cable Connector, 19 Contacts
99 4646 00 06	Cable socket
99-5110-15-04	M16 steel wire connector
PN: 9010-0305, Type: FD 115-230V	oven with fan
43040018	Frame solenoid
99.5630.15.12	socket

Product	Description
77 60024A15-0007	Spring-Applied Single-Disc Brake Module
1605650000	Tülle
09-4219-00-07	circular connector
Trockenschrank ED 23 mit natürlicher Umluft	Trockenschrank
ED 53	drying cabinet
86 12104E00-0002	Electromagnetic single-surface brake
77100113A00-0013	Multi-Disc Brake
41100048	Expansion Magnet
99-0413-10-05	Circular connector
99 2026 20 07	Kabeldose S.581 7pol. m. Kabelklemme
73 43116H00-0031	three-phase brake
86 61111H38	permanent magnet brake
9010-0082 FD 53 MODEL	Drying and heating oven with forced convection
9010-0081 BD 53 MODEL	Incubator with natural convection
99-0409-00-04	Kabelstecker
76 43110H03-0004	Spring-loaded single-disc brake
76 13113A04 -0002	spring-pressure single disc brake
99 3376 100 04	Cable socket straight
9010-0218	BD 53 Model Incubator with Natural Convection
99-0413-00-05	connector
99-3376-400-04	M8 Female Cable Connector, 4 Contacts, Unshielded, Solder, IP67, UL
99-1436-812-05	5-pin cable socket
99-0437-57-05	5-pin Cable socket
86 62103H00 00001	Pe. Bremse
73 34107A00 -0002	Feder. Einscheibenbremse
50005961 (1 pcs.)	M8 Female Cable Connector, 4 Contacts, Unshielded, Solder, IP67, UL
86 61107E17 3043501	Permanent magnet brake
86 61107H16-0001	Permanent magnet brake
76 46119A00-0001	spring-pressure single disc brake
86 61109H00-0031	Permanent magnet brake
43F11603D00	GS-EINFACH-HUBMAGNET
AL 18.4AT3/40SE, Plan F	Aluminium Pulley
Nr. 9030-0040 Type VDL 115	Vacuum Drying Oven for flammable solvents
99-0430-135-04	M12 Female Angled Connector, 4 Contacts, Unshielded, Screw Clamp, IP67, UL
AL 24AT3/40.2, Plan F	Aluminium Pulley
21080008	M12 Male Cable Connector, 8 Contacts, Shielded, Solder, IP67
99-2033-02-14 / 99-2033-02-14	M16 Male Cable Connector, 14 Contacts, Shielded, Solder, IP40
99-2034-02-14 / 99-2034-02-14	M16 Female Cable Connector, 14 Contacts, Shieldable, Solder, IP40
77 10013A00-0006	24VDC connector housing, microswitch
GTB040.000001	M16 Male Cable Connector, 14 Contacts, Shieldable, Solder, IP40
79-5009-30-04	Spring-Applied Single-Disc Brake
LES098000A04	Einfachspreizmagnet
75 341-10E00	Electromagnetic Brake

Product	Description
41 47606A00 (50003635)	Einfachhub-Steuermagnet
99 0148 12 12	Socket
99-0437-14-05	Male cable connector
77-1430-0000-50005-0200	Kabeldose
992 442 28 204	Kabeldose
99-0630-19-04	Sensor Connector,
LED098000A07 / 41334-10K06	Doppelspreizmagnet
73 24113A00940	Manual ventilation cpl.
86611-07H17 0001	Permanent Magnet Brake
41334-10K06	Doppelspreizmagnet
99 1538 812 05	M12 Female Cable Connector, 5 Contacts, Shielded, Solder, IP67
99 2026 10 07	socket
99 2013 00 05	Connector
9010-0335	Drying and heating chamber
9010-0339	Drying and heating chamber
Paguflex-Kupplung Gr. 10	coupling
Schlaufenkupplung schwarz Gr. 10	Loop Coupling, Black, Size 10
86611-11E00 0036	Permanent Magnet Brake
99-0709-70-05	RD30 Male Angled Connector, 4+PE Contacts, Unshielded, Screw Clamp, IP65, ESTI+, VDE
99-0712-00-05	RD30 Female Panel Mount Connector, 4+PE Contacts, Unshielded, Screw Clamp, IP65, ESTI+, VDE
73 341-07A00- 001	SINGLE DISC BRAKE
32 07332B40	Einweg-GLR, CE, 6 Klemmen vergossen
32 07322B40	Rectifier
99-4221-00-04	Cable connector
9020-0321	KBF115UL-240V
09 0136 72 03	Permanent Magnet Brake
8012-0759	,
8 611-07H05	permanent magnet brake
86611-07H37	Permanent Magnet Brake
99.5629.15.12	M16 Male Cable Connector, 12 Contacts, Shieldable, Solder, IP67, UL
99-0430-282-04	female cable connector
73 43116H00-0011	Three-phase brake 400 V; 50 HZ; 75 NM Zollarifnr. 85052000
99-3730-810-04	M12 Female Panel Mount Connector, 8 Contacts, A-Coding, Solder, IP67
86 61109H19	Permanent Magnet Brake
50003635 (41 476-06A00) - oem	Solenoid
TYPE 84 013-11C1	Electromagnetic coupling
76 13113A04-0003	Spring-Applied Single-Disc Brake
86 12104E00 Var. 0002	Permanent Magnet Brake
99-5110-740-04	socket
99-5109-740-04	connector
ED056-230V	Drying and Heating Chamber with Natural Convection
VDL 23	Vacuum Drying Chamber for Flammable Solvents
VD023-230V	Vacuum Oven

Product	Description
73 43113H00-0072	torsional brake
99-0425-10-08	Cable plug
89 034-13A1	ELEKTROMAGNET-KUPPLUNG
86 61111P01-0001	Permanent Magnet Brake
86 61111H03-0002	permanent magnet brake
77 50024A15-0001	Federdruck-Einscheibenbremsmodul
41 42607K00	Solenoid
99-0486-287-08	Duo socket S.713 8pol. with thread lock
99-1430-812-04	M12 Female Cable Connector, 4 Contacts, Shieldable, Screw Clamp, IP67, UL
99-0429-186-04	M12 Male Cable Duo Connector, 4 Contacts, Unshielded, Screw Clamp, IP67, UL
99-5626-75-07	M16 Female Angled Connector, 7 Contacts, Shieldable, Solder, IP67, UL
99-1487-812-08	M12 Male Cable Connector, 8 Contacts, Shieldable, Screw Clamp, IP67, UL
99-1486-812-08	Cable Dose S.713 8pol. with. ges
99-1437-812-05	plugs
99-0414-10-05	M12 Male Cable Connector, 5 Contacts, Unshielded, Screw Clamp, IP67, UL
99-5113-15-05	M16 Male Cable Connector, 5 Contacts, Shieldable, Solder, IP67, UL
08 1078 000 000	M12 Male Cable Connector, 8 Contacts, Shielded, Solder, IP67
09-0116-09-05	M16 Female Panel Mount Connector, 5 Contacts, Unshielded, Solder, IP67, UL
99-0487-12-08	(Cable plug P. 713 8pol.)
50005538	.
43-1707-005-04 / 43-1707-005-04	Male Power Connector
99-1430-822-04	M12 Female Angled Connector
99-0440-16-04	Sensor
86 01111E00-0016	M16 X-Coded Male Cable Connector
86 11111E00-0002	Electromagnetic Brake
JQX-76F 25A (380VAC)	Relay
09 3105 86 03	M12 Circular Connector
99 4201 14 07	connector
50005961 (19 pcs.)	solenoid
319477 (76 14116E15010)	Electromagnetic Brake
73 24116E00400	
73 24116A00001	Electromagnetic Brake
76 14116B00003	Electromagnetic Brake
86 61104H06	Electromagnetic Clutch
73431-11H00 0010	three-phase brake
86611-11E00 0047	permanent magnet brake
86 62109P03	permanent magnet brake
99-0437-105-05	Connector
77 4429 0000 20005-0200 / 774429000020005-0200	M12 B-Coded 5-Pin Male Cable Assembly
09-4442-116-05 / 09-4442-116-05	M12 A-Coded 5-Pin Female Panel Mount Connector
99-0430-00-04	Right angled socket
9010-0323 BD056-230V	Electromagnetic Brake
81601-21B01	EL. MAGN. BRAKE

Product	Description
86 61109H05-002	Permanentmagnet-Bremse
73 43113H00-0073	Electrical motor brake
86621-14H00 0018	M16 Circular Connector
86 62111E00-0012	Brake
99-5852-15-14	Connector male
99-5661-15-19	Connector female
99-5626-09-07	Cable Connector
75763-H1	velcro
5193012516	Electromagnetic Brake
99 5172 15 08	M12 Circular Connector
9010-0309 FD260-230V	Drying and Heating Chamber with Forced Convection
09-3391-00-04	M8 Male Panel Mount Connector
73431 16H07	Three-phase brake
07-0079-000	Assembly Spanner with Torque Limitation
07 0082 000	Assembly Spanner with Torque Limitation
76 431-10H03 102V-130V DC 5NM	Brake
9010-0333 ED056-230V	Etuv
9010-0295 FED056-230V	Etuv
99-4218-00-07	round plug socket
86 611-07H22	Brake + Armature
866111H41	Brake + Armature
73 43110H00-0010	three-phase brakle
09-4227-00-07	Cabel socket
99-4225-14-07	Cable socket
99-4226-14-07	Cable socket
76 13113A00-0018 -205V DC	spring-pressure single disc brake
9951711508	Circular Connector
73 43116H00-0010	Three-phase brake
09-0315-00-05	MALE SOCKET
41334-10K06 / LED098000A07	Double-Acting Solenoid Magnet
76 13113A03-0002	Spring-applied single-disc brake
32 07302B01	1-way GLR, 5 clamps, clip
76 43111H04-0001	
383-2-030-SKN-ZS / 383-2-030-SKN-ZS	knife-edge
99-5622-75-06	connectors
99-5621-75-06	Miniature connector
86 12104E00-0001	Elektromagnet-Bremse
71 70533Z7A-0001	Spring-plate brake
09-0212-00-04	Standard Circular Connector
99 2444 73 05	M12 Circular Connector
99-3366-00-04	M8 cable connector shieldable, series 768
09-0998-00-05	Connector
09-0144-70-06 / 09-0144-70-06	Connector
09-0323-90-06 / 09-0323-90-06	M16 Male Panel Mount Connector
77 60019A00-0009	spring pressure single disc brake

Product	Description
BF 115	Standard Incubator with Forced Convection
P/N: 9020-0397	Incubators
09 3431 116 04	M12 Female Panel Mount Connector
9010-0299 FED	Drying and Heating Chamber with Forced Convection
76 13112B0000x-00xx	M12 Circular Connector
FP 720 (9010-0267)	Laboratory Heating Cabinet
8012-0062	Access Port with Silicone Plug
72 10724C1	brake
73 34107A00-0001	Single disc spring brake
86 61111H28	permanent magnet brake
76 13111C00-0001	Spring-pressure single-disc brake
9010-0303 FD056-230V	Drying and Heating Chamber with Forced Convection
99-5122-40-06	female cable connector
99-0430-314-04	Female socket (crimp)
09 0172 25 08	Stecker
08 2843 000 000	Protection cap for panel-mount socket
09 3415 00 04	Panel-mount plug
9010-0002 B028-230V	Incubator
08 2842 000 000	M12 Female Panel Mount Connector
86 61104E25	Permanent magnet brake
77-4529-0000-50704-0300	M12 Male Cable Connector with Molded Cable
73 43116H00-0065	Three-phase brake
73 24513E 00-004	Three-phase brake
73 43110H00-0024	Three-phase brake
99-3379-100-03	Series 768 connector
79-3406-42-03	Cable 2m M8, for sensors
8661107H05	brake
09-0305-00-03	Round connector plug 3-pin
09-0309-00-04	printer encoder socket
99-0422-10-07	Cable socket
09-0423-00-07	Panel plug
99 0430 10 04	Cable plug connector
99 5109 15 04	wire connector
99 5110 19 04	Cable plug connector
86 611-07H15 VAR 0002	Permanent magnet brake
99-5125-15-07	Cable plug
86 62107H00-0016	Permanent magnet brake
73 24513E00-0003	3-phase current
44030034	High Performance Single Stroke Magnet
99-5121-40-06	Electronic component
73 24113E00400	Plate
09 0154 70 08	Cable socket angled
09 0572 00 08	Cable socket
73 43113H00-0038	three-phase brake
77 10025A00-0002	brake

Product	Description
09 0440 00 04	angle coupling
99.5672.19.08	Coupling box
73 43111H00-0005	Three-phase brake
77 50029B15410	.
76 13111C01300-00	Fan
99-3782-213-08	Sensor connector
99-0437-24-05	M12-A Male Angled Connector
99-0436-14-05	M12-A Female Cable Connector
99-0436-24-05	M12-A Female Angled Connector
79 5200 00 04	distributor
CTRTSM5-F	VOLTAGE GAUGE
99 0430 24 04	Angle box
86 11104E00-0001	Electromagnetic brake
99-0436-12-05	circular connector
09 0322 00 06	wire connector
73 24111E00-0013	3-phase current brakes
73 34107A00-0025	.
32 07102B01	braids
76 43111H00-0002	Spring-pressure single disc brake
99-0144-12-06	M16 Female Angled Connector
77 60019K00-0012	Spring-loaded single disc brake
99-0436-52-05	connector
79-1414-15-05 / 79-1414-15-05	Subminiature Connectors
86 62103H00-0009	Brake
99-1486-822-08	SOCKET M12 8 PIN
99-1438-910-05	Female connector m12x1
73 43116H00-0005	Three-phase brake
77 60019A15-0020	Spring-Applied Single-Disc Brake
86 61116H00-0018	Permanent magnet brake
73413HV083	M12 Male Receptacle
73 43111H00-1005	three-phase brakle
86 61111H00 24V DC	Brake
8661104H22	M16 Male Cable Connector
86 611-21H11	permanent magnet brake
01-5059-001	Connector
09 0036 00 03	Circular connector, flush-type socket
09 0033 00 03	Circular Connector, Plug
09-0474-00-08	M16 Female Panel Mount Connector
9956301612	M16 Male Cable Connector
43-1700-000-03	solenoid valve connector
73 43116H00-0087	three-phase brake
73 24513E00-0011	three-phase brake
73 24113E00-0044	three-phase brakle
76 241-19E04	electromagnetic brake
99-0461-75-19	plugs

Product	Description
09 0462 70 19	plugs
Typ 24 51604D00	Engine vibrator
7343110H00-0039	three-phase brake
86 611-11H15 VAR 0002	muff
86 621-11H00 VAR 0001 24VDC	Permanent Magnet Brake
09-4224-00-04	Connector: circular; socket; 693, RD24; female; PIN: 4; 16A; IP67
99-0209-00-04	Connector
99-3376-00-04	AS-i socket
99 3383 00 04	Cable Connector
76 131-13A03 VAR 0001 102V DC 9NM (7611040)	Brake + Flange + B08.500 Hub 14H7
99 3727 810 04	M12 Male Cable Connector
99 3787 810 08	M12 Male Cable Connector
13120059	BG BRAKE MAGNET
30320008	flange for brake magnet
99 0429 24 04	ANGLED CONNECTOR
20 50103A1	vibrator
86 611-09H59	permanent magnet brake
99-5682-75-07	connectors
73 43110H00-0078	three-phase brake
32 17350E10	M16 Male Cable Connector
86 62111H00-0063	permanent magnet brake
101137124	PRESSURE ACTUATED MULTI-PLATE COUPLING
94 001-19A1	PRESSURE ACTUATED MULTI-PLATE COUPLING
32 07323A40 (6 terminals)	bridge glr, CE, 6 terminals
77 50024B15-0002	spring pressure single-disc brake module
77 50024B15600	conversion kit
77 50024B15-0001	spring pressure single-disc brake module
77 10025A00-0027	spring-pressure disc brake
09-0329-02-12	M16 Male Cable Connector
09-0571-00-08	M16 Male Cable Connector
07-0010-01	M16 IP67 Mounting Key for Flange Connectors
50008289	M16 Male Cable Connector
09-3442-120-05 / 09-3442-120-05	flange socket
09-5241-00-05 / 09-5241-00-05	Connector
77 10013A00-0008	spring-loaded multi-disc brake
77 50029B15-0004	spring-pressure single disc brake module
77 50029B15600	conversion kit
32 07323B40	Bridge GLR, CE, 6 terminals
73 24513E00-0004	three-phase brake
99-0213-110-07	
99-0214-110-07	Connector
8500-0067	Controller
8500-0068	Replacement set regulator
99-5130-75-12	Jack

Product	Description
76 13113A00-0005	Spring-pressure single disc brake
21554 08 B	vibrator
ED56 \ ED056-230V	Drying and Heating Chambers Avantgarde
76 13113A00-0030	Spring-pressure single disc brake
99 5109 40 04	plug
76 43110H00-0002	Spring-loaded single-disc brake
76 13113A01003-00	friction disc
08-2769-000-000	Protective cap, sensor connector
86 05309E00-0006	Electromagnetic clutch
99 2025 00 07	M16 Male Cable Connector
99-0429-07-04	plug
77 50029B15-0006	Spring-pressure single-disc brake module
73 24116E00-0030	three-phase braking
99-0406-70-03	Cable Connector Socket
99 2026 00 07	coupler
73 24113E00-0070	three-phase brake
86 62103H00-0003	Permanent magnet brake
09-0082-00-04	connector
99-0079-100-04	plug
99-0080-100-04	plug
86 61114H07-0002	permanent magnet brake
99 2009 02 04	Plug
99 0405 00 03	connectors
9630-0001 VD023-230V	Vacuum Drying Chamber for Non-Flammable Solvents
8012-1958	pump cabinet
8012-1995	Vacuum connection set
8612-0001	Ventilation access
09 0321 00 06	wire connector
86 01109E00-0001	electromagnetic clutch
73 43110H00-0005	three-phase brake
76 43110H03-0006	single disc brake
99-0126-106-07	M12 Female Panel Mount Connector
99-0122-106-06	plugs
99-2022-00-06	Round plug socket
77 10016A00-0030	M16 Circular Connector, Male, 3 Contacts
76 14116B00940	Manual ventilation
86 61103H03-0001	Permanent magnet brake
73 43113H00 0005	brake
79-3579-32-08	M12 Male Cable Connector, 8-Pole, 2m
99-5130-15-12	Connector
77 10019A00-0020	Spring-loaded multi-disc brake
76 43114H00 0003	Spring-loaded single-disc brake
Typ 72 105-11C1 / 100816013	Spring-loaded multi-disc brake
99-5113-40-05	cable connector
09-0146-70-07	Angled socket

Product	Description
09-0148-70-12	female angled connector
41550002	Square solenoid
86 61111H00-0047	permanent magnet brake
76 0136 0011 00404-0200	panel mount jack
99 3729 995 04	Straight cable plug
73 24113E00-0052	three-phase brake
99-5672-75-08	Angle coupling
86 61111H13-0002	permanent magnet brake
76 43110H10-0001	spring-loaded single disc brake
77 60024A15-0003	spring-loaded single disc brake
09-4712-00-04	Subminiature Circular Female Connector, 4-Pole
99 4709 00 04	M12 Male Cable Connector, 8-Pole, 2m
86 62107H00-0001	permanent magnet brake
73 43111H00-0009	three-phase brake
73 43111A01001	SLICE
99-4222-00-04	connectors
99-4217-00-07	round plug connector
76 14119E00400	Spring-Applied Single-Disc Brake, Size 19
77 10013A00-0012	spring-loaded multi-disc brake
99 5114 75 05	Mini Connector
76 26G16B00-0014	Spring-Applied Single-Disc Brake, Size 16
76 26G16B00-0015	Spring-Applied Single-Disc Brake, Size 16
76 13106H00-0009	spring-loaded single disc brake
09 0313 00 05	Mini Connector Plug
77 50019B15-0005	spring-loaded single disc brake module
77 50019B15600	conversion kit
86 61109H25	motor brake
9010-0333	Drying Oven
76 13113A02-0001	spring-loaded single disc brake
HUB WITH VAR. D FROM 22 - 28 76 13112B00004-00	HUB WITH VAR. D FROM 22 - 28 76 13112B00004-00
76 13108A04-0001	spring-loaded single disc brake
86 61109H05-0002	permanent magnet brake
09 0173 00 08	Mini Connector Plug
86 61111H39	permanent magnet brake
79 6130 20 12	M16 Female Cable Connector, 12 Contacts, Shielded, 2m Cable
76 13113A01-0001	.
77 10016A00-0021	spring-pressure multi-plate brake
77 10016B00850	Set of lamellas
77 60011A00-0008	spring-pressure single disc brake
76 13113A06-0001	Excitation system
76 13113A01003-0003	the friction disc with a 25mm bore
86 62103H06	
79-1413-25-05	cable plug
99-0410-00-04	Circular plug coupling

Product	Description
8012-0643	M12 Female Panel Mount Connector, 4-Pin, A-Coded
8009-0486	M8 Male Cable Connector, 3-Pin, Shielded
86 61109H35-0003	permanent magnet brake
9120-0345 KMF720-230V	Constant Climate Chamber with Expanded Temperature and Humidity Range
76 13113A00-0018	spring-pressure single disc brake
76 13112B00003-00	M8 Female Panel Mount Connector, 3 Contacts, Unshielded
32 07103B01	Bridge-GLR
LED1350018	double expander magnet
99-4221-14-04	Connector plug
99-4222-14-04	Connector socket
9020-0203	KB 400 Cooling Incubator, 400L
9010-0354 FD115-230V-RU	FD 115 Drying and Heating Chamber, 115L
9020-0341 KMF115-230V	Constant Climate Chamber with Expanded Temperature and Humidity Range
99 0710 70 05	Cable socket
99 0492 12 12	connectors
73 43116H00-0076	Three Phase AC Single Disc Brake
24 51604D00 / 24040003	Wolf vibrator
73 34105A00-0006	spring-pressure single disc brake
73 34105A00-0016	spring-pressure single disc brake
86 61114H19	permanent magnet brake
99 2440 12 03	Jack
99 2443 12 04	Plug
09 0316 00 05	Mini Connector Socket
99-0436-10-05	sensor
99-0436-15-05	Cable Connector
08-1205-000-000	Mounting key
86 61106H05	permanent magnet brake
99-0491-52-12	connectors
99-0492-52-12	connectors
73 43113H00-0071	three-phase brake
86 02107EA0-0001	electromagnet coupling
76 13113A01-0002	spring-pressure single disc brake
Low pressure reducer in stainless steel	Stainless Steel Low-Pressure Reducing Valve
INSTRUM Manometer	Low-Pressure Manometer with Stainless Steel Case
0-1,0 bar pressure gauge(tube spring)	for LPRI-025D-07-M01-SCB-G-A1-L
LPRI-025D-07-M01-SCB-G-A1-L	low pressure reducer in stainless steel,
LPRI-025D-12-L50-SCA-D-G-A1-L	Low pressure reducer in stainless steel,
LPRI-025D-12-M03-SCB-G-A1-L	low pressure reducer in stainless steel,
LED0980053	double expansion magnet
0-2,0 bar tube spring pressure gauge	for LPRI-025D-12-M03-SCB-G-A1-L
INSTRUM material test certificate	Material Test Certificate According to EN 10204 3.1
LPRI-025D-07-L50-SCA-G-A1-L	low pressure reducer in stainless steel,
0-1.0 bar tube spring pressure gauge	for LPRI-025D-07-L50-SCA-G-A1-L
LPRI-025D-12-L50-SCA-G-A1-L	low pressure reducer in stainless steel,
0-400 mbar capsule pressure gauge	for LPRI-025D-12-L50-SCA-G-A1-L

Product	Description
99-9116-00-05	connectors
79-1409-15-04	Circular plug plug
99 3400 110 03	angle coupling
99-2444-52-05	angle coupling
99 0436 57 05	cable socket
99 6430 00 02	Sensor/actuator connector
08 2973 000 000	Protection cap
73 43111H00 0014	three-phase brake
86 61107H07-0001	permanent magnet brake
76 14513C00	spring-pressure single disc brake
09 0344 00 19	connectors
09 5250 00 03	Adapter
76 43108H08-0002	spring-pressure single disc brake
99 5126 40 07	Female cable connector
99 5125 40 07	Male cable connector
86 61106P14	High Torque
86 61109H00-0012	permanent magnet brake
77 10016A00-0007	spring-pressure multi-disc brake
99 5122 79 06	Angle coupling
860532112000012	connector
99 5122 75 06	Angle coupling
99 0144 10 06	Angle coupling
77 7406 0000 50008 0200	pilotage
77 10019A00-0031	spring-pressure multi-disc brake
86 61104H02	Reel
86 62111H00-0001	permanent magnet
77 60019A15	Complete brake with rectifier
9020-0378	climatic test chamber
76 43116H00-0003	spring pressure single disc brake
09-0123-89-06	male connector
7613111C00-0002	Spring-Applied Single-Disc Brake, Size 11
76 13113 A04	spring pressure single disc brake
LCL040050FIL	24VDC
76 13111C00200-00	ventilator
86 61109P10	brake
76 43110H00-0012	spring pressure single disc brake
76 43110H00940	Manual ventilation complete
7334107A00	SPRING-LOADED SINGLE DISC BRAKE
76 13106H00-0026	Brake
77 10016A00-0012	Electromagnetic Spring-Applied Brake, Size 16
86 61107H15-0002	permanent magnet brake
99-0430-15-04	Socket Circular
76 13112B03500	hub
99-5630-75-12	connector
76 43110H00901-0001	driver /taker

Product	Description
76 43110H00-0012 Spring-loaded single disc brake	Spring-loaded single disc brake
73 43116H00-0098	three-phase brake
99 0720 00 13	connectors
99 0718 02 13	connectors
99 0719 00 13	connectors
09-0325-00-07	7-pin circular plug connector
09-0328-00-07	7-pin circular socket connector
77 3434 0000 20004-0200	sensor/actuator connectors,
73 24113E00-0020	three-phase brake
99-4226-00-07	connectors
76 43110H00004	FRICTION PLATE
8661109e00	brake
73 43113H00-0008	AC Line Spring-Applied Single-Disc Brake, Size 13
86 61107H00-0026 (0.65A)	Permanent Magnet Brake, Size 7
76 13113A00-0006	spring-pressure single disc brake
30 7661303 A00	coil
73 24113E00-0024	three-phase brake
99 2030 02 12	Jack
99-3385-00-03	M8 Male Angled Connector, 3 Contacts, Unshielded, Solder Termination, IP67, UL
76 43113H00-0002	Spring-pressure single disc brake
99-0401-10-02	Male cable connector
99-0409-10-04	Male cable connector
09-0326-00-07	Female cable connector
8662107H00 0020	Permanent Magnet Brake, Size 7
77 10025A00 -0003	Electromagnetic Spring-Applied Brake, Size 25
79-3444-35-05	M16 IP67 Connector
86 61107H25-0002	permanent magnet brake
99-5606-75-03	connector
86 62109H02	permanent magnet brake
FD-S 56	Drying and Heating Chamber with Forced Convection
09-0452-70-14	M16 Female Cable Connector, 14 Contacts
99-0451-75-14	M16 Male Cable Connector, 14 Contacts
73 43113H00-0030	Three-phase brake
P/N: 99 1430 814 04, Type: M12-A	CONNECTOR
99 5610 19 04	coupling
99 3727 820 04	Stecker
Type 73 43111H00-0006	brake
86 61114H00-0001	Permanent Magnet Brake, Size 14
09 0216 00 07	Built-In Socket
99 0759 010 05	plugs
Type 86 61109H05-0002	Permanent Magnet Brake, Size 9
43070003	Frame Solenoid, 24V DC, 30mm Stroke
08 2807 000 000	Protection cap for cable plug

Product	Description
99 5122 19 06	coupling
15147-H1-0050-00-000-1002	Klettostar® Hook-and-Loop Tape, Self-Adhesive, 50mm Width
99 0639 29 05	plugs
99 0640 29 05	coupling
9630-0011 VDL115-230V	VDL 115 Vacuum Drying Chamber for Flammable Solvents
73 43116H00-0073	Three-Phase Brake, Standard Anchor Version
86 61116P03	brake brake
76 13106H00-0024	Spring-pressure single-disc brake
VDL-53	Vacuum Drying Chamber for Flammable Solvents, 53 Liters
73 24513E00-0007	three-phase brake
09 0454 8014	M16 Female Panel Mount Connector, 14 Contacts, Unshielded, Solder, IP67, UL, Front Fastened
99 5851 1514	M16 Male Cable Connector, 14 Contacts, Shieldable, Solder, IP67, UL
99-2009-00-04	connectors
99-2010-02-04	connectors
77 3406 0000 20004-0500	Sensor Cable
99-0536-12-05	coupling
43 1732 145 04	connectors
43 1714 134 03	connectors
76 13106H00-0025	Spring-Applied Single-Surface Brake, 1 Nm Torque
86 61114H00-0023	permanent magnet brake
76 13113A01003-0024	Friction disc
43 1772 006 04	valve connectors
43 1700 002 03	Standard electrical connection
43 1709 000 03	male power connector
99 2022 20 06	connectors
09 0055 00 03	Power connectors
9020-0324 KBF720-230V	Constant Climate Chamber with Large Temperature/Humidity Range, 700 L Capacity
76 43113H00-0004	Spring pressure washers brake
86 61106H00-0007	Magnetic brake part
86 62111E22	brake
99 4222 160 04	Female cable connector
99 4221 160 04	Male cable connector
LED1350017 / 910DE00013	LED Indicator Light, 230V AC, Red
86 61107H09	brake
76 14124A00900-0099	Spring-Applied Single-Disc Brake
73 24111E00-0008	Three-Phase Brake
99 5622 79 06	connector
77 10033A00-0001	Spring-Applied Brake
8500-0336	silicone door seal
09-0130-70-12	circular connector
49 13106D08	Lifting magnet
Type 86 61111H00-0047	Permanent Magnet Brake, 40 Nm Torque, 24V DC
P054452/121	Permanent Magnet Brake

Product	Description
76 13113A00-0013	spring-loaded single-disc brake
32 23428J0073	Transformer GLR for Attachment
77 10016A00-0015	Spring-Applied Single-Disc Brake
I-86 27511E00-24	Electromagnetic Clutch
09 0314 09 05	Connector
86 61111H29	Brake
76 13113A00003	Friction disc
76 13113A00007	Compression spring
76 13113A00004	flange
99-4201-00-07	Male cable connector
99-2022-10-06	connectors
99-2021-10-06	connectors
99-2021-20-06	connectors
77 9839 0000 00005	connector
77 9840 0000 00005	connector
73 43110H00-0009	three-phase brake
79 1422 75 07	
79 1421 72 07	
76 43110H00-0043	spring-pressure single-disc brake
99-0690-58-04	M12 Female angled connector, Contacts: 3+PE, 8.0-10.0 mm, unshielded, screw clamp, IP67, UL, VDE
73 24113E00-0048	
77 4529 0000 50704-1000	
77 4529 0000 50704-0500	
77 3530 0000 50705-0200	
77 4529 0000 50704-0150	
09-0108-80-03	
09-0116-80-05	CONNECTOR
09-0128-80-07	
9010-0334 ED056UL-120V	
185300-SR001	
185300-SKZ01	Setting head
250300-BAZ00	Hydraulic unit 25 mm stroke
75000-SWZ02	Swivel drive
185000-WMZ00	Encoder
77 10013A00-0013	spring-pressure disc brake
9110-0301 FED720-400V	
8012-218	Heavy-duty rack - stainless steel
9010-0329 BD260-230V	
9010-0330 BD260UL-120V	
86 62109H00-0021	Binder Brakes
09-0440-10-04	Female cable connector
LPRI-025D-12-L10-SVP-L	INSTRUM — low pressure reducer
LPSI-050D-26-L10-SVP-L	INSTRUM — low pressure overflow valve
24040003 / 910DE00013	Throw vibrator

Product	Description
09-0034-00-03	
73 34107A01-0001	Brake
71 10124E00940	
73 43110H00-0025	three-phase brake
50012594	frame lift magnet
9010-0364 FP115-230V	
99-0979-102-04	
77 50029B15-0002	Spring pressure washers
86 61111H39 (incl. pressure disc and spring)	permanent magnet brake
6011-0165	,
99 0486 186 08	CONNECTOR
99 3383 100 04	