







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





Burndy

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
<u>NA174N</u>	Copper Bolted Terminal
<u>B38-0309-00</u>	BW Flint Igniter
BBB14412F	Bare Copper Busbar
<u>BBB-14416H</u>	Copper busbar
<u>DV2L</u>	THE NEST
<u>DV4L</u>	AIRCRAFT NEST DIE
<u>DV6L</u>	service
<u>DV8L-1</u>	THE
<u>9999015 - GBM26</u>	
<u>GBM29</u>	
<u>GXP1828RF</u>	Raised Floor Ground Connector
<u>K22A36U-2</u>	Aluminum/Copper 2-Hole Terminal
<u>KA26U 2/0</u>	Copper/Aluminum Mechanical Lug
<u>KA28</u>	4/0 Copper 1-Hole Terminal Lug
<u>KC26</u>	connector
<u>KS15</u>	connector
KSU23	Slotted bolt clamp
<u>MR20</u>	Ratchet Crimper for #22-#10 AWG, Uninsulated
<u>MR410M</u>	Burndy HYTOOL
MR4C	Hytool Full Cycle Ratchet Hand-held Tool
<u>MR8-9Q</u>	Crimper
<u>MR8G98</u>	RATCHET TOOL
<u>MY28</u>	Dieless Mechanical Crimper
<u>P8A PENETROX™ A</u>	Copper Electrical Joint Compound
PAT-750C-LILCB	Battery Actuated Crimping Tool
PAT750LI - Special	BATTERY AND WITHOUT MATRIX) -WITHOUT CHARGER
<u>PENA138</u>	Kontaktfett
<u>RM20M12K</u>	CRIMPKONTAKT STIFT AWG20
<u>U1CART</u>	Round crimp
<u>U25ART</u>	Compression Connection
<u>U25RT</u>	Stainless Steel Circular Butting Twin U Die
<u>U26ART</u>	Compression Connection
<u>U26RT</u>	Radial Butting Twin Die, Index 13
<u>U27ART</u>	Compression Connection
<u>U28RT</u>	Stainless Steel Circular Butting Twin U Die

Enapart Group 5835 CALLAGHAN RD STE 204 CINCINNATI OH 45999-0023, ZIP 78228 SAN ANTONIO Texas ENAPART LLC





Page 2 / 18

Product	Description
<u>U2CABT</u>	421295 SS Radial Butting Twin Die, Index 348
<u>U2CRT</u>	Stainless Steel U Die
<u>U34RT</u>	Radial Butting Twin Die
<u>U36ART</u>	U Crimping Die
<u>U36RT</u>	Burndy U-DIE 600 kcmil, CU lug YA36
U39ART2	(BURNDY U-THE)
<u>U4CABT</u>	Compression Connection
<u>U6CABT</u>	Compression Connection
<u>UDIEKITCU</u>	U Die Kit for Copper Connectors
<u>UT06104PH</u>	STECKER 4POL. STIFT IP67
UTG10AC	Black Connector Backshell
UTG16AC	circular connector
UTG18PG	PG ADAPTER
UTG61412SN	STECKER 12POL. BUCHSE
<u>UTG61823PN</u>	STECKER 23POL. STIFT
<u>UTG61823SN</u>	STECKER 23POL. BUCHSE
<u>Y1MRTC</u>	HYTOOL Mechanical crimping tool
<u>Y29PL</u>	Crimp Die
<u>Y34PA</u>	Crimping jaw
<u>Y35</u>	Hypress 12-Ton C-Head Hydraulic Hand Operated Tool
<u>Y60BHU</u>	Hypress 60-Ton Single Acting Remote Head
Y8MRB1	Hand Held Full Cycle Ratchet Crimping Tool
YA1CL2NT14	Copper Compression Lug
<u>YA25</u>	(Burndy 1-Hole lug AWG1/0)
<u>YAV70FM10</u>	Tubular cable lug for fine stranded conductors
<u>YS8C</u>	HYLINK SPLICE
<u>MY2913GE2</u>	Handpresszange
<u>T10-10</u>	ring lug
<u>T14-10</u>	ring lug
<u>KC23</u>	Connector
<u>YAV50M10</u>	Copper Compression Lug
YAV70FM10 / YAV26LM105	Rohrkabelschuh f. feindrähtige Leiter
YAV50M8 / YAV1CLM84	Rohrkabelschuh
<u>DE70-8SV / 7R8</u>	Rohrkabelschuh
YAEV06M6	Compression Terminal
YCUT129ACSR	Latch Manual Hydraulic Cutter
<u>Y35P3</u>	Inventor Adapter
YA25L4BOX	Burndy 1-Hole lug AWG1/0 (50mm ²)
<u>YA25TC38</u>	Burndy 1-Hole lug AWG1/0 (50mm ²)
Y750CHSXT	12-Ton Covered C-Head Crimper
<u>YF1606IW</u>	Burndy Single Insulated Wire Fe
<u>YF2212IW</u>	Burndy Single Insulated Wire Fe
TP168BF	Burndy 22-18V/I 8 Block Spade





Page 3 / 18

Product	Description
TP148BF	Burndy 16-14V/I 8 Block Spade
TP108F	Fork
<u>UT061412PH</u>	Connector
UT061823PH	STECKER 23POL. STIFT IP67
UT0S14PG00T+	PG ADAPTER GESCHIRMT GR.14
PAT750LI	Battery Actuated Crimping Tool
	Burndy hand operated Tool
YAEBAS26NTN	Burndy STRGHT
YAEBAS27NTN	Straight Style Battery Post Terminal
YAEBAS28NTN	Burndy STRGHT
18-BUR-YAV28LNT12FX	Compression Terminal
15-BUR-PENE5GAL	Penetrox [™] Electrical Joint Compound
YAV26L2NT14FX	Copper Compression Lug
YAV25L2NT14FX	Copper Compression Lug
YAV14R	Terminal
<u>YAV10</u>	Solderless Terminal
PT292792	Burndy Pres. Test Gauge
<u>Y4439R</u>	CONNECTOR
YA2C-L4BOX	Cable shoe
<u>YAL26T38</u>	Cable Shoe
<u>MY293</u>	22 5/8 inL Dieless Crimper, 8 to 250 KCMIL
<u>NAH2934N</u>	Substation Copper Terminal
<u>N22RVMT10</u>	Crimptools
PENA13 QT	Contact grease type Burndy Penetrox A13, can 1 kg
<u>QQA34</u>	Heavy-Duty Mechanical Lug
<u>YS5C</u>	HYLINK SPLICE
<u>YS3C</u>	HYLINK SPLICE
<u>YS2C</u>	HYLINK SPLICE
<u>YS1C</u>	HYLINK SPLICE
<u>YS26</u>	HYLINK SPLICE
<u>YS29</u>	HYLINK SPLICE
<u>YS30</u>	HYLINK SPLICE
<u>YS31</u>	HYLINK SPLICE
<u>YRB39U34</u>	Aluminum Compression Reducer Butt Splice
<u>YAV10T3</u>	Uninsulated Ring Terminal
YAV8CL3	Uninsulated Ring Terminal for 8 AWG
<u>KC23</u>	Slotted bolt attachment clamp
<u>YSV1014G2 (1*500)</u>	Copper Reducer Butt Splice
CTB150RA4C	Aluminum Mechanical Lug
<u>UTG61619PN</u>	STECKER 19POL. STIFT
<u>TP166</u>	Vinyl-Insulated Ring Terminal for 22-16 AWG
<u>TP146</u>	Vinyl-Insulated Ring Terminal for 16-14 AWG
<u>TP106</u>	Vinyl-Insulated Ring Terminal for 22-16 AWG





Page 4 / 18

Product	Description
<u>TP166F</u>	Fork
<u>TP146F</u>	Vinyl-Insulated Fork Terminal for 16-14 AWG
<u>TP106F</u>	Vinyl-Insulated Fork Terminal for 12-10 AWG
<u>SP16</u>	Vinyl-Insulated Butt Splice for 16-14 AWG
<u>SP14</u>	Vinyl-Insulated Butt Splice for 16-14 AWG
<u>SP10</u>	Vinyl-Insulated Butt Splice for 12-10 AWG
<u>7370475 - YAV06M6</u>	Non-Insulated Metric Compression Terminal for 6 mm ² Conductors
<u>YAV10M10</u>	tubular cable lug
<u>YAV16M10</u>	Non-Insulated Metric Compression Terminal for 16 mm ² Conductors
<u>YAV25M10</u>	Copper Compression Lug
<u>YAV35M12</u>	Non-Insulated Copper Compression Terminal for 35 mm ² Conductors
<u>YAV50M12</u>	Non-Insulated Copper Compression Terminal for 50 mm ² Conductors
<u>YAV70M10</u>	Rohrkabelschuh
YAV70M12	Tubular lug
<u>7370770 - YAV95M12</u>	Non-Insulated Copper Compression Terminal for 95 mm ² Conductors
<u>YAV120M10</u>	Non-Insulated Copper Compression Terminal for 120 mm ² Conductors
<u>YAV120M12</u>	Burndy Terminals, YAV Series
<u>YAV150M12</u>	Tubular lug
<u>YAV400M14</u>	Non-Insulated Copper Compression Terminal for 400 mm ² Conductors
<u>YAV630M16</u>	Non-Insulated Copper Compression Terminal for 630 mm ² Conductors
<u>BSD2050Y</u>	Burndy Static Discharge Reel
<u>KA26U (1x50)</u>	AL-Schraubkabelschuh VZ
<u>YA34-L37</u>	Electrical Connector
<u>FD675D8</u>	Stud Connector
<u>YGF342N</u>	Cast Copper Alloy Grounding Plate
YCHC39TC39	Copper C-clamp
<u>Y81KFT</u>	crimping tool head
<u>YGL34C34</u>	Cross Grid Connector
<u>YGF344N</u>	Burndy Copper Compression Grounding Plate
YGHC34C34	Burndy Copper Compression C Connector
<u>YGHC34C26</u>	Burndy Copper Compression C Connector
<u>YA26L2NT14</u>	Compression Terminal
<u>UTG61412PN</u>	RUNDSTECKVERBINDER
UTG14AC	Backshell with Cable Clamp for Size 14 UTG Series Connectors
<u>UTG02020S</u>	Circular Connector Receptacle, 20 Contacts, Size 20 Shell
<u>UTG62020PN</u>	Circular Connector Plug with 20 Pin Contacts, Size 20 Shell
UTG20PG	Cable Gland for Size 20 UTG Series Connectors
RC24M9K	Machined Crimp Contact, Size 16, 24-20 AWG, Gold Plated
<u>KS25</u>	Connector
PAT750CXT18VCE250V	Burndy 120kN battery press
7370705 BURNDY YAV70M10	Rohrkabelschuh
YA8CTC10	Burndy 1-Hole lug AWG8 (10mm ²)
YA2CTC14	Lug





Page 5 / 18

Product	Description
YA6CTC10	Burndy 1-Hole lug AWG6 (16mm ²)
<u>YQE150</u>	End connector
<u>GAR1529</u>	Mechanical Grounding Connector
<u>GK6426</u>	Grounding connection
<u>GAR6429</u>	Mechanical Grounding Connector for Cable to Rod or Pipe Connections
NNTR42A42A	Cast Al Alloy T-Connector
YAV352M10	Non-Insulated Compression Ring Terminal for 35 mm ² Conductors
<u>YA4CL2TC14 (1 box = 50 pcs)</u>	Copper Compression Terminal, 2-Hole, 1/4" Stud, 5/8" Spacing, Standard Barrel, 4 AWG
<u>KSA2/0</u>	Aluminum Split Bolt Connector, Tin Plated
<u>MY70M</u>	Handpresszange
YAV25L2	Uninsulated Ring Terminal, 1/0 AWG, 1-Hole, 5/16" Stud, Standard Barrel
YAV1CL1	Uninsulated Ring Terminal for 1 AWG, 1-Hole, 1/4" Stud
YAV2CL4	Uninsulated Ring Terminal for 2 AWG, 1-Hole, 1/2" Stud
YAV4CL4	Uninsulated Ring Terminal for 4 AWG, 1-Hole, 5/16" Stud
YAV8CL1	Uninsulated Ring Terminal for 8 AWG, 1-Hole, 1/4" Stud
<u>KS17</u>	Copper Split Bolt Connector for #8 AWG Stranded to #6 AWG Solid Conductors
<u>KS20</u>	Copper Split Bolt Connector for #8 AWG Stranded to #4 AWG Solid Conductors
YGHC26C2	Compression Ground Tap
<u>7370520</u>	Specific product information not available
<u>MD6</u>	Hytool Hand Operated Crimping Tool with BG/D3 Grooves
P8A (pack x 12pcs)	Contact grease
YA26L2NT14E1	Copper Compression Terminal, 2/0 AWG, 2-Hole, 1/4" Stud, 1" Spacing, Narrow Tongue
YBM2CL (VPE=100 Stk)	Flag Terminal
YAL27T38FXBCG1	Aluminum Compression Terminal, 4/0 AWG, 1-Hole, 3/8" Stud, Standard Barrel
Y500CTHS	crimping tool
BCC1000CUAL	Battery Actuated Cable Cutter
PENE8 / Penetrox E	Oxide Inhibitor
PENA134	Specific product information not available
<u>Y29BH</u>	hydraulic press
DV26L	Heat-Treated Stainless Steel Nest Die for 2/0 Aircraft Non-Insulated Copper Connectors
PENA138	Contact grease type Burndy Penetrox A13
<u>S-6A</u>	Specific product information not available
Y29PBL	DIE INTENDOR
<u>MR8-1A</u>	Cast Aluminum Crimping Tool with Ratchet Control
<u>MR8-33T-1</u>	Burndy hand crimp tool for 18-10 AWG
YAZV28TC12FX	1H COMPRESSN LUG
<u>YAV50M10</u>	Connector
QR4C	Heavy Duty Copper Splice Reducer
YA25L2NT14	Copper Compression Terminal, 1/0 AWG, 2-Hole, 1/4" Stud, 5/8" Spacing, Narrow Tongue
YAZ6C2TC38	Compression Lug





Page 6 / 18

Product	Description
<u>N14HT5</u>	Crimp Die set
<u>N14HT</u>	Crimp Die set
YSR25FX4CFXLTCKITC	Compression CU Reducer/Splice kit
YAZ4C2TC14	Compression Lug
GAR144C	Connector
PENA138 (pack 1x12)	Contact fat
Penetrox E (PENE8)	Contact grease type Burndy Penetrox E
Penetrox A13 (PENA138 - 250g)	Contact grease
PENA134	Grease
<u>YA28</u>	Copper Compression Lug
YGHP29C26	Burndy C-Klemme
QPX-342C-Y	Universal Parallel Clamp
<u>YA342N</u>	Copper Compression Terminal, 500 kcmil, 2-Hole, 1/2" Stud, 1-3/4" Spacing, Long Barrel
YAZ29TC12	Copper Compression Terminal, 250 kcmil, 1-Hole, 1/2" Stud, Long Barrel with Inspection Window
Y35/Y39REPKITA	Accsry Repair Kit
<u>KSU31</u>	High Strength Cu Alloy Servit with Spacer
<u>QA31B</u>	Heavy Duty Copper Lug Connector, 250-350 kcmil, 1/2" Stud, 1 Screw
<u>YSV26L</u>	2/0 Butt Splice
<u>YSV8CL</u>	butt splice
<u>YAV185FM12</u>	
<u>YAV185FM10</u>	Pipe-shaped tobacco
<u>YAV185FM16</u>	Tubular cable lug for fine stranded conductors
<u>YAV95M10</u>	
YAV70FM10 (Pack of 20 pcs)	Copper Compression Lug, 1 Hole, 70 mm
YRV4CV8CL	connective
YRV8CV14L	connective
YRV6CV8-L	connective
YAV6CL2TC14FX	Burndy 2-Hole lug
YAZV2C2TC14FX	Copper Compression Lug
PENE8	Contact grease
YAGB28LTC12FX	Copper Battery Terminal Lug, 4/0 AWG, 1-Hole, 1/2" Stud
YAEBAS28PTN	Battery Terminal, 4/0 AWG, Copper Alloy, Tin-Plated
<u>YC8C8</u>	TAP CONNECTOR
<u>YSV1014G2</u>	kablo
<u>KVS44</u>	Bolt Connector
<u>Y35BH</u>	Hydraulic head
<u>Y29B</u>	Hydraulic C - head
PAT750LI250V	Battery charge Electrohydr. Pressing tool
<u>KPA28</u>	Pressure Bar Style Copper Lug, 1/0-4/0 AWG Stranded, 1-Hole, 3/8" Stud, 1 Screw, Tin-Plated
KPA4C	Mechanical Pressure Bar Style Copper Lug, 14 AWG Solid to 4 AWG Stranded, 1- Hole, 1/4" Stud, 1 Screw, Tin-Plated





Product	Description
YGHP2C2	HYTAP™ Type YGHP-C Figure 6 Irreversible Compression Ground Tap Connector, #6 Solid to #2 Stranded Copper Conductors
YA6CL6	Copper Compression Lug, 6 AWG, 1-Hole, 1/2" Stud, Standard Barrel
YA26L6BOX	Copper Compression Lug, 2/0 AWG, 1-Hole, 1/2" Stud, Standard Barrel
<u>38NWBOX</u>	Specific product information not available
50NWBOX	1/2" Internal Tooth Washer, Silicon Bronze
50X100HEBBOX	1/2" x 1" Hex Bolt, Silicon Bronze
GIE2CG3	Mechanical Grounding Connector, 2-6 AWG, for Flexible Rubber Sheath Cable
K2C23B1	Mechanical Grounding Connector
YGHA2C2N	Heavy-Duty Copper Compression Grounding Lug, 2 AWG, 2-Hole, 1/2" Stud, 1-3/4" Spacing, Short Barrel
YGHA26-2N	2-Hole Ground Terminal
YGHA282N	Heavy-Duty Copper Compression Grounding Lug, 4/0 AWG, 2-Hole, 1/2" Stud, 1-3/4" Spacing, Short Barrel
50X125HEBBOX	1/2" x 1-1/4" Hex Head Bolt, Silicon Bronze
50CHENBOX	1/2" Hex Nut, Silicon Bronze
50FWBOX	Silicon Bronze Washer
50SWBOX	1/2" Split Washer, Silicon Bronze
<u>KPA25</u>	Tin Plated High Copper Alloy Material
KCKF23	Mechanical Bulkhead Ground Connector Kit
<u>MR25H3 (A469008)</u>	Crimping Tool SBI-Burndy MR25H3 6 to 25 mm2
<u>YAEV10-T7</u>	Cable Lug
<u>YAEV10-T11</u>	Cable Lug
YAEV10BOX	Cable Lug
YAEV10T3 BOX	Cable Lug
<u>YAEV10-T2</u>	Cable Lug
<u>YAEV14-T5</u>	Cable Lug
<u>YAEV14-T1</u>	Cable Lug
<u>YAEV14-T2</u>	Cable Lug
<u>YAEV14-T3</u>	Cable Lug
<u>YAV25M8</u>	Compression Terminal
PENA13 QT (Qyt 16)	PENETROX™ A13 Oxide Inhibiting Joint Compound, 1 Quart
<u>YAV95FM10</u>	Compression Terminal
<u>YAV70FM12</u>	Copper Compression Lug, 1 Hole, 70 mm
YAV70FM8	Copper Compression Lug, 1 Hole, 70 mm
<u>YAV35M8</u>	Copper Compression Lug, 1 Hole, 35 mm
<u>MRC840</u>	crimp tool
TYPE GC-A	Dual-Rated Ground Clamp for Copper and Aluminum Cable
YAV70M8	Tubular lug
YAV120FM12	Tubular cable lug for fine stranded conductors
<u>YA26A1</u>	Aluminum Compression HYLUG™ Terminal, 2/0 AWG, 1-Hole, 1/2" Stud
BTCGC250	Cable Tray Ground Clamp
<u>GK6429</u>	Grounding connection
<u>GD1726</u>	Mechanical Grounding Connector for Two Parallel Cables to Rod or Pipe

Burndy





Product	Description
<u>GD1826</u>	Mechanical Grounding Connector for Two Parallel Cables to Rod or Pipe
BSD20100	Heavy-Duty Static Discharge Reel with 100 ft Aircraft Steel Cable
PAT46LWSLI	CRIMPER:HYDRAULIC,
Y750HSXT	12-Ton C-Head Hydraulic Hand-Operated Crimping Tool
FORCEGAUGE1215	Force Test Gauge for 12 & 15 Ton Tools
YA4C-L4BOX	Copper Compression Lug, 1-Hole, 3/8" Stud, Long Barrel, 4 AWG
YA6C-L3BOX	Copper Compression Lug, 1-Hole, 5/16" Stud, Long Barrel, 6 AWG
<u>B7513</u>	Mechanical Hardware
<u>KA-2-U</u>	Aluminum Universal Terminal
PAT750XT18V	Battery Actuated Crimping Tool
CTSS500400316L	Stainless Steel Cable Tie
PENE8 Burndy Penetrox E type	Oxide-Inhibiting Compound
contact grease	
<u>YAV10H</u>	Solderless Terminal
KA29HEX	Hexagonal Crimping Die
<u>YAV10-R</u>	Uninsulated Right-Angle Ring Terminal
YA25L4TCG1	4-Hole Standard Barrel Lug
<u>PAT750L5</u>	5ah crimper tool
UDIEKITHYGRD	Stainless Steel U Die Kit
YA28L4TCG1	4/0 AWG Copper Compression Terminal
<u>KS39</u>	Bolt Connectors, KS Series
YA8CLNT8	•
<u>YSV18BOX</u>	Vinyl-Insulated Seamless Butt Splice
<u>YSV10BOX</u>	Uninsulated Butt Splice for 12-10 AWG
<u>T1014</u>	
YAV8CL1BOX	Uninsulated Ring Terminal for 8 AWG
YRV8CV10L	Uninsulated Reducing Splice for 8 AWG to 12-10 AWG
YRV6CV8CL	Butt Splice
YA2C-L	2 AWG Copper Compression Lug with Long Barrel
<u>YAK34A2G1</u>	Aluminum Compression Stacking Terminal
YAK34A2G2	Aluminum Compression Stacking Terminal
<u>QPX282C</u>	Mechanical Connector
YAV14T32FBOX	Fork Terminal
YAEV8CL	Ring Terminal
YAEV8CL1	Nylon-Insulated Ring Terminal for 8 AWG
YAEV4-CL2	Bulk Lug
YAEV2CL4	Ring Terminal
<u>TP168F</u>	Fork
<u>TP1610F</u>	Fork
<u>TP142F</u>	Vinyl-Insulated Fork Terminal for 16-14 AWG
<u>TP148F</u>	Fork
<u>TP1410F</u>	Fork
<u>TP1010F</u>	Fork Terminal 10-12 Awg
<u>YF1/025IDL</u>	Covered Ferrule for 1/0 AWG

! 5835 CALLAGHAN RD STE 204 CINCINNATI OH 45999-0023, ZIP 78228 SAN ANTONIO Texas ! ENAPART LLC





Product	Description
YF1418IDL	Covered Ferrule for 14 AWG
YF1608ID	Insulated Wire Ferrule for 16 AWG
YF0415ID	Insulated Wire Ferrule for 4 AWG
YF1/016IDL	Covered Ferrule for 1/0 AWG
	Vinyl-Insulated Ring Terminal for 16-14 AWG
YGIBW283382N	Structural Steel Compression Grounding Connector
YAV95FM12	Compression terminal
PENEQT	Electrical Joint Compound
P/N: PENA13 QT, Type: Penetrox	
<u>A13</u>	contact grease
<u>YSM10</u>	Parallel Splice
U8CABT	Stainless Steel Hexagonal Butting Twin U Die
YGL29C29	Burndy Terminals
YGHC26C26	Terminals
YGHC29C26	C-Tap Connector
YGHC29C29	BURNDY TAP
YCHC2TC2	C-clamp
YAV26L2NT38FX	Compression Terminal
YAV50FM12	Copper Compression Lug, 1 Hole, 50 mm
PT29831	Repair Kit
KA8C	Mechanical Lug
PG3951	Test mandrel
PG3961	Test mandrel
PG3971	Test mandrel
PG3981	Test mandrel
<u>14SH60</u>	Stainless Steel U-Die, Index 14SH
<u>30AH60</u>	Stainless Steel L-Die, Index 30AH
Y60LW	Hypress 60-Ton Single Acting Light Weight Tool
<u>KA25</u>	Lugs
<u>KS29</u>	Copper Split Bolt Connector, Run/Tap: #1 AWG Str-250 kcmil
CTB075RA4M	Nylon Cable tie mounting bases
BBB14412E	12-inch Copper Busbar with 18 Holes
<u>YC26C2</u>	Copper C-Tap Compression Connector
PENA138 Burndy contact grease	Oxide Inhibiting Joint Compound
type Penetrox A13	
<u>YS45A1</u>	Aluminum Compression Splice for 1250 kcmil Conductors
Typ Burndy Penetrox A13 /	Grease
PENA138	
<u>Y10R4BY9</u>	cable releaser
YAZ8CTC14	Solderless Terminals
<u>14-2T-2R KS22DB 16-25</u>	Copper Split Bolt
GAR644C	Mechanical Grounding Connector
LB20A	Corona Bell-Internal
<u>KS23</u>	Split pin connector





Page 10 / 18

Product	Description
<u>QA26B</u>	Heavy-Duty Copper Lug Connector for 1/0-2/0 AWG
<u>YF1408ID</u>	Single Insulated Wire Ferrule for 14 AWG
YAEV10BOX	Nylon-Insulated Ring Terminal for 12-10 AWG
YAEV14BOX	Cable Lug
<u>KVS34</u>	
<u>KVS31</u>	
<u>KVS26</u>	2-Piece High-Strength Copper Alloy Service Connector
Certificate of conformity	Certificate of Conformity for Burndy Products
<u>YS28</u>	Copper Compression Splice, Long Barrel, 4/0 AWG
<u>Y2825R</u>	Copper Compression Splice Reducer, 4/0 AWG to 1/0 AWG
YAV12G2	Solderless Terminal
YAV9CL36BOX	Solderless Terminal
YAV8CL	Solderless Terminal
YAV4CL	Solderless Terminal
<u>MB526 / 7500056</u>	Hand crimping pliers
YAV2CLTC38FX	Solderless Terminals, YAV Series
RHCC2156ACSR	Remote Hydraulic Cutter
YPC26R8U	compression connector
<u>YA27</u>	Copper Compression Lug, 3/0 AWG, 1-Hole, Long Barrel
Penetrox A	contact grease
YA25L6BOX	Compression Lug
<u>YAV10M6</u>	Solderless Terminals
YA40LNTM20FX	Terminal
<u>UV25L</u>	U-Die for 250 kcmil Aluminum and Copper Conductors
YA6C2N	Copper Compression Lug, 6 AWG, 2-Hole, Long Barrel
<u>YGHP29C29</u>	Copper Compression Ground Tap Connector, Figure 6
<u>UP45R36R</u>	Heavy Duty Parallel Clamp
KA26UAR	Set Screw Connector
<u>yav16m6</u>	
BE6M84D	
<u>AT.NO.P8A</u>	Specific product information not available
<u>YA26-L</u>	Cuhylug 2/0 Shrtbarrel 3/8Stud
<u>YAL70-10-T32</u>	Electrical terminal
YAV10T2 (box)	Electrical terminal
<u>GC2626W</u>	Specific product information not available
<u>M-223</u>	Type CC-2 Molds
<u>B106</u>	Handle Clamps
38392200	Mold Cleaning Brush
<u>38013500</u>	Cable Cleaning Brush
<u>38030900</u>	Flint Ignitor
<u>Y35-SG1</u>	HYDRA TERMINAL CRIMPING PLIERS W/CASE WITHOUT DIE-
<u>GIE4CG3</u>	Grounding Clamp
YAZV2CTC38FX	Copper Compression Lug





Page 11 / 18

Product	Description
YAZV6C2TC14FX	Copper Compression Lug
YH292CWC	Copper Compression H Tap with Cover
<u>YH2929WC</u>	Copper Compression H Tap with Cover
HSIC440FR	end cap
 	Hand Tool
YSR34FX28FXLTCKITC	Hyreducer Reducer Splice Kit, Blue/Purple
YA27L4BOX	Copper Compression Lug
YCA28R2N	Aluminum Compression Lug
YA30L24	Terminals
<u>K2A29U</u>	Aluminum Universal Terminal Lug, 2 Conductor, 1-Hole, #6 AWG Str-250 kcmil
KVS44A	Connector
BAP25M64	bap ring tongue clamp
YGIBS283382N	Copper Compression Connector
<u>GG192</u>	Connector
<u>GG202</u>	Connector
<u>YSV14</u>	Solderless Terminal
<u>AYP0750</u>	Pin Adapter
<u>7307171, 4-6B</u>	PVC-Insulated Crimp Ring Terminal, 1-2.5mm ² , M6 Hole, Blue
<u>7307161, 4-5B</u>	PVC-Insulated Crimp Ring Terminal, 1-2.5mm ² , M5 Hole, Blue
<u>7307151, 4-4B</u>	PVC-Insulated Crimp Ring Terminal, 1-2.5mm ² , M4 Hole, Blue
<u>7307141, 4-3B</u>	PVC-Insulated Crimp Ring Terminal, 1-2.5mm ² , M3 Hole, Blue
<u>7307011, 1-4R</u>	Non-Insulated Crimp Ring Terminal, 10mm ² , M4 Hole, Red
<u>7307021, 1-5R</u>	Non-Insulated Crimp Ring Terminal, 0.34-1.5 mm ² , M5 Stud, Red
<u>7307001, 1-3R</u>	Non-Insulated Crimp Ring Terminal, 0.34-1.5 mm ² , M3 Stud, Red
<u>7307031, 1-6R</u>	Non-Insulated Crimp Ring Terminal, 0.34-1.5 mm ² , M6 Stud, Red
<u>U-167/U-568</u>	die
<u>NS15A15A</u>	TYPE NS-A COUPLER FOR ALUMINUM AND COPPER TUBE TO TUBE
<u>CP29A29A</u>	Aluminum Alloy Parallel Groove Clamp
<u>W8CRT</u>	Crimp Connector
<u>NAR42A-4N</u>	Substation - Aluminum Bolted Terminal
YAZ2CTC516	2 AWG Copper Compression Terminal, 1 Hole, 5/16" Stud, Long Barrel
YAV14T1BOX	1/0 AWG Copper Compression Terminal, 1 Hole, Long Barrel
YAV10M8 (7370530)	tubular cable lug
<u>YAV35-M10</u>	tubular cable lug
<u>YAV50F-M8</u>	Tubular cable lug for fine-stranded cable
<u>YAV50F-M10</u>	Tubular cable lug for fine-stranded conductors
<u>YAV95F-M8</u>	tubular cable lug for fine-stranded conductors,
<u>YAV50F-M6</u>	Tubular cable lug for fine-stranded conductors
<u>YAV35M6</u>	tubular cable lug
<u>YA40A1</u>	Uninsulated Aluminum Compression Terminal, 800 kcmil
<u>KA6U</u>	Aluminum Universal Terminal, 14-6 AWG
YAEV8CL2	Nylon-Insulated Ring Terminal for 8 AWG
K2C26 COD:2180	Grounding Connector Bus Pin





Page 12 / 18

Product	Description
YH292CWCC	Copper Compression H-Tap Connector with Clear Cover
7370985 - YAV240M16	Copper Compression Terminal, 240 mm ² , 1 Hole, M16 Stud
<u>7370555 - YAV16M8</u>	Copper Compression Terminal, 16 mm ² , 1 Hole, M8 Stud
<u>7370430 - YAV025M5</u>	Copper Compression Terminal, 2.5 mm ² , 1 Hole, 5 mm Stud
<u>KS28</u>	Copper Split Bolt Connector, Run/Tap: #1-4/0 AWG
Penetrox A	contact grease
<u>PG135-1</u>	Copper Compression Parallel Groove Connector
PG136-1	Copper Compression Parallel Groove Connector
<u>PG137-1</u>	Copper Compression Parallel Groove Connector
PAT46CLWSLILCBPB	Crimper
<u>KA29U</u>	Aluminum Universal Terminal, 6 AWG to 250 kcmil
YA1CL4-BOX	Electrical terminal
YA2CA3	Compression terminal
<u>YA27A1</u>	Compression terminal
<u>YA25A3</u>	Compression terminal
<u>P34PR</u>	indentor p die
<u>B32D</u>	stainless steel holding die
<u>PG1211</u>	Go/NoGo Gage for MR4C
PG1251	Go/NoGo Gage for MR8C
<u>PG1331</u>	Go/NoGo Gage for MR12C
<u>YA28N</u>	
<u>YA25N</u>	Copper Compression Terminal, 1/0 AWG, 1 Hole, 1/2" Stud, Long Barrel
<u>YA26N</u>	
YAV26LTC516FX	Copper Compression Terminal, 2/0 AWG Flex, 1 Hole, 5/16" Stud, Standard Barrel
YAV28LNT516FX	Terminal
<u>L724</u>	Copper Compression Lug, 4/0 AWG, 2 Holes, 3/8" Stud, Long Barrel
<u>UD3</u>	HYDRAULIC COMPRESSOR
PENA138 (only for 42 packs)	Oxide Inhibiting Electrical Joint Compound, 8 oz
WLB22A	WEEB-LUG with 2 Mounting Holes
<u>PT2990010</u>	connection unit
<u>KS26</u>	Split Bolt, Servit
<u>GC2626</u>	GRD Conn. 2 Copper Cable to Bar
YA4CL1BOX	Copper Compression Lug, 4 AWG, 1 Hole, Short Barrel, with Inspection Window
<u>GG-19-25</u>	Not specified
<u>GAR6426-W</u>	Mechanical Grounding Connector, Cable to Rod or Pipe
PAT444ST3U03A2	Crimping Tool
<u>Y4PC834</u>	6-Ton 4-POINT® Dieless C-Head Crimper
YAZ262TC14	Copper Compression Terminal, 2/0 AWG, 2-Hole, 1/4" Stud, Long Barrel
<u>U997</u>	Stainless Steel Radial Non-Butting Twin U Die, Orange, Index 997
YA30L	Electrical terminal
<u>GBM4C</u>	Mechanical Grounding Connector, Cable to Bar
<u>GB4C</u>	Mechanical Grounding Connector, Cable to Bar
<u>GB26</u>	Mechanical Grounding Connector, Cable to Bar





Product	Description
<u>GC4C4C</u>	Grounding
<u>K2C20</u>	SERVIT POST™ Mechanical Grounding Connector, 2 Cables to Flat
<u>K2C23</u>	SERVIT POST™ Mechanical Grounding Connector, 2 Cables to Flat
7370630 BURNDY YAV50M8	
FFGC8	Fence Fabric Mechanical Ground Connector
YRV4CV6CL	Terminal
YPC2A8U	CRIMPIT™ Figure 6-Shaped Compression Connector
<u>QR26</u>	Copper Splice Terminal for 1/0 to 2/0 AWG Conductors
<u>YS44A1</u>	Aluminum Compression Splice for 1000 kcmil Conductors
NAR45A4N	Substation Terminal for 900-1250 kcmil Conductors
<u>YS4C</u>	Copper Compression Splice, Long Barrel, 4 AWG
<u>YA39A5</u>	Aluminum Compression Lug, 2-Hole, 1/2" Stud, 1-3/4" Spacing, 750 kcmil
<u>YA444N</u>	Copper Compression Lug, 4-Hole, 1/2" Stud, 1-3/4" Spacing, 1000 kcmil
YGHA282NTN	Tin-Plated Heavy Duty Irreversible Compression Grounding Lug, 4/0 AWG, 2-Hole, 1/2" Stud, 1-3/4" Spacing
QQA312N	Twin Clamping Two-Hole Mounting Heavy Duty Copper Lug Connector, 250-350 kcmil, 1/2" Stud, 1-3/4" Spacing
ES4W4W	White Polyolefin Heat Shrink End Cap, 1.10" Inside Diameter, 4.00" Length
<u>BD18</u>	18-Inch Flexible Copper Braid Jumper
YA2CL6BOX	LUG
<u>BIT2/0</u>	Aluminum Multiple Tap Connector, Clear Insulated, 2 Port, 1 Sided Entry, 14-2/0 AWG, Al/Cu Rated
<u>GAR154C</u>	Grounding connector
CASEUDIES8	Plastic Case for 8 U-Die Sets
<u>BD12</u>	12-Inch Flexible Copper Braid Jumper
<u>GG182</u>	Mechanical Grounding Connector for Copper Bar, Strap, Braid, or Cable to Rod or Tube
<u>GAR6426</u>	Mechanical Grounding Connector for Cable to Rod or Pipe
YAV2CL2TC14FX	Copper Compression Lug
YGHA252N	Copper Compression Grounding Lug, Heavy Duty, 2-Hole, 1/0 AWG, 1/2" Stud, 1.75" Spacing, Short Barrel
7370820 BURNDY YAV120M12	
<u>YAV952M8</u>	Copper Compression Terminal, 95 mm ² , M8 Stud, 2 Holes, Tin Plated
<u>YAV95F2M8</u>	Copper Compression Terminal, 95 mm ² , M8 Stud, 2 Holes, 44.5 mm Spacing, Standard Barrel with Inspection Window
DV27L	Crimp Die
DV25L	Crimp Die
YS6CLBOX	Copper Compression Butt Splice, Standard Barrel, 6 AWG
<u>K2C26</u>	SERVIT POST Mechanical Grounding Connector, 2 Cables to Flat, 2 AWG to 2/0 AWG
PATCUT245LI	PATRIOT® Battery-Powered Cable Cutter, 2.45-inch Jaw Opening
<u>MR15</u>	Burndy Ratched Tool
<u>GAR2226</u>	Mechanical Grounding Connector, Cable to Rod or Pipe, 4 AWG (Solid) to 2/0 AWG (Stranded), 4" Pipe, 4"-4.5" Rod
GAR174C package (100 pcs)	Mechanical Grounding Connector, Cable to Rod or Pipe, 8 AWG (Solid) to 4 AWG (Stranded), 1.5" Pipe, 1.625"-1.875" Rod

Burndy





Product	Description
<u>YAV240M10</u>	Copper Compression Lug, 1 Hole, 240 mm
<u>9999015 - UC2W30</u>	Copper Parallel Groove Clamp, 2 AWG Solid to 300 kcmil Stranded Conductors
<u>GC2929</u>	Conn. 2 Copper Cable to Bar
KSU29	slotted pin clamp with separator
<u>9999015 - B4D12</u>	12-Inch Flexible Copper Braid Jumper
QA1C-B	1Awg Copper 1-Hole Terminal Lug
KA4C	Copper Terminal, 1 Hole, 14 AWG (Solid) to 4 AWG (Stranded), 1/4" Stud, 1 Screw
G-STUD14HY	Grounding Stud, 1/4"-20 Thread, 1.5" Length
YGC8C8	C-Tap
<u>YGF29-2N</u>	Compression Ground Connector Plate
YGHS26	Compression Ground Splice
YGHP29C6W6W	C-Tap 3/8"
<u>YSHG3434</u>	Double H-Tap Connector
YA4C-L3	Hole Short Chamfered Barrel Copper Compression Lug
<u>K2C31</u>	350 Split Bolt Connector
<u>KSV28</u>	Mechanical Grounding Connector, 2 AWG to 2/0 AWG
YAV25M8/25MM ²	Non-Insulated Copper Compression Terminal, 25 mm ² , M8 Stud
<u>YC4C4</u>	Copper C-Tap Compression Connector
<u>YAV14T34F</u>	20-14 Frklug
<u>YAV185M12</u>	Non-Insulated Copper Compression Terminal, 185 mm ² , M12 Stud
<u>YS32-L</u>	400Mcm Butt Splice
<u>Y444SBH</u>	11-Ton Dieless Remote C-Head Crimper with Male Couplers
PAT750LILCB	battery press
KK4A36U4N	Aluminum Universal Terminal, 4 Conductor, 2 AWG (Str) to 600 kcmil, 4-Hole, 1/2" Stud, 1.75" Spacing, 8 Screws, Al/Cu Rated
<u>TP1614</u>	16-Ton Hydraulic Crimping Tool with 1.4" Jaw Opening
<u>TP1414</u>	Vinyl-Insulated Ring Terminal for 16-14 AWG Wires
<u>TP1014</u>	Vinyl-Insulated Ring Terminal for 22-18 AWG Wires
<u>TN1814F</u>	Nylon-Insulated Fork Terminal for 22-18 AWG Wires
<u>TN1414F</u>	Nylon-Insulated Fork Terminal for 16-14 AWG Wires
<u>TN1014F</u>	Nylon-Insulated Fork Terminal for 12-10 AWG Wires
YAE18N2BOX	Nylon-Insulated Ring Terminal for 22-18 AWG Wires
YAE14N2BOX	Nylon-Insulated Ring Terminal for 16-14 AWG Wires
YAE12N2BOX	Nylon-Insulated Ring Terminal for 14-12 AWG Wires
<u>K4A29U4N</u>	Aluminum Universal Terminal, 4 Conductor, 2 AWG (Str) to 600 kcmil, 4-Hole, 1/2" Stud, 1.75" Spacing, 8 Screws, Al/Cu Rated
YA4CL4BOX (7818105525066)	Copper Compression Lug, 1 Hole with Inspection Window, 4 AWG, 3/8" Stud, Short Barrel, Tin Plated
<u>TP106Z</u>	Vinyl-Insulated Ring Terminal for 12-10 AWG Wires
<u>YAV50F10</u>	Compression Cable Lug for Fine-Stranded Conductors, 50 mm ² , M10 Hole
<u>YAV70FM6</u>	Compression Terminal, 70 mm ² , M6 Stud
<u>KSU34</u>	High Strength Cu Alloy Servit with Spacer
<u>12MM P/N: YAV95M12</u>	Cable terminals
<u>YAV25M6</u>	Compression Terminal, 25 mm ² , M6 Stud

! 5835 CALLAGHAN RD STE 204 CINCINNATI OH 45999-0023, ZIP 78228 SAN ANTONIO Texas ! ENAPART LLC





Product	Description
YAEV6CRS	Nylon-Insulated Right-Angle Ring Terminal for 6 AWG Wires
QDA1C	
YGLR29C34	connector
<u>420030</u>	U-O Die
YAB28CG2	Terminal Ring uninsulated
YA6C	6Awg Copper 1-Hole Lug 502175
<u>GIE4CG4</u>	Stainless Steel Grounding Connector, Heavy Duty, For Vehicle Grounding
<u>NA18A-4N-H</u>	Connector
NAR45A-4N-90	Terminal
NNTR36A36A	Connector
BE6M53D (101.106.050)	<u> </u>
BE6M65D	
YAZV2C2TC38FX	Copper Compression Lug
YAZ6CTC14	Copper Compression Lug
YAZ8C2TC14FX	Copper Compression Lug
YAZV102TC14E1	Copper Compression Terminal
<u> </u>	Mechanical Grounding Connector
<u>10058504 / KSU28</u>	Connector
<u>YS25</u>	Butt connector
KS22	SCREW CONNECTOR
7370985 BURNDY YAV240M16	
QA34-B	Heavy-Duty Copper Lug Connector for 400-500 kcmil Conductors
QA28-B	Heavy-Duty Copper Lug Connector for 3/0-4/0 AWG Stranded Conductors
Q3A40-4N	Heavy-Duty Copper Terminal for 600-800 kcmil Conductors, 4-Hole
7371030 BURNDY YAV300M16	
<u>KA34</u>	TERMINAL FOR CABLE TO BAR
<u>YA36</u>	1-Hole Lug
<u>YH2929WCC</u>	Copper H-Tap 250-250 W/Clear Cover
<u>K2A36U-2N</u>	Terminal, KA-U Series
RYA2UC	Tap Kit
<u>K2C22</u>	specific connector
YA252TC38	Copper Compression Terminal, 1/0 AWG, 2-Hole, 3/8" Stud, 1" Spacing, Long Barrel
YAV28L2NTCFX	Compression Terminal for 4/0 AWG Flexible Copper Conductors, 2-Hole, 1/2" Stud, 1- 3/4" Spacing, Standard Barrel
YAV28LTC12FX	Compression Terminal for 4/0 AWG Flexible Copper Conductors, 1-Hole, 1/2" Stud, Standard Barrel
YA34L2TC38	Copper Compression Terminal, 500 kcmil, 2-Hole, 3/8" Stud, 1" Spacing, Standard Barrel
YA26LBOX	Copper Compression Lug, 2/0 AWG, 1-Hole, 3/8" Stud, Standard Barrel with Inspection Window
YAV35M8 (package 100)	Copper Compression Lug, 35 mm ² , M8 Stud, Standard Barrel
<u>YF1410ITL</u>	Covered Ferrule for 14 AWG
YF1610ITL	Covered Ferrule for 16 AWG
YS27-LBOX	Copper Compression Splice





Product	Description
<u>YAV14T5</u>	Uninsulated Ring Terminal for 20-14 AWG, #4-6 Stud
YA8CL145	Copper HYLUG
<u>KA36U</u>	Terminal
<u>KA36U2N</u>	Terminal
KITMAK1850B	Mechanical Lug Kit for 1850 kcmil Conductors
NAR36A4N	substation - aluminium Bolted Terminal
UV8L	Stainless Steel Nest Die
<u>Y34PL</u>	Crimp Die Indenter
<u>OH18A3</u>	Aluminum Bus Support
<u>NS18A18A</u>	Aluminum Bolted Coupler
NBC18A2N	Aluminum T Connector
YGHC2C2	Compression connector
<u>YGHP34C26</u>	Compression Ground Rod Connector
<u>B2D12</u>	12-Inch Flexible Copper Braid Jumper
YAV25LNT14FX	Compression Terminal for 1/0 AWG Flexible Copper Conductors, 1-Hole, 1/4" Stud, Narrow Tongue
<u>K2C25</u>	Electrical connector
<u>UV8L</u>	Stainless Steel Nest Die for #8 AWG, Index 38
<u>Y34PL</u>	Indenter Die for Crimping Applications
YA2CLBOX	1-Hole lug
YAV70M6/70MM ²	HOLE AND INSPECTION HOLE TUB. COMPRESS. TYPE SHOE WITH BOLT
YAV70M10/70MM ²	CONDUCTOR STOP, INSPECTION HOLE TUBULAR COMPRESSION
YA44LNT12FX	Compression Terminal
<u>GG171</u>	Mechanical Grounding Connector for Copper Bar, Strap, Braid, or Cable to Rod or Tube
<u>GG1815</u>	Mechanical Grounding Connector for Copper Bar, Strap, Braid, or Cable to Rod or Tube
<u>MY2911</u>	Dieless Mechanical Compression Tool
<u>W27VT</u>	Stainless Steel W-Die for 3/0 AWG Conductors, Die Index 14, Orange
<u>W27RT</u>	W-Die Set for Hydraulic Crimping Tools, Capacity: 3/0 AWG, Die Index: 14, Orange
<u>X27RT</u>	Crimp Connector
<u>OUR840</u>	Popper Hytool Full Cycle Ratchet Tool
<u>U27RT</u>	Stainless Steel U Die for 3/0 AWG Conductors, Orange, Index 14
SCB22A	22-Ton C-Head Remote Hydraulic Crimper
SWXHP22A5	22-Ton Hydraulic Crimping Tool with 5-Foot Hose
<u>YSV27LFX</u>	Compression Splice for 3/0 AWG Flexible Copper Conductors
<u>14MM P/N: YAV95M14</u>	Compression Terminal for 95 mm ² Copper Conductors, 14 mm Stud
<u>YGF294N</u>	Grounding Plate
<u>P44RT</u>	HYGROUND "P" MATRIX FOR HYDRAULIC PRESS PLIERS
PUADP1	"U" MATRIX ADAPTER FOR HYDRAULIC PRESS PLIERS
CT18075C00	Standard Nylon Cable Ties:
CT50400SSBBB	Stainless Steel Cable Ties
YAZ34NT38FX	Lug
<u>YA28-2LN</u>	Compression Terminal for 4/0 AWG Copper Conductors, 2-Hole, 1/2" Stud

! 5835 CALLAGHAN RD STE 204 CINCINNATI OH 45999-0023, ZIP 78228 SAN ANTONIO Texas ! ENAPART LLC





Product	Description
<u>GAR1429</u>	Ground Connector
NSNT3434	Substation Copper T Connector, 90 Degrees
YAE18N	cable shoes
<u></u> Y35/Y35-2 REPAIR KIT	Repair kit
<u>MRE1022NV</u>	· · · · · · · · · · · · · · · · · · ·
QA4C-B	Heavy Duty Copper Lug Connector
KSU25	CONECTOR BIMETAL
YAZV26TC38FX	Lug Terminal
YA8CL45	Lug Terminal
YA26-2N, 2001525753	
YAV25L251	
YAV25L218	
YAZ34TC38	ZAPATA OJILLO
GAR184C	Connector
<u>GAR1726</u>	Connector
GAR174C	
YGS2C	Grounding Irreversible Compression Splice; Accommodates: #2 Str.; 2.41" Length.
PENA4	PENETROX- A CONDUCTIVE PASTE - 4 oz/120ml BOTTLE
<u>YA272N</u>	Double eye compression terminal
<u>YA27A3</u>	One-eye compression terminal
<u>GD-1829</u>	Connector for 120mm2 cable to 2" fence pipe
<u>GB29</u>	staple
<u>KS31</u>	Copper clamp for 95mm2 cable
DEF95-10TSV	
DEF95-12TSV	
<u>MR15 / 1725071990</u>	Ratchet Crimper for #22-#10 AWG, Vinyl Insulated
OEM840NCP	Pneumatic Bench Press
YGHP34C29	Terminal
<u>YSL70-T32</u>	Compression glove
<u>YS29-L</u>	Compression glove
<u>YS30-L</u>	Compression glove
<u>QPX4428</u>	Parallel Clamp
MR15DIESETD1	die set
BDBLCS3K3	
YAE22G16BOX	Insulug #4 Nylon Insulated Small Terminal, (Pack of 100 pcs)
YAE22G13BOX	Insulug #4 - #6 Nylon Insulated Small Terminal
UPRECRIMP34	
UPRECRIMP58	
YAEV10	
YAES18N2	Ring Terminal
YAES18N3	Ring Terminal
YAES18N5	Ring Terminal
<u>YAES14N8</u>	Ring Terminal





Product	Description
YAES10N12	Ring Terminal
YAEV6CLM	5 - - -
YAEV6CL2M	nylon ring terminal
YAEV2CL1	Ring Terminal
YAEV2CL	Ring Terminal
YAES18N50	Ring Terminal
YAES10N57	Ring Terminal
YGHR26C58	Connector
KKA31U2N	
YS2C-L	
<u></u>	luminum/Copper 2-Hole Terminal Lug
<u>YAV10M5 (7370520)</u>	
BE1M65D (101.101.060)	
QDA31	
YAEV6CRS1	Terminal
YAEV8CRS1	Terminal
YAEV2CRS	Terminal
<u>GAR1126</u>	2/0Awg Ground Connector
<u>T1414</u>	
YA8CTC14	
YA2C2N	
<u>B3D12</u>	
YCHC34TC34	
YGLR29C100	Compression Ground
<u>Y10D</u>	Plier-Style Crimper
<u>U2CET</u>	Crimping Circular Butting U Die
<u>U8CET</u>	Circular Butting Twin U Die, AN8
<u>YA39LNT38</u>	
<u>GAR2126</u>	mechanical grounding connector
<u>YA30L7</u>	
<u>UTG01619P</u>	Circular Connector
<u>YAV95M12</u>	
<u>YAV10T2</u>	Ring Terminal
<u>YAV120F-M10</u>	CABLE ENDS 120 MM2 (M10)
<u>GC15A</u>	Ground Clamp
<u>GC18A</u>	Ground Clamp
PENA1/2	PENETROX A, 1/2 OZ TUBE
<u>BBB14416G</u>	1/4X4X16 24-Hole Busbar
YAV6CL-CU2TC10FX#6(61/24)	
HYPRESS Y 35	
BTCGC1/0SS	Aluminum soil tray clamp