



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Ağaoğlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## Burndy

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### RAND'S PRODUCTS

Oycntes	'dieyp spc
<a href="#">NN171.1114</a>	Cpring plunger with ball and Cocket head, B 4, free cutting steel, standard spring load
<a href="#">NN171.11T4</a>	3ree8cutting steel, reinforced spring force
<a href="#">NN171.11-1</a>	Cpring plunger with ball and Allen, B -1, Outting s teel, standard spring load
<a href="#">NN171.119N</a>	Fesilient pressure piece
<a href="#">NN171.1-1T</a>	Cpring plunger
<a href="#">NN171.11T1</a>	Fesilient pressure piece with ball
<a href="#">NN191.1712</a>	Cpring 6lunger
<a href="#">NN191.191T</a>	Cpring 6lungerswith pin and slot
<a href="#">NN121.1119</a>	Cpring 6lungers
<a href="#">NN121.1112</a>	Cpring 6lunger
<a href="#">NN121.1--2</a>	
<a href="#">NN121.1-N1</a>	3edernde HruckstDcke mit Vnnensechskant
<a href="#">NN141.1112</a>	Cpring 6lunger
<a href="#">NN141.11-1</a>	Cleeve and stainless steel ball
<a href="#">NN141.1T19</a>	3ederndes HruckstDck, glatte AusfDhrung,mit Lund und Sugel R 9,5Dlse aus Ghermoplast, Sugel aus rostfreiem Ctahl
<a href="#">NN141.121T</a>	
<a href="#">NN141.1219</a>	
<a href="#">NN141.1214</a>	
<a href="#">NN141.12-1</a>	
<a href="#">NN141.12-N</a>	
<a href="#">NN--1.1-1M</a>	VndeX 6lunger
<a href="#">NN--1.1-1I</a>	
<a href="#">NN--1.1--9</a>	FastbolPen kompakt mit Cechskantbund
<a href="#">NN--1.1-T2</a>	0ompact locking pin with heXagonal collar
<a href="#">NN--1.1N97</a>	FastbolPen kompakt mit Cechskantbund
<a href="#">NN-N1.11T2</a>	Kocking bolts without heXagonal collar
<a href="#">NN-N1.1--4</a>	Kock nuts
<a href="#">NN-N1.17-T</a>	
<a href="#">NN-N1.17-M</a>	Kocking bolt
<a href="#">NN-N1.1MM2</a>	VndeX 6lunger
<a href="#">NN-N1.14TN Uavailable until stock lasts/</a>	HistanPring fDr FastbolPen
<a href="#">NN-N1.1IN4</a>	Kocking bolt with screw flange
<a href="#">NN-N1.1I7M</a>	FastbolPen mit Anschraubflansch,R 2 X -T,mit Arretierung, Ctahl
<a href="#">NN-N1.1I74</a>	FastbolPen mit Anschraubflansch,R 4 X 4,mit Arretierung, Ctahl





















Product	Description
<a href="#">GG202</a>	Connector
<a href="#">YSV14</a>	Solderless Terminal
<a href="#">AYPO750</a>	Pin Adapter
<a href="#">7307171, 4-6B</a>	PVC-Insulated Crimp Ring Terminal, 1-2.5mm <sup>2</sup> , M6 Hole, Blue
<a href="#">7307161, 4-5B</a>	PVC-Insulated Crimp Ring Terminal, 1-2.5mm <sup>2</sup> , M5 Hole, Blue
<a href="#">7307151, 4-4B</a>	PVC-Insulated Crimp Ring Terminal, 1-2.5mm <sup>2</sup> , M4 Hole, Blue
<a href="#">7307141, 4-3B</a>	PVC-Insulated Crimp Ring Terminal, 1-2.5mm <sup>2</sup> , M3 Hole, Blue
<a href="#">7307011, 1-4R</a>	Non-Insulated Crimp Ring Terminal, 10mm <sup>2</sup> , M4 Hole, Red
<a href="#">7307021, 1-5R</a>	Non-Insulated Crimp Ring Terminal, 0.34-1.5 mm <sup>2</sup> , M5 Stud, Red
<a href="#">7307001, 1-3R</a>	Non-Insulated Crimp Ring Terminal, 0.34-1.5 mm <sup>2</sup> , M3 Stud, Red
<a href="#">7307031, 1-6R</a>	Non-Insulated Crimp Ring Terminal, 0.34-1.5 mm <sup>2</sup> , M6 Stud, Red
<a href="#">U-167/U-568</a>	die
<a href="#">NS15A15A</a>	TYPE NS-A COUPLER FOR ALUMINUM AND COPPER TUBE TO TUBE
<a href="#">CP29A29A</a>	Aluminum Alloy Parallel Groove Clamp
<a href="#">W8CRT</a>	Crimp Connector
<a href="#">NAR42A-4N</a>	Substation - Aluminum Bolted Terminal
<a href="#">YAZ2CTC516</a>	2 AWG Copper Compression Terminal, 1 Hole, 5/16" Stud, Long Barrel
<a href="#">YAV14T1BOX</a>	1/0 AWG Copper Compression Terminal, 1 Hole, Long Barrel
<a href="#">YAV10M8 (7370530)</a>	tubular cable lug
<a href="#">YAV35-M10</a>	tubular cable lug
<a href="#">YAV50F-M8</a>	Tubular cable lug for fine-stranded cable
<a href="#">YAV50F-M10</a>	Tubular cable lug for fine-stranded conductors
<a href="#">YAV95F-M8</a>	tubular cable lug for fine-stranded conductors,
<a href="#">YAV50F-M6</a>	Tubular cable lug for fine-stranded conductors
<a href="#">YAV35M6</a>	tubular cable lug
<a href="#">YA40A1</a>	Uninsulated Aluminum Compression Terminal, 800 kcmil
<a href="#">KA6U</a>	Aluminum Universal Terminal, 14-6 AWG
<a href="#">YAEV8CL2</a>	Nylon-Insulated Ring Terminal for 8 AWG
<a href="#">K2C26 COD:2180</a>	Grounding Connector Bus Pin
<a href="#">YH292CWCC</a>	Copper Compression H-Tap Connector with Clear Cover
<a href="#">7370985 - YAV240M16</a>	Copper Compression Terminal, 240 mm <sup>2</sup> , 1 Hole, M16 Stud
<a href="#">7370555 - YAV16M8</a>	Copper Compression Terminal, 16 mm <sup>2</sup> , 1 Hole, M8 Stud
<a href="#">7370430 - YAV025M5</a>	Copper Compression Terminal, 2.5 mm <sup>2</sup> , 1 Hole, 5 mm Stud
<a href="#">KS28</a>	Copper Split Bolt Connector, Run/Tap: #1-4/0 AWG
<a href="#">Penetrox A</a>	contact grease
<a href="#">PG135-1</a>	Copper Compression Parallel Groove Connector
<a href="#">PG136-1</a>	Copper Compression Parallel Groove Connector
<a href="#">PG137-1</a>	Copper Compression Parallel Groove Connector
<a href="#">PAT46CLWSLILCBPB</a>	Crimper
<a href="#">KA29U</a>	Aluminum Universal Terminal, 6 AWG to 250 kcmil
<a href="#">YA1CL4-BOX</a>	Electrical terminal
<a href="#">YA2CA3</a>	Compression terminal
<a href="#">YA27A1</a>	Compression terminal
<a href="#">YA25A3</a>	Compression terminal
<a href="#">P34PR</a>	indenter p die

Product	Description
<a href="#">B32D</a>	stainless steel holding die
<a href="#">PG1211</a>	Go/NoGo Gage for MR4C
<a href="#">PG1251</a>	Go/NoGo Gage for MR8C
<a href="#">PG1331</a>	Go/NoGo Gage for MR12C
<a href="#">YA28N</a>	
<a href="#">YA25N</a>	Copper Compression Terminal, 1/0 AWG, 1 Hole, 1/2" Stud, Long Barrel
<a href="#">YA26N</a>	
<a href="#">YAV26LTC516FX</a>	Copper Compression Terminal, 2/0 AWG Flex, 1 Hole, 5/16" Stud, Standard Barrel
<a href="#">YAV28LNT516FX</a>	Terminal
<a href="#">L724</a>	Copper Compression Lug, 4/0 AWG, 2 Holes, 3/8" Stud, Long Barrel
<a href="#">UD3</a>	HYDRAULIC COMPRESSOR
<a href="#">PENA138 ( only for 42 packs )</a>	Oxide Inhibiting Electrical Joint Compound, 8 oz
<a href="#">WLB22A</a>	WEEB-LUG with 2 Mounting Holes
<a href="#">PT2990010</a>	connection unit
<a href="#">KS26</a>	Split Bolt, Servit
<a href="#">GC2626</a>	GRD Conn. 2 Copper Cable to Bar
<a href="#">YA4CL1BOX</a>	Copper Compression Lug, 4 AWG, 1 Hole, Short Barrel, with Inspection Window
<a href="#">GG-19-25</a>	Not specified
<a href="#">GAR6426-W</a>	Mechanical Grounding Connector, Cable to Rod or Pipe
<a href="#">PAT444ST3U03A2</a>	Crimping Tool
<a href="#">Y4PC834</a>	6-Ton 4-POINT® Dieless C-Head Crimper
<a href="#">YAZ262TC14</a>	Copper Compression Terminal, 2/0 AWG, 2-Hole, 1/4" Stud, Long Barrel
<a href="#">U997</a>	Stainless Steel Radial Non-Butting Twin U Die, Orange, Index 997
<a href="#">YA30L</a>	Electrical terminal
<a href="#">GBM4C</a>	Mechanical Grounding Connector, Cable to Bar
<a href="#">GB4C</a>	Mechanical Grounding Connector, Cable to Bar
<a href="#">GB26</a>	Mechanical Grounding Connector, Cable to Bar
<a href="#">GC4C4C</a>	Grounding
<a href="#">K2C20</a>	SERVIT POST™ Mechanical Grounding Connector, 2 Cables to Flat
<a href="#">K2C23</a>	SERVIT POST™ Mechanical Grounding Connector, 2 Cables to Flat
<a href="#">7370630 BURNDY YAV50M8</a>	
<a href="#">FFGC8</a>	Fence Fabric Mechanical Ground Connector
<a href="#">YRV4CV6CL</a>	Terminal
<a href="#">YPC2A8U</a>	CRIMPIT™ Figure 6-Shaped Compression Connector
<a href="#">QR26</a>	Copper Splice Terminal for 1/0 to 2/0 AWG Conductors
<a href="#">YS44A1</a>	Aluminum Compression Splice for 1000 kcmil Conductors
<a href="#">NAR45A4N</a>	Substation Terminal for 900-1250 kcmil Conductors
<a href="#">YS4C</a>	Copper Compression Splice, Long Barrel, 4 AWG
<a href="#">YA39A5</a>	Aluminum Compression Lug, 2-Hole, 1/2" Stud, 1-3/4" Spacing, 750 kcmil
<a href="#">YA444N</a>	Copper Compression Lug, 4-Hole, 1/2" Stud, 1-3/4" Spacing, 1000 kcmil
<a href="#">YGHA282NTN</a>	Tin-Plated Heavy Duty Irreversible Compression Grounding Lug, 4/0 AWG, 2-Hole, 1/2" Stud, 1-3/4" Spacing
<a href="#">QQA312N</a>	Twin Clamping Two-Hole Mounting Heavy Duty Copper Lug Connector, 250-350 kcmil, 1/2" Stud, 1-3/4" Spacing
<a href="#">ES4W4W</a>	White Polyolefin Heat Shrink End Cap, 1.10" Inside Diameter, 4.00" Length

Product	Description
<a href="#">BD18</a>	18-Inch Flexible Copper Braid Jumper
<a href="#">YA2CL6BOX</a>	LUG
<a href="#">BIT2/0</a>	Aluminum Multiple Tap Connector, Clear Insulated, 2 Port, 1 Sided Entry, 14-2/0 AWG, Al/Cu Rated
<a href="#">GAR154C</a>	Grounding connector
<a href="#">CASEUDIES8</a>	Plastic Case for 8 U-Die Sets
<a href="#">BD12</a>	12-Inch Flexible Copper Braid Jumper
<a href="#">GG182</a>	Mechanical Grounding Connector for Copper Bar, Strap, Braid, or Cable to Rod or Tube
<a href="#">GAR6426</a>	Mechanical Grounding Connector for Cable to Rod or Pipe
<a href="#">YAV2CL2TC14FX</a>	Copper Compression Lug
<a href="#">YGHA252N</a>	Copper Compression Grounding Lug, Heavy Duty, 2-Hole, 1/0 AWG, 1/2" Stud, 1.75" Spacing, Short Barrel
<a href="#">7370820 BURNDY YAV120M12</a>	
<a href="#">YAV952M8</a>	Copper Compression Terminal, 95 mm <sup>2</sup> , M8 Stud, 2 Holes, Tin Plated
<a href="#">YAV95F2M8</a>	Copper Compression Terminal, 95 mm <sup>2</sup> , M8 Stud, 2 Holes, 44.5 mm Spacing, Standard Barrel with Inspection Window
<a href="#">DV27L</a>	Crimp Die
<a href="#">DV25L</a>	Crimp Die
<a href="#">YS6CLBOX</a>	Copper Compression Butt Splice, Standard Barrel, 6 AWG
<a href="#">K2C26</a>	SERVIT POST Mechanical Grounding Connector, 2 Cables to Flat, 2 AWG to 2/0 AWG
<a href="#">PATCUT245LI</a>	PATRIOT® Battery-Powered Cable Cutter, 2.45-inch Jaw Opening
<a href="#">MR15</a>	Burndy Ratched Tool
<a href="#">YAV025M6 / 7370435</a>	tubular cable lug
<a href="#">GAR2226</a>	Mechanical Grounding Connector, Cable to Rod or Pipe, 4 AWG (Solid) to 2/0 AWG (Stranded), 4" Pipe, 4"-4.5" Rod
<a href="#">GAR174C package (100 pcs)</a>	Mechanical Grounding Connector, Cable to Rod or Pipe, 8 AWG (Solid) to 4 AWG (Stranded), 1.5" Pipe, 1.625"-1.875" Rod
<a href="#">YAV240M10</a>	Copper Compression Lug, 1 Hole, 240 mm
<a href="#">9999015 - UC2W30</a>	Copper Parallel Groove Clamp, 2 AWG Solid to 300 kcmil Stranded Conductors
<a href="#">GC2929</a>	Conn. 2 Copper Cable to Bar
<a href="#">KSU29</a>	slotted pin clamp with separator
<a href="#">9999015 - B4D12</a>	12-Inch Flexible Copper Braid Jumper
<a href="#">QA1C-B</a>	1Awg Copper 1-Hole Terminal Lug
<a href="#">KA4C</a>	Copper Terminal, 1 Hole, 14 AWG (Solid) to 4 AWG (Stranded), 1/4" Stud, 1 Screw
<a href="#">G-STUD14HY</a>	Grounding Stud, 1/4"-20 Thread, 1.5" Length
<a href="#">YGC8C8</a>	C-Tap
<a href="#">YGF29-2N</a>	Compression Ground Connector Plate
<a href="#">YGHS26</a>	Compression Ground Splice
<a href="#">YGHP29C6W6W</a>	C-Tap 3/8"
<a href="#">YSHG3434</a>	Double H-Tap Connector
<a href="#">YA4C-L3</a>	Hole Short Chamfered Barrel Copper Compression Lug
<a href="#">K2C31</a>	350 Split Bolt Connector
<a href="#">KSV28</a>	Mechanical Grounding Connector, 2 AWG to 2/0 AWG
<a href="#">YAV25M8/25MM<sup>2</sup></a>	Non-Insulated Copper Compression Terminal, 25 mm <sup>2</sup> , M8 Stud
<a href="#">YC4C4</a>	Copper C-Tap Compression Connector

Product	Description
<a href="#">YAV14T34F</a>	20-14 Frklug
<a href="#">YAV185M12</a>	Non-Insulated Copper Compression Terminal, 185 mm², M12 Stud
<a href="#">YS32-L</a>	400Mcm Butt Splice
<a href="#">Y444SBH</a>	11-Ton Dieless Remote C-Head Crimper with Male Couplers
<a href="#">PAT750LILCB</a>	battery press
<a href="#">KK4A36U4N</a>	Aluminum Universal Terminal, 4 Conductor, 2 AWG (Str) to 600 kcmil, 4-Hole, 1/2" Stud, 1.75" Spacing, 8 Screws, Al/Cu Rated
<a href="#">TP1614</a>	16-Ton Hydraulic Crimping Tool with 1.4" Jaw Opening
<a href="#">TP1414</a>	Vinyl-Insulated Ring Terminal for 16-14 AWG Wires
<a href="#">TP1014</a>	Vinyl-Insulated Ring Terminal for 22-18 AWG Wires
<a href="#">TN1814F</a>	Nylon-Insulated Fork Terminal for 22-18 AWG Wires
<a href="#">TN1414F</a>	Nylon-Insulated Fork Terminal for 16-14 AWG Wires
<a href="#">TN1014F</a>	Nylon-Insulated Fork Terminal for 12-10 AWG Wires
<a href="#">YAE18N2BOX</a>	Nylon-Insulated Ring Terminal for 22-18 AWG Wires
<a href="#">YAE14N2BOX</a>	Nylon-Insulated Ring Terminal for 16-14 AWG Wires
<a href="#">YAE12N2BOX</a>	Nylon-Insulated Ring Terminal for 14-12 AWG Wires
<a href="#">K4A29U4N</a>	Aluminum Universal Terminal, 4 Conductor, 2 AWG (Str) to 600 kcmil, 4-Hole, 1/2" Stud, 1.75" Spacing, 8 Screws, Al/Cu Rated
<a href="#">YA4CL4BOX (7818105525066)</a>	Copper Compression Lug, 1 Hole with Inspection Window, 4 AWG, 3/8" Stud, Short Barrel, Tin Plated
<a href="#">TP106Z</a>	Vinyl-Insulated Ring Terminal for 12-10 AWG Wires
<a href="#">YAV50F10</a>	Compression Cable Lug for Fine-Stranded Conductors, 50 mm², M10 Hole
<a href="#">YAV70FM6</a>	Compression Terminal, 70 mm², M6 Stud
<a href="#">KSU34</a>	High Strength Cu Alloy Servit with Spacer
<a href="#">12MM P/N: YAV95M12</a>	Cable terminals
<a href="#">YAV25M6</a>	Compression Terminal, 25 mm², M6 Stud
<a href="#">YAEV6CRS</a>	Nylon-Insulated Right-Angle Ring Terminal for 6 AWG Wires
<a href="#">QDA1C</a>	
<a href="#">YGLR29C34</a>	connector
<a href="#">420030</a>	U-O Die
<a href="#">YAB28CG2</a>	Terminal Ring uninsulated
<a href="#">YA6C</a>	6Awg Copper 1-Hole Lug 502175
<a href="#">GIE4CG4</a>	Stainless Steel Grounding Connector, Heavy Duty, For Vehicle Grounding
<a href="#">NA18A-4N-H</a>	Connector
<a href="#">NAR45A-4N-90</a>	Terminal
<a href="#">NNTR36A36A</a>	Connector
<a href="#">BE6M53D (101.106.050)</a>	
<a href="#">BE6M65D</a>	
<a href="#">YAZV2C2TC38FX</a>	Copper Compression Lug
<a href="#">YAZ6CTC14</a>	Copper Compression Lug
<a href="#">YAZ8C2TC14FX</a>	Copper Compression Lug
<a href="#">YAZV102TC14E1</a>	Copper Compression Terminal
<a href="#">GX2929</a>	Mechanical Grounding Connector
<a href="#">10058504 / KSU28</a>	Connector
<a href="#">YS25</a>	Butt connector

Product	Description
<a href="#">KS22</a>	SCREW CONNECTOR
<a href="#">7370985 BURNDY YAV240M16</a>	
<a href="#">QA34-B</a>	Heavy-Duty Copper Lug Connector for 400-500 kcmil Conductors
<a href="#">QA28-B</a>	Heavy-Duty Copper Lug Connector for 3/0-4/0 AWG Stranded Conductors
<a href="#">Q3A40-4N</a>	Heavy-Duty Copper Terminal for 600-800 kcmil Conductors, 4-Hole
<a href="#">7371030 BURNDY YAV300M16</a>	
<a href="#">KA34</a>	TERMINAL FOR CABLE TO BAR
<a href="#">YA36</a>	1-Hole Lug
<a href="#">YH2929WCC</a>	Copper H-Tap 250-250 W/Clear Cover
<a href="#">K2A36U-2N</a>	Terminal, KA-U Series
<a href="#">RYA2UC</a>	Tap Kit
<a href="#">K2C22</a>	specific connector
<a href="#">YA252TC38</a>	Copper Compression Terminal, 1/0 AWG, 2-Hole, 3/8" Stud, 1" Spacing, Long Barrel
<a href="#">YAV28L2NTCFX</a>	Compression Terminal for 4/0 AWG Flexible Copper Conductors, 2-Hole, 1/2" Stud, 1-3/4" Spacing, Standard Barrel
<a href="#">YAV28LTC12FX</a>	Compression Terminal for 4/0 AWG Flexible Copper Conductors, 1-Hole, 1/2" Stud, Standard Barrel
<a href="#">YA34L2TC38</a>	Copper Compression Terminal, 500 kcmil, 2-Hole, 3/8" Stud, 1" Spacing, Standard Barrel
<a href="#">YA26LBOX</a>	Copper Compression Lug, 2/0 AWG, 1-Hole, 3/8" Stud, Standard Barrel with Inspection Window
<a href="#">YAV35M8 (package 100)</a>	Copper Compression Lug, 35 mm², M8 Stud, Standard Barrel
<a href="#">YF1410ITL</a>	Covered Ferrule for 14 AWG
<a href="#">YF1610ITL</a>	Covered Ferrule for 16 AWG
<a href="#">YS27-LBOX</a>	Copper Compression Splice
<a href="#">YAV14T5</a>	Uninsulated Ring Terminal for 20-14 AWG, #4-6 Stud
<a href="#">YA8CL145</a>	Copper HYLUG
<a href="#">KA36U</a>	Terminal
<a href="#">KA36U2N</a>	Terminal
<a href="#">KITMAK1850B</a>	Mechanical Lug Kit for 1850 kcmil Conductors
<a href="#">NAR36A4N</a>	substation - aluminium Bolted Terminal
<a href="#">UV8L</a>	Stainless Steel Nest Die
<a href="#">Y34PL</a>	Crimp Die Indenter
<a href="#">OH18A3</a>	Aluminum Bus Support
<a href="#">NS18A18A</a>	Aluminum Bolted Coupler
<a href="#">NBC18A2N</a>	Aluminum T Connector
<a href="#">YGHC2C2</a>	Compression connector
<a href="#">YGHP34C26</a>	Compression Ground Rod Connector
<a href="#">B2D12</a>	12-Inch Flexible Copper Braid Jumper
<a href="#">KSU26</a>	Split Bolt Connector with Spacer.
<a href="#">YAV25LNT14FX</a>	Compression Terminal for 1/0 AWG Flexible Copper Conductors, 1-Hole, 1/4" Stud, Narrow Tongue
<a href="#">K2C25</a>	Electrical connector
<a href="#">UV8L</a>	Stainless Steel Nest Die for #8 AWG, Index 38
<a href="#">Y34PL</a>	Indenter Die for Crimping Applications
<a href="#">YA2CLBOX</a>	1-Hole lug



Product	Description
<a href="#">YAV70M6/70MM²</a>	HOLE AND INSPECTION HOLE TUB. COMPRESS.TYPE SHOE WITH BOLT
<a href="#">YAV70M10/70MM²</a>	CONDUCTOR STOP, INSPECTION HOLE TUBULAR COMPRESSION
<a href="#">YA44LNT12FX</a>	Compression Terminal
<a href="#">GG171</a>	Mechanical Grounding Connector for Copper Bar, Strap, Braid, or Cable to Rod or Tube
<a href="#">GG1815</a>	Mechanical Grounding Connector for Copper Bar, Strap, Braid, or Cable to Rod or Tube
<a href="#">MY2911</a>	Dieless Mechanical Compression Tool
<a href="#">W27VT</a>	Stainless Steel W-Die for 3/0 AWG Conductors, Die Index 14, Orange
<a href="#">W27RT</a>	W-Die Set for Hydraulic Crimping Tools, Capacity: 3/0 AWG, Die Index: 14, Orange
<a href="#">X27RT</a>	Crimp Connector
<a href="#">OUR840</a>	Popper Hytool Full Cycle Ratchet Tool
<a href="#">U27RT</a>	Stainless Steel U Die for 3/0 AWG Conductors, Orange, Index 14
<a href="#">SCB22A</a>	22-Ton C-Head Remote Hydraulic Crimper
<a href="#">SWXHP22A5</a>	22-Ton Hydraulic Crimping Tool with 5-Foot Hose
<a href="#">YSV27LFX</a>	Compression Splice for 3/0 AWG Flexible Copper Conductors
<a href="#">14MM P/N: YAV95M14</a>	Compression Terminal for 95 mm² Copper Conductors, 14 mm Stud
<a href="#">YGF294N</a>	Grounding Plate
<a href="#">P44RT</a>	HYGROUND "P" MATRIX FOR HYDRAULIC PRESS PLIERS
<a href="#">PUADP1</a>	"U" MATRIX ADAPTER FOR HYDRAULIC PRESS PLIERS
<a href="#">CT18075C00</a>	Standard Nylon Cable Ties:
<a href="#">CT50400SSBBB</a>	Stainless Steel Cable Ties
<a href="#">YAZ34NT38FX</a>	Lug
<a href="#">YA28-2LN</a>	Compression Terminal for 4/0 AWG Copper Conductors, 2-Hole, 1/2" Stud
<a href="#">GAR1429</a>	Ground Connector
<a href="#">NSNT3434</a>	Substation Copper T Connector, 90 Degrees
<a href="#">YAE18N</a>	cable shoes
<a href="#">Y35/Y35-2 REPAIR KIT</a>	Repair kit
<a href="#">MRE1022NV</a>	
<a href="#">QA4C-B</a>	Heavy Duty Copper Lug Connector
<a href="#">KSU25</a>	CONECTOR BIMETAL
<a href="#">YAZV26TC38FX</a>	Lug Terminal
<a href="#">YA8CL45</a>	Lug Terminal
<a href="#">YA26-2N, 2001525753</a>	
<a href="#">YAV25L251</a>	
<a href="#">YAV25L218</a>	
<a href="#">YAZ34TC38</a>	ZAPATA OJILLO
<a href="#">GAR184C</a>	Connector
<a href="#">GAR1726</a>	Connector
<a href="#">GAR174C</a>	
<a href="#">YGS2C</a>	Grounding Irreversible Compression Splice; Accommodates: #2 Str.; 2.41" Length.
<a href="#">PENA4</a>	PENETROX- A CONDUCTIVE PASTE - 4 oz/120ml BOTTLE
<a href="#">YA272N</a>	Double eye compression terminal
<a href="#">YA27A3</a>	One-eye compression terminal
<a href="#">GD-1829</a>	Connector for 120mm² cable to 2" fence pipe

Product	Description
<a href="#">GB29</a>	staple
<a href="#">KS31</a>	Copper clamp for 95mm <sup>2</sup> cable
<a href="#">DEF95-10TSV</a>	
<a href="#">DEF95-12TSV</a>	
<a href="#">MR15 / 1725071990</a>	Ratchet Crimper for #22-#10 AWG, Vinyl Insulated
<a href="#">OEM840NCP</a>	Pneumatic Bench Press
<a href="#">YGHP34C29</a>	Terminal
<a href="#">YSL70-T32</a>	Compression glove
<a href="#">YS29-L</a>	Compression glove
<a href="#">YS30-L</a>	Compression glove
<a href="#">QPX4428</a>	Parallel Clamp
<a href="#">MR15DIESETD1</a>	die set
<a href="#">BDBLCS3K3</a>	
<a href="#">YAE22G16BOX</a>	Insulug #4 Nylon Insulated Small Terminal, (Pack of 100 pcs)
<a href="#">YAE22G13BOX</a>	Insulug #4 - #6 Nylon Insulated Small Terminal
<a href="#">UPRECRIMP34</a>	
<a href="#">UPRECRIMP58</a>	
<a href="#">YAEV10</a>	
<a href="#">YAES18N2</a>	Ring Terminal
<a href="#">YAES18N3</a>	Ring Terminal
<a href="#">YAES18N5</a>	Ring Terminal
<a href="#">YAES14N8</a>	Ring Terminal
<a href="#">YAES10N12</a>	Ring Terminal
<a href="#">YAEV6CLM</a>	
<a href="#">YAEV6CL2M</a>	nylon ring terminal
<a href="#">YAEV2CL1</a>	Ring Terminal
<a href="#">YAEV2CL</a>	Ring Terminal
<a href="#">YAES18N50</a>	Ring Terminal
<a href="#">YAES10N57</a>	Ring Terminal
<a href="#">YGHR26C58</a>	Connector
<a href="#">KKA31U2N</a>	
<a href="#">YS2C-L</a>	
<a href="#">K2A31U</a>	luminum/Copper 2-Hole Terminal Lug
<a href="#">YAV10M5 (7370520)</a>	
<a href="#">BE1M65D (101.101.060)</a>	
<a href="#">QDA31</a>	
<a href="#">YAEV6CRS1</a>	Terminal
<a href="#">YAEV8CRS1</a>	Terminal
<a href="#">YAEV2CRS</a>	Terminal
<a href="#">GAR1126</a>	2/0Awg Ground Connector
<a href="#">T1414</a>	
<a href="#">YA8CTC14</a>	
<a href="#">YA2C2N</a>	
<a href="#">B3D12</a>	
<a href="#">YCHC34TC34</a>	

Product	Description
<a href="#">YGLR29C100</a>	Compression Ground
<a href="#">Y10D</a>	Plier-Style Crimper
<a href="#">U2CET</a>	Crimping Circular Butting U Die
<a href="#">U8CET</a>	Circular Butting Twin U Die, AN8
<a href="#">YA39LNT38</a>	
<a href="#">GAR2126</a>	mechanical grounding connector
<a href="#">YA30L7</a>	
<a href="#">UTG01619P</a>	Circular Connector
<a href="#">YAV95M12</a>	25020104 Copper Compression Lug
<a href="#">YAV10T2</a>	Ring Terminal
<a href="#">YAV120F-M10</a>	CABLE ENDS 120 MM2 (M10)
<a href="#">GC15A</a>	Ground Clamp
<a href="#">GC18A</a>	Ground Clamp
<a href="#">PENA1/2</a>	PENETROX A, 1/2 OZ TUBE
<a href="#">BBB14416G</a>	1/4X4X16 24-Hole Busbar
<a href="#">YAV6CL-CU2TC10FX#6(61/24)</a>	
<a href="#">HYPRESS Y 35</a>	
<a href="#">BTCGC1/0SS</a>	Aluminum soil tray clamp
<a href="#">YS26LBOX</a>	2/0 Str. Copper Butt Splice
<a href="#">BA16EF6</a>	fork
<a href="#">YAZV6C2TC10FX</a>	Compression Terminal
<a href="#">9999015 / QA8C-B</a>	
<a href="#">YS4CL</a>	502752 Copper Compression Splice
<a href="#">YAV4CL2NT10FX90</a>	
<a href="#">YA29-L</a>	
<a href="#">GAR204C</a>	Grounding Connector
<a href="#">GAR1926</a>	
<a href="#">YAV10-R3BOX</a>	
<a href="#">YAZ29TC38</a>	
<a href="#">KPA4CHEXGR 387095</a>	Connector Bolted Lugs & Terminals, Tin
<a href="#">YA8CL2BOX</a>	
<a href="#">T148F</a>	
<a href="#">YAD108F</a>	
<a href="#">YAD1410E</a>	
<a href="#">YAZ392N</a>	750Kcm 2-Hole Long Lug
<a href="#">YAZ282N</a>	4/0Awg 2-Hole Long Lug
<a href="#">YAZ292N</a>	2/0 250Kcm 2-Hole Long Lug
<a href="#">YAZ312N</a>	350Kcm 2-Hole Long Lug
<a href="#">YAZ252N</a>	1/0Awg 2-Hole Long Lug