







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





Burustu

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

eRAND'S PRODUCTS

Podcitp	Dunto p ds
<u>1240C</u>	·
AC4R-C	Ωrucksensor f6r /nterdruck
AC48RRW	Ωigital Cressure Oensor
<u>H14-RM</u> M	
<u>H14/*</u>	KCower supply for bar code reader Ω8 power supply3
<u>8A48P-M</u>	8amera 8able -M4m for Pigh4Opeed 8amera
<u>8A4ΩD</u>	
<u>8A4ΩHWD</u>	1VSPI
<u>8A4Ω8-MM</u>	1EΩ lighting control unit * terminals KCWT3 for 1EΩlighting
<u>8A4Ω8*-E</u>	1EΩ VIlumi48ontroller
<u>8A41PZ</u>	8amera lens
8A4TCZ-	Tonitor
<u>824*MM8</u>	Ωigital *4million4pi9el 8olor 8amera
<u>824*MMT</u>	
<u>824DDM-C</u>	Pigh4speed image processing system, image processing controller
<u>824"-MM5C</u>	8ontrol /nit K5ull Cack3
<u>824"-DMLC</u>	Easy Oetup Tachine 2ision Oystem
<u>8N47-</u>	LSH Ωigital 5iber Oensor Omall Heam Opot
<u>8N4PR*</u>	Leflective Oensor Pead
<u>8N4PRB</u> O	Leflective Oensor Pead with Ohine 8ancellation, Omall Opot
<u>8N4PD*</u>	
<u>8N4G-C</u>	Ωigital LSH Oensor, Amplifierj Tain /nit,C0C
8N42*-AC	Omart LSH Ωigital Oensor
<u>EP4z-7A</u>	sensor
EO4T-C	Cro9imity Oensor, Amplifierj Ω8 lype, Tain, /nit, C 0C
EN4-ZI	Cro9imity Oensor ! eingeb. Amplifier ! R Gabelansch
<u>EN4ZT</u>	pro9imity sensor R wire
<u>54RPA</u>	5okus41inse
<u>5O*4zMC</u>	fiber optic amplifier
<u>504T-C</u>	5iber optic measuring amplifier
<u>5O40-*8C</u>	
<u>5042*-L</u>	5iber Amplifier, 8able lype, Tain /nit, 0C0
<u>5042*-LC</u>	C0C Ωigitaler AnJeige
<u>5042R-8C</u>	
<u>5042R-C</u>	5iber Uptic Oensor
<u>5/4RZ2</u>	