



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Ağaoğlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

## Danotherm

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

### BRAND'S PRODUCTS

| Product                                                                 | Description                                        |
|-------------------------------------------------------------------------|----------------------------------------------------|
| <a href="#">CAH 150 C 411 27R KT / Z11553227411</a>                     | DRAHTWIDERSTAND, Serie ALPHA                       |
| <a href="#">Typ CBH 265 C 10R 777</a>                                   | WIRE RESISTOR                                      |
| <a href="#">Typ GBF 30/156 A 3R3 401</a>                                | Glazed WIRE RESISTOR                               |
| <a href="#">GBF-30-156A</a>                                             | High-performance electric heater                   |
| <a href="#">GRF13/63A 1K0 5%</a>                                        | Power Wirewound Resistor                           |
| <a href="#">GRF 15/102 L 10R 5%</a>                                     | wire resistance                                    |
| <a href="#">GRF 30/200 A 10k0</a>                                       | Industrial-grade heating unit                      |
| <a href="#">R7641-233402</a>                                            | Type ZRF 30/165 402 33R SIK                        |
| <a href="#">GRF 13/63 A 1k 5%</a>                                       | wire resistance                                    |
| <a href="#">TYP 22/50 750R</a>                                          | WIRE POTENTIOMETER                                 |
| <a href="#">ZRF 30/165 SIK 33R 402 (R7641-233402)</a>                   | HIGH LIST WIRE RESORTS, ZRF Series                 |
| <a href="#">P/N: R7641-233402, Type: ZRF 30/165 33R 402</a>             | High load wire resistors                           |
| <a href="#">GRI 20/165 S 0R47 401</a>                                   | HEAVY DUTY WIRE RESISTANCE, GLAZED, LOW INDUCTANCE |
| <a href="#">GRI 20/267 S 22R 401</a>                                    | resistor                                           |
| <a href="#">GRV 30/265 L 800R Standard</a>                              | DRAHTWIDERSTÄNDE, glasiert                         |
| <a href="#">CBH 165 C 320R 503</a>                                      | Compact industrial heater with high output         |
| <a href="#">ZRF 15/100 A 6R2</a>                                        | Wire wound resistor                                |
| <a href="#">Typ HSD 210 A 27k0</a>                                      | HEAT-SINK-RESISTOR                                 |
| <a href="#">GRF 13/100 L 800R +10 %</a>                                 | Wire resistor, glazed                              |
| <a href="#">GRI 12/102 L 56R</a>                                        | HIGH LOAD WIRE RESISTOR                            |
| <a href="#">GRF 30/165 L 100k</a>                                       | DRAHTWIDERSTAND, glasiert                          |
| <a href="#">ZRF 30/165 SIK 24R 402 (R7641-224402)</a>                   | HOCHLAST-DRAHTWIDERSTÄNDE, Serie ZRF               |
| <a href="#">Typ CAH 150 C 411 27R KT (Z11553227411)</a>                 | POWER RESISTOR                                     |
| <a href="#">CBV 165 C 22R</a>                                           | resistor                                           |
| <a href="#">Typ CAH 150 C 27R 411</a>                                   | DRAHTWIDERSTAND, Serie ALPHA                       |
| <a href="#">Typ GRF 30/265 L 100R (R8411310000)</a>                     | DRAHTWIDERSTAND, glasiert                          |
| <a href="#">Typ GRF 30/265 L 100R (R8411310000) (QUANTITY 5 pieces)</a> | DRAHTWIDERSTAND, glasiert                          |
| <a href="#">Typ 22/50 800R Standard</a>                                 | wire potentiometer, glazed                         |
| <a href="#">Typ 22/50 800R Standard (5 STK)</a>                         | wire potentiometer, glazed                         |
| <a href="#">Typ GRF 30/267 L 1k0 181</a>                                | High-performance industrial heating unit           |
| <a href="#">Typ GRF 20/140 L 47K0</a>                                   | Energy-efficient industrial heater                 |
| <a href="#">Typ HSAC 70 3x8k</a>                                        | Thick film resistor                                |
| <a href="#">CAH 165 C 120R</a>                                          | Coiled chassis mount resistor                      |
| <a href="#">CAH 150 C H 3R3 411 (ZH1153133411)</a>                      | DRAHTWIDERSTÄNDE, Serie ALPHA                      |
| <a href="#">CAH 150 C 9R0 (Z1153190800)</a>                             | brake resistance                                   |

| Product                                                 | Description                                                  |
|---------------------------------------------------------|--------------------------------------------------------------|
| <a href="#">CAH 150 C H 411 3R3</a>                     | inverter resistance                                          |
| <a href="#">GFF 27/153 A 12k 5% (price for 5 pcs.)</a>  | wirewound resistors                                          |
| <a href="#">GFF 27/153 A 12k 5% (price for 10 pcs.)</a> | Bulk pricing for industrial heater units                     |
| <a href="#">GFF 27/153 A 12k 5% (price for 50 pcs.)</a> | Bulk pricing for industrial heater units                     |
| <a href="#">F2 HSO 280C 500R 513 F1 261813</a>          | Heatsink Resistor                                            |
| <a href="#">Typ CBVX 335 C 419 20R</a>                  | WIRE RESISTOR, Series ALPHA                                  |
| <a href="#">Type CBH 165 CH 414 5R0 (ZH3163150414)</a>  | resistor                                                     |
| <a href="#">ZBV 30/330-3 4R6 590</a>                    | wire resistors                                               |
| <a href="#">GRF 20/140</a>                              | Compact industrial heating unit                              |
| <a href="#">22/23 2Sekt 13R</a>                         | wire potentiometer                                           |
| <a href="#">ZRF30/165-33R</a>                           | Wire Wound Resistor                                          |
| <a href="#">Typ ZRF 30/100A-3 40R+5R 555</a>            | wire resistance                                              |
| <a href="#">Typ CBH 215 C H 5R0 414 (ZH3213150414)</a>  | wire resistance                                              |
| <a href="#">Typ CBV 335 C 10R0</a>                      | Compact Alpha Power Resistor                                 |
| <a href="#">Type: CAH 150 C 27R 411</a>                 | RESISTOR                                                     |
| <a href="#">CCR-V M 222 C 800 160R</a>                  | Heavy-duty industrial heater                                 |
| <a href="#">22/23 40R</a>                               | Industrial heating unit with robust design                   |
| <a href="#">GRF 20/140 L 47k</a>                        | wireresistor                                                 |
| <a href="#">Typ 22/50</a>                               | DRAHTPOTENTIOMETER, glasiert                                 |
| <a href="#">CAH 300 CH 800 4R0 (ZH1303140800)</a>       | wire resistance                                              |
| <a href="#">ZRV 55/490 A</a>                            | High-capacity industrial heating unit                        |
| <a href="#">ZRV 55/490 S</a>                            | Industrial heater with superior efficiency                   |
| <a href="#">GRF 30/265 S 10R</a>                        | Resistor                                                     |
| <a href="#">GRF 20/142A 120R</a>                        | DRAHTWIDERSTAND, glasiert                                    |
| <a href="#">165 C 777 47R</a>                           | Resistor                                                     |
| <a href="#">ZRV 15/100 10k0 + 10 %</a>                  | Adjustable resistor                                          |
| <a href="#">R102 (set 2 pcs)</a>                        | Befestigungswinkel Set                                       |
| <a href="#">Typ GRV 30/265 L 10R</a>                    | Industrial heating unit with robust construction             |
| <a href="#">CAR 130 C 25R 466 (Z6133225466)</a>         | DRAHTWIDERSTAND, Serie ALPHA                                 |
| <a href="#">Typ CAH 150 C 12R0 511</a>                  | High-efficiency industrial heater for demanding environments |
| <a href="#">GFF 27/50 L 680R</a>                        | Wireresistance                                               |
| <a href="#">CRH 40 0R9</a>                              | Durable and reliable industrial heater                       |
| <a href="#">CAH 150 C 27R 465</a>                       | High-efficiency industrial heating unit                      |
| <a href="#">GRF 30/200 A</a>                            | Industrial heating solution with robust features             |
| <a href="#">GFI 27/100</a>                              | Compact and efficient industrial heater                      |
| <a href="#">Typ CBH 215 C H 5R0 414</a>                 | DRAHTWIDERSTAND                                              |
| <a href="#">Z3163210410 (Typ CBH 165 C H 10R 410)</a>   | brake resistor                                               |
| <a href="#">CAH 150 C 411 27R KT</a>                    | braking resistor                                             |
| <a href="#">CBT-H 760 D H T 406 16R</a>                 | WIREWOUND RESISTOR, ALPHA                                    |
| <a href="#">Z0043250453 (Typ BA4 50R 453)</a>           | resistor                                                     |
| <a href="#">GBF 30/156 A 6R8 401</a>                    | Wire wound resistor                                          |
| <a href="#">Z1153227411</a>                             | Drive braking resistor                                       |
| <a href="#">GRF 30/133 S 1R0 507</a>                    | Industrial heating unit with high power output               |
| <a href="#">GRF 30/200 A 1k0</a>                        | Heavy-duty industrial heater with extended capacity          |
| <a href="#">GRF 30/120 S 2k7 509</a>                    | Efficient and reliable industrial heater                     |

| Product                                                      | Description                                                      |
|--------------------------------------------------------------|------------------------------------------------------------------|
| <a href="#">ZRF 30/165 24R 402 (R7641-224402) - 10037531</a> | High-capacity industrial heating unit                            |
| <a href="#">GRF 30/265 L 2k2</a>                             | Industrial heating unit with medium-high power output            |
| <a href="#">CAV 150 CH 402 3R3 KT</a>                        | Alpha Resistor                                                   |
| <a href="#">ZRF 30/165 33R 402 (R7641-233402)</a>            | Wire Wound Resistor                                              |
| <a href="#">CAV 150 C 12R3 800</a>                           | DRAHTWIDERSTAND, Serie ALPHA                                     |
| <a href="#">ZRF 15/51 L 6R0 730</a>                          | WIRE RESISTOR, cemented                                          |
| <a href="#">ZRF 15/100 A 10R 202</a>                         | Compact and efficient industrial heating unit                    |
| <a href="#">CCR-VM 116 C 100R 800</a>                        | WIRE RESISTANCE                                                  |
| <a href="#">CCR-VM 222 C 100R 800</a>                        | WIRE RESISTANCE                                                  |
| <a href="#">Bracket R102</a>                                 | Heavy-duty mounting bracket for industrial equipment             |
| <a href="#">Typ CRH 40 0R5</a>                               | High-performance industrial heating unit                         |
| <a href="#">Certificate of Origin</a>                        | for ZH3163150414                                                 |
| <a href="#">Certificate of Conformity</a>                    | for ZH3163150414                                                 |
| <a href="#">R7523133401</a>                                  | Wirewound resistor                                               |
| <a href="#">Typ HSD 280 C 500R</a>                           | Aluminium housed wirewound power resistor                        |
| <a href="#">CBT-H 560 D HT 406 19R</a>                       | RESISTOR                                                         |
| <a href="#">CAV 120 C 410 36R</a>                            | Industrial ventilation and air conditioning unit                 |
| <a href="#">Typ CBR-VK 526 C H 15R 001</a>                   |                                                                  |
| <a href="#">ZBV 30/330-3 2R1 590</a>                         | High-performance industrial heating element                      |
| <a href="#">CRH 40 18R</a>                                   | Industrial high-power heating unit                               |
| <a href="#">ZFF 27/120 S 75R 731 (F3442275731)</a>           | braking resistance                                               |
| <a href="#">CAH 150 C 506 12R KT</a>                         | RESISTOR: BRAKING                                                |
| <a href="#">Typ CAH 300 C H 4R0 800 (ZH1303140800)</a>       | resistance                                                       |
| <a href="#">ZFF 27/120 M 180R</a>                            | WIRE RESISTOR, cemented                                          |
| <a href="#">Typ CAV 150 C 800 100R</a>                       | HIGH load wire resistor, cemented                                |
| <a href="#">Typ CBVX 335 C 20R 419 / ZH4333220419</a>        | brake resistor                                                   |
| <a href="#">CBV 165 C 419 20R</a>                            | brake resistor                                                   |
| <a href="#">CBH 165 C 10R 410 (Z3163210410)</a>              | WIRE RESISTOR                                                    |
| <a href="#">CBV 335 C 20R</a>                                | Heavy-duty industrial ventilation unit                           |
| <a href="#">CBT-H 760 BHT 281 14R</a>                        | High-efficiency industrial heating element                       |
| <a href="#">CBT-H 860 BHT 281 14R</a>                        | Advanced high-power heating element                              |
| <a href="#">ZRF 55/590 22R 010</a>                           | Industrial heating unit for large-scale operations               |
| <a href="#">GRF 20/267 L 2k0 200W</a>                        | resistor                                                         |
| <a href="#">CBH 165 C H 5R0 414</a>                          | resistor                                                         |
| <a href="#">Typ CAR 130 C 467 100R</a>                       | High-performance industrial heating unit                         |
| <a href="#">Typ CAV 120 C 36R 411</a>                        | Versatile industrial heater for demanding applications           |
| <a href="#">HSD 210 A 94R</a>                                | Resistor                                                         |
| <a href="#">Type ZBV 30/330-3 1R3 590 (S8954113590)</a>      | Wire resistors                                                   |
| <a href="#">GFF 27/120 L 220R</a>                            | wire resistance                                                  |
| <a href="#">CDH 102 C 60R JT</a>                             | Reliable industrial heating unit for precise temperature control |
| <a href="#">GFF 27/100 A 6600R</a>                           | WIRE RESISTOR                                                    |
| <a href="#">BI-ALPHA BA4-3 120R 432 / (Z0043312432)</a>      | wire resistor                                                    |
| <a href="#">Typ CBH 165 C H 5R0 414 (ZH3163150414)</a>       | WIRE RESISTOR                                                    |
| <a href="#">GRV 20/267 L 100R</a>                            | WIRE RESISTOR                                                    |
| <a href="#">GFI 27/100 A 22R</a>                             | WIRE RESISTOR                                                    |

| Product                                                      | Description                                                        |
|--------------------------------------------------------------|--------------------------------------------------------------------|
| <a href="#">Typ CAH 150 C 411 3R3 KT (ZH1153133411)</a>      | Wire resistor                                                      |
| <a href="#">ZH3163150414</a>                                 | resistance                                                         |
| <a href="#">Typ BI-ALPHA BA4-3 120R 432 (Z0043312432)</a>    | WIRE RESISTOR                                                      |
| <a href="#">CBV 265 C 22R</a>                                | HIGH LOAD WIRE RESISTOR, ALPHA Series                              |
| <a href="#">Typ CBV 335 C H 10R0</a>                         | Industrial heating unit for high-demand environments               |
| <a href="#">CAH 150 C H 3R3 411</a>                          | Wire Resistor                                                      |
| <a href="#">CBH 215 C 40R</a>                                | RESISTOR                                                           |
| <a href="#">CAH 150 C 001 50R</a>                            | WIRE RESISTOR                                                      |
| <a href="#">Z1153250001</a>                                  | Alpha Resistor                                                     |
| <a href="#">CAV 150 C 47R</a>                                | Fixed ResistorFixed Resistor                                       |
| <a href="#">22/50 200R</a>                                   | wire potentiometer                                                 |
| <a href="#">CAVH 120 CH 20R 449</a>                          | WIRE RESISTOR, ALPHA series                                        |
| <a href="#">CAV 120 C 36R 411</a>                            | WIRE RESISTOR, ALPHA series                                        |
| <a href="#">Type CAH 150 C H 411 3R3 / ZH1153133411</a>      | Fixed resistor                                                     |
| <a href="#">CBVX 335 C H 419 20R</a>                         | WIRE RESISTOR, ALPHA series                                        |
| <a href="#">ZRF 20/75 L 18R</a>                              | wire resistance, cemented                                          |
| <a href="#">P/N: Z2123236410, Type: CAV 120 C 410 36R</a>    | wire resistors                                                     |
| <a href="#">Typ HSD 210 A 94R</a>                            | wire resistors                                                     |
| <a href="#">CAV 120 C 410 36R (Z2123236410)</a>              | wire resistors                                                     |
| <a href="#">GRF30/250S 12R 5%</a>                            | Wire wound resistor                                                |
| <a href="#">CAR 200 DT 415 80R, Serie ALPHA</a>              | wireresistor                                                       |
| <a href="#">P/N: F3111233411, Type: GFF 27/80 ML 33R 411</a> | wire resistors                                                     |
| <a href="#">Z2153247800</a>                                  | Replacement part for Danotherm industrial systems                  |
| <a href="#">Typ CBR-V 330 BT 47R</a>                         | High-performance industrial heating unit                           |
| <a href="#">Typ 22/40 10k0</a>                               | Industrial heating unit for medium-demand environments             |
| <a href="#">HSCC 88A 3x4k7</a>                               | High-efficiency industrial heating component                       |
| <a href="#">HSAC 70 A 3x8K</a>                               | Heavy-duty industrial heating component                            |
| <a href="#">CBH 215 C 224R 503 (Z3213322503)</a>             | Wireresistor                                                       |
| <a href="#">ZH3213150414</a>                                 | Wireresistor                                                       |
| <a href="#">F2 ZH3163150414</a>                              | High-performance industrial component                              |
| <a href="#">GRF 30/156 S 910R 401</a>                        | DRAHRESISTOR, GRF series                                           |
| <a href="#">CBT-H 460 BH 201 7R5</a>                         | Wirewound                                                          |
| <a href="#">Type 22/80 250R Standard (D8011325000)</a>       | Industrial heating unit with high power output                     |
| <a href="#">F2 HSD 210A 94R</a>                              | Aluminium Housed Wirewound Power Resistor                          |
| <a href="#">Type ZBV 30/330-3 3R6 590 (S8954136590)</a>      | Heavy-duty industrial component with enhanced power and efficiency |
| <a href="#">ZRF 30/165 24R 402</a>                           | high load wire resistors                                           |
| <a href="#">Z11553227411 CAH 150 C 411 27R KT</a>            | High-efficiency industrial heating component                       |
| <a href="#">ZRF55/480014518-300R</a>                         | wire resistance                                                    |
| <a href="#">GRV 20/267 S 270R</a>                            | wire resistance                                                    |
| <a href="#">GRF 200/100 S 68R 401</a>                        | Alpha series wire resistor                                         |
| <a href="#">CCH M 540 I 469 15R</a>                          | Resistor                                                           |
| <a href="#">CCH M 338 I 469 24R</a>                          | Compact, high-performance industrial heating unit                  |
| <a href="#">CCH M 440 I 469 19R</a>                          | Braking resistor                                                   |
| <a href="#">HSD-140-C-47R</a>                                | HEATING RESISTANCE FOR PANELS,                                     |

| Product                                                                | Description                                                        |
|------------------------------------------------------------------------|--------------------------------------------------------------------|
| <a href="#">HSD 280 A 530R</a>                                         | wire resistor                                                      |
| <a href="#">ZRF55/590 200R</a>                                         | PRELOAD RESISTOR                                                   |
| <a href="#">ZRF 55/590 S 200R 562</a>                                  | Heavy-duty industrial heating component with advanced power output |
| <a href="#">CBH 360 CT 406 210R</a>                                    | wire resistance                                                    |
| <a href="#">CAH 240 CH 6R0 800</a>                                     | resistance                                                         |
| <a href="#">GRF13/100A 2K0 5%</a>                                      | Resistor                                                           |
| <a href="#">ZRF 55/590 200R 562</a>                                    | HIGH-LOAD WIRE RESISTORS, ZRF series                               |
| <a href="#">Typ GRV 20/267 L 4R7</a>                                   | Industrial resistor with high durability                           |
| <a href="#">CBVX 215 C</a>                                             | resistor                                                           |
| <a href="#">CBH 165 C H 5R0 414 (ZH3163150414)</a>                     | High-performance heating component for industrial use              |
| <a href="#">Type: CAH 150 C 27R 411 / (Z1153227411)</a>                | resistance                                                         |
| <a href="#">COC certificate for CAH 150 C 411 27R KT / Z1153227411</a> | Certification for CAH 150 C heating component                      |
| <a href="#">CBV 335 C 10R0</a>                                         | charging resistor                                                  |
| <a href="#">CAH 150 C 220R 800</a>                                     | charging resistor                                                  |
| <a href="#">Z1153227411 / Type: CAH 150 C 27R 411</a>                  | resistor                                                           |
| <a href="#">Type: CBH 215 CH 5R0 414 (ZH3213150414)</a>                | WIRE RESISTOR                                                      |
| <a href="#">WHBSA 150.820 0R8</a>                                      | Industrial resistor with reliable performance                      |
| <a href="#">GRF 12/51 L 4k7</a>                                        | heating element                                                    |
| <a href="#">CAH 240 C H 6R0 800(ZH1243160800)</a>                      | High-performance heating component for industrial use              |
| <a href="#">ZRF 55/400 051 912 110R</a>                                | Precision resistor for industrial applications                     |
| <a href="#">Type: GRF 30/265 L 1k0 / PN: R8411410001</a>               | wire resistance                                                    |
| <a href="#">GRF 30/265-3 20R 5%</a>                                    | Precision resistor with 5% tolerance for industrial use            |
| <a href="#">GFF 27/80 ML 27R 411</a>                                   | Industrial resistor with enhanced tolerance and reliability        |
| <a href="#">Typ CAR 200 DT 415 80R / Z6205280415</a>                   | wire resistance                                                    |
| <a href="#">CBV 335 C 424 63R</a>                                      | wire resistance                                                    |
| <a href="#">GRV 20/267 68R</a>                                         | wire resistance                                                    |
| <a href="#">CAVJ 120 C 36R 410</a>                                     | High-quality resistor for precise industrial measurements          |
| <a href="#">CAH 150 C 6R8 (Z1153168506)</a>                            | High-power resistor with 6.8Ω resistance                           |
| <a href="#">CoC for GRF 30/265 L 2k2</a>                               | Certificate of Compliance for GRF 30/265 L 2k2                     |
| <a href="#">ZRV 10/63 L 3k3</a>                                        | wire resistance                                                    |
| <a href="#">Typ CAV 120 C 411 36R</a>                                  | Industrial resistor for precise applications                       |
| <a href="#">Typ CAR 200 DT 415 80R</a>                                 | High-power resistor with 80Ω resistance                            |
| <a href="#">CAV 150 C 432 47R</a>                                      | wire resistance                                                    |
| <a href="#">CBV 256 C 800 33R</a>                                      | wire resistance                                                    |
| <a href="#">WHBSA 200.610 xxR</a>                                      | Resistance Water-cooled                                            |
| <a href="#">78408 / Type ZFF 27/50 A 10R</a>                           | wire resistance                                                    |
| <a href="#">Type ZRF 30/100A-3 40R+5R 555</a>                          | wire resistance                                                    |
| <a href="#">CRH 40 R024</a>                                            | RESISTANCE                                                         |
| <a href="#">R5019212000 / GRI 20/165 A 12R</a>                         | WIRE RESISTOR, glazed, low induction                               |
| <a href="#">GRF 13/100 A 24R 5% 506</a>                                | Precision resistor with 24Ω resistance and 5% tolerance            |
| <a href="#">CBR-V 460 DT 421 80R</a>                                   | Endurance                                                          |
| <a href="#">ZRV 10/63 L 4k0</a>                                        | CEMENTED WIRE RESISTOR                                             |
| <a href="#">GBF 30/156A 6R8 p/n 10010072</a>                           | wire resistance                                                    |

| Product                                               | Description                                                                       |
|-------------------------------------------------------|-----------------------------------------------------------------------------------|
| <a href="#">CAH 150 C 506 6R8 (Z1153168506)</a>       | High-power resistor with 6.8Ω resistance                                          |
| <a href="#">GRF 13/100 A 800R 506</a>                 | wire resistance                                                                   |
| <a href="#">CAV 150 C 800 47R</a>                     | Wire resistor                                                                     |
| <a href="#">ZRF 30/165 24R 402 (R7641-224402)</a>     | Resistor with 24Ω resistance, suitable for high-power applications                |
| <a href="#">CBT-H 460 C H 001 24R</a>                 | Resistor with 24Ω resistance, designed for industrial use                         |
| <a href="#">CCH 110 C 001 3R</a>                      | Resistor with 3Ω resistance, ideal for lower-power applications                   |
| <a href="#">ZFF 78/490 S 33R</a>                      | WIRE RESISTORS                                                                    |
| <a href="#">HSD210A 94R K1</a>                        | High-power resistor with 94Ω resistance, designed for industrial systems          |
| <a href="#">ZRF 55/590 014 523 300R</a>               | Resistor                                                                          |
| <a href="#">CBR-V 225 K 201 100R</a>                  | WIRE RESISTANCE                                                                   |
| <a href="#">CAH 150 C 506 6R8</a>                     | Resistor with 6.8Ω resistance, suitable for high-power circuits                   |
| <a href="#">F2 Z1153212511 CAH 150 C 511 12R KT</a>   | High-power resistor with 12Ω resistance, built for industrial use                 |
| <a href="#">GRF 20/165 S 27R 508</a>                  | Resistor with 27Ω resistance, suitable for industrial applications                |
| <a href="#">ZRF 30/165 33R 402</a>                    | high load wire resistance                                                         |
| <a href="#">CAVJ 120 C 36R 411 (Z2123J236411)</a>     | wire resistance                                                                   |
| <a href="#">CBH 265 C 10R 777</a>                     | High pulse load resistor                                                          |
| <a href="#">CBV 165 C 419 11R</a>                     | WIRE RESISTANCE                                                                   |
| <a href="#">Type ZFF 27/120 M 180R (T3441318000)</a>  | Resistor                                                                          |
| <a href="#">Z5308215605</a>                           | wire resistor                                                                     |
| <a href="#">CBR-V 560 D HT 406 39R UL</a>             | braking resistor                                                                  |
| <a href="#">CAH 360C 611 33R</a>                      | resistor                                                                          |
| <a href="#">Z6117333201 / Type CAR 115 K 201 330R</a> | Resistor                                                                          |
| <a href="#">ZH3153150414</a>                          | Resistor for high-power industrial applications                                   |
| <a href="#">CAV 150 C 800 47R 300</a>                 | High-power resistor with 47Ω resistance for industrial applications               |
| <a href="#">CBVX 335 C H 419 70R</a>                  | Resistor with 70Ω resistance for high-power industrial applications               |
| <a href="#">CAHJ 150 CH 401 3R3</a>                   | High-power resistor with 3.3Ω resistance, suitable for industrial systems         |
| <a href="#">100000003714</a>                          | Braking resistance                                                                |
| <a href="#">Type: GRI 30/200 A/S 10R</a>              | WIRE RESISTANCE                                                                   |
| <a href="#">ZRF 30/165 24 // 10004462 K0 402</a>      | Resistor with 24Ω resistance, designed for high-power industrial applications     |
| <a href="#">30/330-3 2R1 590</a>                      | Resistor with 2.1Ω resistance for high-power industrial systems                   |
| <a href="#">CCR-VM 222 C 800 140R</a>                 | High-power resistor with 140Ω resistance for robust industrial applications       |
| <a href="#">CCR-VM 116 C 800 370R</a>                 | High-power resistor with 370Ω resistance, optimized for heavy-duty industrial use |
| <a href="#">CBR-V 460 DHT 13R 415</a>                 | Wire resistor, alpha series                                                       |
| <a href="#">ZH3213150414 CBH215CH414</a>              | wire resistance                                                                   |
| <a href="#">GRF 30/200 L 2K (R7911420000)</a>         | wire resistance                                                                   |
| <a href="#">CBH 215 CH 001 4R0 KT</a>                 |                                                                                   |
| <a href="#">CBH 215 CH 001 2R2 KT</a>                 |                                                                                   |
| <a href="#">CBH165 CH 414 5R0</a>                     | RESISTANCE                                                                        |
| <a href="#">CBH 165 C 777 22R</a>                     |                                                                                   |
| <a href="#">GFF 20/50L 68R</a>                        |                                                                                   |
| <a href="#">CBH 290 CHT 071 7R0</a>                   |                                                                                   |

| Product                                           | Description             |
|---------------------------------------------------|-------------------------|
| <a href="#">CBH 265 C 777 10R KT</a>              |                         |
| <a href="#">ZRF 30/165 SIK 33R 402</a>            | charging resistor       |
| <a href="#">GRF 20/100L 6R8</a>                   | stamina                 |
| <a href="#">GRF 20/100L 15R</a>                   | stamina                 |
| <a href="#">ZBV 30/330-3 1R3</a>                  |                         |
| <a href="#">GBF 20/140 S 0R5 507</a>              | WIRE RESISTANCE, glazed |
| <a href="#">GFF27/120L 22R</a>                    |                         |
| <a href="#">CBH 165 CH 414 5R0 (ZH3163150414)</a> |                         |
| <a href="#">Z5203275460/CCH 191 CT 460 75R KT</a> |                         |
| <a href="#">CBT-H 460 BHT 281 18R</a>             | resistor                |
| <a href="#">CBT-H 560 BHT 281 15R</a>             | resistor                |