



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Dirak

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
247(42M .44(44444 F012 M# 612	sealing profile
K- M7KM#4K- KR4	Vuarter() urn Sock
722 M# 637	screw(on hinge
2M#(7413.44(44444	Seft screw on hinge
244(743- .44(44444	Cousing with shell
244(7M#1.44(44444 Actuation 5 bK G5 ün chromed	Insert
244(4- 4- .44(44444 tongue steel galvanised C- (S3K mm	Ham
2M0(7242	/ charnier G5 s
241(7- 61 914MM# K67P	Hompression Satch
241(M#42.44(44444	N(: ing
241(7243.44(44444	Hompression Satch
241(734K.44(44444	key plate
241(M#4- .73	Grounding / pring
241(M#4M44(44444	N(: ing
2- 0(7M#- .44(44444	) Trscharnier
246(4MM44(44444	/ winghandle Satch
244(7M#M44(44444	Cinge for Industrial Enclosures
247(4142.44(44444	Hompression Satch
2M#(7420.44(44444	/ winghandle Satch
722 M# 607	screw(on hinge
723 M# - 27	padlock pass padlock
- M#(7K37.40(40MM#	Vuarter() urn Satch
- M#(774M44(44444M	B S: battery pack lead gel battery
247(42M# .44(44444	sealing profile
2- 7(MK4K.44(44444	Cinge for Enclosures
234(7347	) elescopic lid support with M# pegs
247(4K43.44(44444	Window / eals EI 5 B
247(4- 42 F02K M# 34-	filler
221(744M44(44444 R72MM# - KM	z o! (bolt lock
2M#(4643.44(44444	/ teel tube
2M#(734- .44(44444	stainless steel screw on hinge
- M#(7- 37.44(MBK-	Vuarter() urn Satch with Hompression
- M#(K74M44(44HMB	Vuarter() urn Satch
- M#(K742.44(44444	Vuarter() urn Satch with Hompression
- 40(K7K7.44(44644	5 oor / ensor
2- 0(7443	Cinge

Product	Description
247(4242.44(44444	Hompression Satch
14MM# K40 2MB(744M44(444- 4P	Dolding trough handle
722 M# 626	/ crew(on hinge
640(7- 4- .44(44424	/ winghandle Satch
244(7463	Cinge for 8ndustrial Enclosures
244(7M26.44(44444 Rl U* 723 M# K24	Cinge for 5 oors
244(4K26.44(44444 Rl U* 723 M# 134	Cinge for 5 oors
2- 6(7447.44(44444 R723 MM346	snap closure
2Ml(7M#3	/ crew(on hinge
263(7441.44(44444	Candle with Socking Bechanism
640(7M#M44(44444	/ winghandle Satch
241(7422.44(44444	Vuick Dit
241(MK42.46(44444M	Hompression Satch
263(74M2.44(44444M	/ winghandle Satch
263(74MB.44(44444M	/ winghandle Satch with Socking Bechanism
241(M642.44(44444	Hompression Satch
263(7446.44(44444	/ winghandle Satch
263(744- .44(44444	/ winghandle Satch
224(7247.44(40244	üyl.(x orreiber 9CQM7,K mm
224(72M6.44(40244	üylinder(x orreiber
224(722M44(40244	üylinder 5 rehrigel G5 ün,schwarF
224(7241.44(40244 9723 M# 0K3P	üylinder(x oreiber 9CQM8,K mm
224(72MK.44(40244	üylinder(x orreiber 9CQM7,K mm
224(7222.44(40244	cylinder swivel bolt
224(72MM44(40244	üylinder(x orreiber 9CQM8,K mmP
224(72M0.44(40244	üylinder(x orreiber 9CQM8,K mm
224(7226.44(40244	üylinder 5 rehrigel G5 ün,schwarF
224(72M2.44(40244	üylinder(x orreiber 9CQM7,K mm
224(72Ml.44(40244	üylinder(x orreiber 9CQM7,K mm
224(722K.44(40244	üylinder 5 rehrigel G5 ün,schwarF
2MB(744M44(444- 4	Cinged recessed handle
247(42MB	sealing profile
247(A2K6.14(44444	: ubber / ealing l rofile E5l B
244(724M44(44444	üyl. 5 rehrigel
723 M# K- 4F244(46Ml	tongue
M#0(744K.44(44444	/ chwenkhebel / ND) S8JE mit Abdeckung
M#4(7433.44(44444	üungenadapter
244(21MM3K(44444	Abstandhalter
263(72MM44(44444	Cinge complete
247(424K.44(44444	GA/ YE)
7K722 M# - 3K	hidden hinge
244(4K2-	Cinge for 5 oors
723 M# 102	: otary bolt housing
244(474MR723 M# 6K3	Gasket
M#4(7M64.44(4444-	Actuator door lock

Product	Description
22M7M44(44444)	/ tainless / teel 5 oor : etainer
2M(464K.44(44444)	/ nap(8h Cinge
2M(4641.44(MK44	/ teel tube, cover
2M(4M43(44444)	Dinal support for steel tube
2M(4M2.43(44444)	Hentral support for steel tube
2M(4643	/ nap(8h Cinge
722 M 6K3	/ winghandle Satch
2M (7443.44(44444)	/ charnier
2M (7446.44(44444)	Cinge
2M (7347.44(44444)	hinge
2M (744M44(4444	Cinge for Enclosures
230(74KM44(44444)	Sock housing
230(464M4- (4043K	Vuarter() urn Satch
241(74KM	Hompression Satch
241(734M44(44444)	Sock housing
241(7643.44(44444)	Adapter with locking toothscrow for steel tongue
244(7233.44(44444)	Cinge for 5 oors
244(46M6.44(44444)	/ nap(8h Cinge
2KK(71M8.44(44444)	/ i.5 rehriegel
M4(70KK.44(44444)	roller cam
244(6043.43(44444 R723 M - K4	Candle fot twist lock
21M744- .44(44444)	Cinge for Enclosures
244(7K77.44(44444 R723 M 313	rod drive
M4(4K6K.MK(44444)	Vuarter() urn Satch
144(44M .44(44444)	N(: 8JG
240(7443.44(44444)	/ wing lever lock increases I A
223(744M44(44444)	Candle with Socking Bechanism
2- 3(74M.44(44444)	double ball snapper, chrome(plated brass
340(7M6.44(44444)	/ wing Candle base
14MM KK2	YEX
241(744MR723 M - 44	z ar lock : C RSC
723 MMK22	/ nap lock
246(4M1.44(4444	/ winghandle Satch
340(7K4M44(44444)	I Cü base actuation 5 z 3
2M(4242.43(44444)	/ nap(8h Cinge
24K(7K43.44(42233 9I4MM 317P	spare key, lock 2233
2M(424M43(44444)	z ridge Candle
2M(4246.43(44444)	z ridge Candle
2M(4243.43(44444)	z ridge Candle
2- K(7- 4K.44(44444)	Honcealed Cinge
241(72M.44(44444)	Hompression Satch
1003K4M	SEx E: HSN/ L: E
203(4142.44(44444)	: ectangular profile
246(4M2.44(44444)	Yey
2M(734M44(44444)	/ winghandle Satch

Product	Description
3- 7(4613.44(44444	/ nap(8n Sock
2M(7343.44(44444	/ crew(on hinge 9SP
07MM# 36-	Hompression Satch
2M(7M#6.44(44444 old codeZnew code 2M(7M#6	/ winghandle Satch
240(76M0	5 ual cylinder / winghandle
244(764M44(44444	Satch handle rotary latch
244(7400.44(44444	Satch handle rotary latch
244(7MK7.44(44444	Satch handle rotary latch
246(4640.43(44444	Satch handle rotary latch
240(2042.43	/ quare Cole Adapter
247(4124.44(44444	Hompression Satch
212(7K42	locks
244(73M7	HC: NB E I L SS
244(463-	/ nap(8n Cinge
2M(7642.44(44444	Cinge
1- M4M0- .40(4444K	Grounding washer
661(744M44(4M6M	
661(744M44(4MMB	
247(424M9012 M# 622PMpcsQK4m	/ ealing profile
722 M# 360	/ crew(on hinge
722 M# 63M	/ winghandle Satch
27K(7442(44(44443	Dastener
K- M2MM7M#24R4	pawl
261(7- 4M44(44443	Hompression : otary Satch
261(7- KM44(44443	Hompression : otary Satch
2M2(7413	hinge
I A- GD64	I olyamide B aterial Homponent
234(7341.44(44444	) elescopic latch
234(764M44(44444	Bounting bracket complete
2MB(4043.43(44444	Candle shell
212(7- 4M	/ tainless / teel / nap Satch
723 M# 01- 9240(7K21P	Wing tongue
723 MM3K7 9M#0(7212P	I ivot lever for hollow cylinder 64 mm long
244(7M23 9723 M# 60- P	Actuation, stainless steel, double tip 3 mm
M4(7- 4M9723 MM- 24P	Cousing Hpl. SQM mm
64- (744M44(44422	) orches) : EU) A, for heavy applications
22K(2443	: ectangular profile
27K(744M33(2444M	Gasket I rofile
02MM# 342	Dog(profile
247(4046 F012 M# 336	/ ealing I rofile
722 M# - - 6	disappearing hinge
723 M# 731	/ winghandle Satch
14MM# 314	/ pare keys
24K(7K4M44(4MB33	key
722 M# KM#	/ crew(on hinge

Product	Description
72MM# K7M92M(7247P	I rofile half(cylinder
723 M# 072 9M0(7247P	/ wing lever with cap and cylinder cover
2M (7433	disappearing hinge
2M2(7431.44	/ winghandle Satch
241(744	: od lock
241(724-	Actuation
246(4M#0	z in wrench, G5 ün, double bit 3 mm
244(4- 2-	) ongue, GalvaniFed / teel, SQBK mm,
241(7033.44(44024	Dlat bar with overrun rollers, SQ024 mm
241(MK23.K6	z ar guide, slide(on, I A
723 MM- 61	pivot handle
012 M# 633	EB H / ealing I rofile, / elf(Hlamping
2M2(7431.44(44444 R722 M# - M	Cinge I r 4K M# 4Erow cabinet
2MB(724M	I llastic handle with plug
2M(72M.44(44444	/ crew hinge
2M(72M7.44(44444	/ crew hinge
2MB(7M#M44(444- 4	Dolding trough handle
723 M# 716	/ nap lock
2M(7241	/ winghandle Satch
2M (7422	disappearing hinge
212(76MB.44(44424	Hompression lever lock
I r4K M# 4E	hinge
234(7K4M	) elescopic support
234(7K42	) elescopic support
1- 4(4461.40(44624	eyebolt
276(7MM.44(444K4	Dasteners
2M(7241	Cinge
244(733M	Cinge for Enclosures
244(4- 66	Cinge for 5 oors
726 M# 36M	/ winghandle Satch
244(KK40.44(4446K	Honceaied Cinge
72MM# 303	: od lock
247(4143.44(44444	Hompression Satch
244(761M44(44444	Honceaied Cinge
24M7424.44(44K44	Bulti(I oint Satching / ystem
2MB(4646.44(44444	/ nap(8h Cinge
2MM(7443	I rofile half cylinder
2M (74MB	5 isappearing hinge
24M7424.44(44744 9723 MM371P	round bar with casserole wheels
23K(7443	z olt rod lock
244(7- 33	: ound rod guide
23K(M#42	: elining
240(7464	/ wivel lever
247(4342.44(44444	door sealing profile
2M (7M#3.44(44444	hinge

Product	Description
MKK-	hinges
23K(74M6	rod lock
YSEz E: 34H	adhesive pad
722 M - 40	welded tape roll
226(7M46	/ crew hinge
26- (4M43.43	quick release
241(7M40	rod lock
240(72- 2	swivel arm
72MM4 612 R241(MK4M43(44444	: od guide
241(7742.44(44424	reel choker
263(7M43	z ock hinge
224(7343.44(44444	sim onff
244(463K	tongue, galvaniFed steel
226(7447	corner hinge
2KK(764K	safety twist latches,
246(4M4K	hollow key
640(7- 43.44(44424	: otating arm with switch
241(7K42	key tag
241(7240	Hompression Satch
263(7M - .44(44444	M24Edissipate hinge
722 M 33-	screw(on hinge
723 MM317	z L)) E: DSX CAU5 SE W8 C A5 AI) E:
244(K32K	Honceaied Cinge
244(7461	Cinge for Enclosures
244(7M8M	Honceaied Cinge
246(4641.43	/ winghandle Satch
244(7M8	8insert slot 2! 6 mm, Finc die, chrome(plated
723 MMK4K 9240(76M0P	/ winghandle Satch
722 M 6KK 9222(744MP	Soop
2M2(7K4K.44(44444	hinge
2M2(743K.44(44444	/ winghandle Satch
I RJ* MKK0.) ype* B odell 2444	8JN hinge
K- M7KM4M2- 2R4	gasket
2- 6(7M42	Honceaied Cinge
244(1470.44(44444	Cousing complete z undesbahn
2MB(4M40.43(44444	Candle
2M2(7KMB.44(44444	/ winghandle Satch
244(7M2M	Honceaied Cinge
246(4M46	hollow closures
203(2441	Doam rubber profile
72MM4 76-	/ emi(cylinder with actuation
247(4124.44(44444	Hompression Satch
2M (742K.44(44444	Honceaied Cinge
224(73MB.44(44444	Vuarter() urn Satch
2MB(724M44(44444	/ nap(8i Cinge

Product	Description
244(7620.44(44444	Honcaled Cinge
2- 6(7M2.44(44444	/ nap lock
722 M 626F2M(7241	screw(on hinge
I RJ* 723 M377.) ype* 24M7424.44(4MM4	: ound bar with casserole rollers
72MM - 23	rod guide
I RJ* 72MM K7M) ype* 2MM7247.44(44444	I rofile half cylinder
I RJ* 723 M 014.) ype* 240(744M	/ wing lever lock
I RJ* 723 M 03K.) ype* 244(7- 43	Adaptor for round bar
I RJ* 723 M 7MM) ype* 240(7K34	wingtongue
I RJ* 72MM 621.) ype* 246(4M1	5 ouble(bit key
723 MMK14M4(741M44(24434	Hylinder(turning squad
72MM 6- 3	relining
723 M 010	644 mm long
723 M 31K	: ound bar with casserole rollers
723 MMK- K	/ wing lever
723 MM076	Hompression twist lock
444 44 444 F640(7460	swivel lever
723 M 04K	tongue
2MM7K4K	/ winghandle Satch
6M(734M64(444M6	clip hinge
6M(7343.64(4M4M6	clip hinge
pR 012 M 63-) ype* 247(4124	edge protection profile
244(7730.44(44444	Cinge for Enclosures
244(KK41.44(444- K	Honcaled Cinge
I RJ* 722 M K2- .) ype* 233(7243	hinge
Art.(Ur. 722 M 607	screw(on hinge
247(424M44(44444	K4(meter piece
2M(7M1.44(44444	Cinge
2M(7M7.44(44444	/ winghandle Satch
M4(7466.44(44444	Vuarter() urn Satch
I RJ* 722 M K67.) ype* 2M(7242	screw(on hinge
244(7M2.44(44444	Insert / tainless / teal
244(7466.44(44444	Vuarter) urn I olyamide
241(734K	z adge for : od Satch
241(MK4M43(44444 R72MM 612	: od Guide D/ 23mm
722 M - 3K	.
244(4KM6.44(44444	Hams S3K6K/ tainless / teal
247(424- .44(44444	sealing profile
241(714M44(44444	: od Satch with Vuarter() urn
241(7443.44(44444 R72MM - 14	: od Satch
247(4141.44(44444	Edge protection profile
I RJ* 012 M 63- .) ype* 247(4124	Edge protection profile
244(7- 4K.44(44444	Satch tongue G5 üU right
234(744M44(44444	) elescopic Hover / upport
247(41M8	E5 GE I : N) EH) 8NU I : ND8E

Product	Description
241(7442.44(44444	I ole lock
2M(7432.44(44444	concealed hinges
244(4626	/ nap(8h Cinge
247(424M44(44444 R012 M# 622	/ eal
2M(7446	/ H: EW NU C&UGE
246(4042.14(44444	universal railway key
244(7M8K	/) A: CAU5 SE
272(4- 4K.44(44444	Gasket I rofile
244(6M#3.44(44444	Honcealed Cinge
640(7- 4M44(44444	/ winghandle : / I rH
723 M# K64	grip panel, I A, can be clipped in
261(7- 4M44(44442	Hompression Satch I r22.Mwith Dlap
2KM7M#M44(44444	/ liding Cinge
723 MMK3K	snap
444 44 444	sealing profile
2M6(7443.44(44444	clamp(on clasp
K- M#KM#423MR 4	GA/ YE)
307(473- .40(3432K	/ afety Vuarter
203(2442.44.44444	Hompression Satch
2M0(764- .44(44444	CUG 35 SC ü5 R SY WR L / C I A UA)
244(74KK.44(44444 R723 MM723	housings
244(7M8M44(44444 R723 M# K- 6	actuation
244(4442.44(44444 R723 M# 742	mounting with N(ring
2M8(7243.44(44444 R142 M# 366	plastic handle
244(7442.44(44444	Honcealed Cinge
244(4622.44(44444	/ nap(8h Cinge
263(7443.44(44444	/ winghandle Satch
244(4621.44(44444	/ nap(8h Cinge
244(4- 22.44(44444	/ nap(8h Cinge
244(4- 21.44(44444	Honcealed Cinge
26K(7343.44(44444	Hompression Satch
246(4M#0.44(44444 R72MM# - 2M	/ winghandle Satch
241(724- .44(44444	Hompression Satch
241(7K42.44(44444 R723 MM124	Hompression Satch
241(M24- .73(44444 R723 MM1M6	Grounding spring
241(7643.44(44444 R723 MM- 2-	Hompression Satch
2M2(7342.44(44444 R722 M# - 2M	/ winghandle Satch
241(704M44(44- 24	Hompression Satch
244(4- 22.44(44444 R723 M# K07	/ nap(8h Cinge
722 M# K2K	hinge
2M0(7K43 9722 M# 370P	/ winghandle Satch
2M0(7K46 9722 M# 371P	/ winghandle Satch
2M6(4MMMKM44444	Hable strap holder
2MM7246.44(4444M	I rofile half cylinder
2M(7240.44(44444	/ winghandle Satch

Product	Description
2- K(7- 4M44(44444	Satch lock, chrome(plated, lock M833
22- (MK43.44(44444	Vuarter() urn Satch
2- 3(744M44(44444	Cinge for Enclosures
3K2(2MKM43(4444M	Gasket I rofile
247(3M12.44(44444	Hompression Satch
26- (4M13.4- (40432	Vuick release bolts
26- (4242 F723 M330	tongue
224(4- 4MF723 M1 K73	N(ring
247(424K44(44444 9meterP	sealing profile
2M2(14- 3.44(4444	M4 degree hinge
244(7407.44(44444 F723 M2 427	Homplete swivel lock
244(4641.44(44444	tongue
234(7K42.44(44444 9726 M1 360P	telescopic support
723 MMK3K F2K2(744M	snap lock
723 MM340 F2K2(7446	) ype z snap lock with B MK1 Mnut
640(7642.44(30424	Satch lever lock
23K(744M972MM1 303P	rod lock
244(72M8.44(4K446 FI U* 444 44 444	Honceaied Cinge
244(6M1M44(44444 FI U* 723 M1 02K	5 L /) HAI
244(K32K.44(44444 FI U* 723 M1 71K	Honceaied Cinge
227(7M1M44(44444 972MM1 720P	) rap lock
244(7M21.64(44444	/ quare 1mm
247(424MMA(44444 F012 M1 6- 2	sealing profile
247(42M0 9012 M1 60KP	sealing profile
2M0(7M1- 9722 M1 040P	hinge
M14(7M81.44(444M1	Vuarter() urn Satch
212(744M44(44444 F723 M1 13-	I olyamide snap closure
244(4664.44(44444	Ham
241(MK23(K6(44444	: od Guide
I A 640(- M1M	Arrest
244(4664	/ nap(8n Cinge
640(742M	swivel lever
241(7422	rod lock
261(7240	Hompression latch
M14(4K3K.14(444M1	/ tainless steel tongue
2M1(7443.44(44444 F722 M1 6- 2	screw(on hinge
247(4243.44(44444	sealing profile
723 M1 - - 6 F244(724-	cylinder impeller
244(4- M1 9723 M1 - K1P	tongue
227(744M	/ pring bolt* galvanised steel
241(742M44(44444	rod lock
2MM7M12.40(40M12	I rofile half cylinder
222(734M44(44444	Vuarter() urn Satch
2M (7MM .44(4444M	Honceaied Cinge
- MM7246.44(44444	.

Product	Description
M#0(744-.44(44444	/ ofline swivel lever
2M0(7K47.44(44444	hinge, black, right
2M0(7KM#.44(44444	hinge, black, left
2M0(7- 4M	/ tainless steel internal door hinge
722 M# 62	/ winghandle Satch
72MM# 676	/ winghandle Satch
244(7463.44(44444 FI U* 723 M# K22	housing with nut and flat seal, stainless steel
244(6664.44(44424 9723 MM- 00P	tongue
2M (74MK	Honcaled Cinge
247(4K4M44(44444	window sealing
247(4- 4M44(44444	window sealing
223(7247.44(44444	Fips
222(744M44(44444	5 isappearance hinge
241(7443	rod lock
M#0(72K-	swivel lever lock
247(M#42.44(S244-	Hompression Satch
247(4264.44(44444	Hompression Satch
012M#303	/ winghandle Satch
2M(7M#6	/ winghandle Satch
2M(7M#6.44(44444	/ winghandle Satch
2M(7446.44(44444	/ winghandle Satch
244(3- 2K KM44444	Honcaled Cinge
24M744M44(44444	Bulti(I oint Satching / ystem
244(7- 4M44(44444	/ nap(8h Cinge
244(4624.44(44444	tongue
244(7K7- .44(44444	Honcaled Cinge
2M2(704M44(44444	/ winghandle Satch
2M (7MM .44(44444	5 isappearance hinge
012M#616	/ winghandle Satch
241(74KM44(44444 R72MM# K4K	Hompression Satch
2M0(7MMI.44(44444 R722 M# 31M	/ winghandle Satch
246(4M#3.44(44444	/ winghandle Satch
244(46MI.44(44444	/ nap(8h Cinge
2M(7241.44(44444	Cinges
244(4641.44(44444 CQI mm SQ6K mm	MM#2 Hams S6K/ teel
2K2(7446.44(44444	Gasket I rofile
244(4641.44(44444 CQM# mm SQ6K mm	/ nap(8h Cinge
2- K(7- 40.44(4444M	Honcaled Cinge
2- K(7- M#.44(44444	Honcaled Cinge
244(4K24.44(44444	/ tainless Ham
232(744M44(44444	Ceavy 5 uty Satch
723 M# 13- R212(744M44(44444	I olyamide snap closure
247(224MF012 M# 6- 4	Hompression Satch
247(4142.44(44444 F012 M# 37K	Edge protection
247(4143.44(44444 F012 M# 314	Edge protection

Product	Description
2M6(7443.44(4444M	z ridge Hlamp
244(4- 2K	/ nap(8i Cinge
723 M 7K1	/ winghandle Satch
247(4142 R012 M 37K	Edge protection profile
2M8(4KMK.7- (44M72	/ nap(8i Cinge
224(7247.44(44444	Vuarter() urn Satch
244(4- 24	tab
244(76M6	Honcaled Cinge
2M1(7246.44(44444	/ winghandle Satch
244(76KK	Vuarter() urn with S(Candle
231(73M 4.44(44444	Bulti(I oint Socking / ystem
24M414M44(441K4	: od Satch / ystem
722 M K10	Cinge
2- 0(744K	Honcaled Cinge
2MM7MM44(44444 R72MM 607	cylinder
2M1(7M 7.44(44442	/ winghandle Satch
263(74MM44(44444	hinge
2M (74M7.44(44444	Honcaled Cinge
223(7247	ü8 I E:
2M1(726M	/ winghandle Satch
2M1(72M8	/ winghandle Satch
244(7M 6.44(44444	Honcaled Cinge
244(7461.44(44444	Honcaled Cinge
247(4M22.44(44444 R026 M 331	gasket profile
2KK(714M44(44444	Gasket I rofile
244(4636.44(44444	/ nap(8i Cinge
2M (424M44(44444	Honcaled Cinge
M4(7472 : C(4444	Vuarter() urn Satch
M4(7M 2.44(44444	Vuarter() urn Satch
244(6K3K.44(444M1	/ nap(8i Cinge
M4(7472. SC(44444	Vuarter() urn Satch
723 M - 14 R244(M043.44(44444	Honcaled Cinge
723 M 00K R244(4- M .44(44444	Honcaled Cinge
012 M 6- 4 R247(224M	Hompression Satch
723 M 722 R244(4666	/ nap(8i Cinge
723 MM34MR244(7442	Honcaled Cinge
72MM 60K R246(4MM	/ winghandle Satch
72MM 7M8 R241(2643.43(44424	Hompression Satch
723 M - 44 R241(744M	Hompression Satch
72MM 60MR241(734M	Hompression Satch
27K(744MK2(34443	Gasket I rofile
723 MM- 44	/ winghandle Satch
247(41MK.44(44444	
244(462- .44(44444	
214(744M	Socking block with top hook

Product	Description
214(7443	Socking block with bottom hook
2MB(464M	/ teel tube 2- - mm
244(4- 31.44(44444	Honcaled Cinge
244(6MB.44(44444	/ nap(8h Cinge
244(6- 4M42(44444	Honcaled Cinge
244(604M44(44444	Honcaled Cinge
244(74K4.44(44444	Honcaled Cinge
244(7M 1.44(44444	Honcaled Cinge
244(7- 22.44(44444	Honcaled Cinge
232(4240.44(44444	Vuarter() urn Satch
232(4343.44(44444	Vuarter() urn Satch
232(464M44(44444	Vuarter() urn Satch
232(4642.44(44444	Vuarter() urn Satch
232(4K4M44(44444	Vuarter() urn Satch
232(7M43.44(44444	Vuarter() urn Satch
234(7K42(44(44444	Hompression Satch
204(MK4K	spool
247(MB4K	spool
244(7242	cylinder
241(MK47.43(44444	z ar guide
2M (7MM44(44444	C&UGE
2MI (72MB.44(44444	/ winghandle Satch
24M7442.44(44444	Bulti(I oint Satching / ystem
663(744M44(244MK	5 isappearing hinge MB4E
232(M24M44(44444	gate lock
244(40- 7.K4(400MI	Honcaled Cinge
M4(4311.K4(4004K	Vuarter() urn Satch
243(474M43(44444	: od Satch / ystem
244(42MM40(4004M	Honcaled Cinge
6M(74MK.44(444M	Hompression Satch
2M(7M47.44(44444	/ winghandle Satch
2MI (726M44(44444	C&UGE
263(1436.44(44444	/ winghandle Satch
2- 0(7446.44(44444	Honcaled Cinge
2M (744K.44(44444	Cinge
2M(7M4M44(44444	/ winghandle Satch
2- 6(7M4M44(44444	snap lock
261(70K2.44(44440	compression latch
27K(744M33(MK44K	5 ual Qoiner, Mside detachable
272(434- .14(42K34	/ nap(Sine L nassemble) ool
14MM4 6K6	) () XI E HNB I : E/ / 8NU HSA/ I
247(4K47	Hompression Satch
243(M746.MK(4444-	Grounding nut
244(7443.44(44444	Honcaled Cinge
244(743M44(44444	Adapter / E) S24

Product	Description
2- K(7- 40.44(4M833	trap lock
6M(7242.44(4442K	Bulti(I oint Satching / ystem
244(4641.44(44444 CQM	/ nap(8h Cinge
2M(7MM7.44(44444	/ winghandle Satch
261(7M12.44(44444	Hompression Satch
244(7613.44(44444	Honceaed Cinge
261(7- K3.44(44443	compression latch
241(742K.44(44444	Hompression Satch
2M (7MM1.44(44444	Honceaed Cinge
203(2K4K.44(44444	Hompression Satch
203(2446.44(44444	Hompression Satch
203(3446.44(44444	Hompression Satch
232(7346.44(44444	Vuarter() urn Satch
232(4647.44(44444	z eFels for Ceavy 5 uty Satches
244(7306.44(44444 914MM1 6K6P	Honceaed Cinge
307(M631.4M47611	Bulti(I oint Socking / ystem
307(M63K.4M47611	Bulti(I oint Socking / ystem
663(744M44(M44MK	: od Satch / ystem
23K(7- 4M44(44444	) and S handle for rod latches
2M(7M1.44(44442	hinges
276(7M13.44(4443-	Gasket I rofile
723 M1 672	
723 M1 131	
640(7343.44(44424	SA) HC, 5 NN: , / W8JGCAU5 SE
243(M74M4- (4447K	.
243(M742.MK(4444-	.
723 MM12- (243(7442.44(44444	
263(7447.44(44444	hinge
247(4142 9oll 044mP	
722 M1 K4K2M(72M0.44(44444	C8JGE B 1 204 5 EG: EE
2KK(7143.44(44444	roughing reamer
2- 3(7446.44(44444	double ball snapper, brass
2- 3(7446.44(44444 9 ackP	5 ual z all Hatch
2- 3(74M1.44(44444 9 ackP	5 ual z all catch
244(4- 2K.44(44444	) ongue steel galvaniFed C 2K (S'3K mm
640(743M44(44444	
- MM7243.44(44444	.
2M2(7KM6.44(44444	hinge
261(7MK4.44(44444	
M4(4K6K.14(44444	
203(2441.44(44444	I ackaging
23K(7- 43.44(44444	Ylinkengriff
247(3M1M44(44444 R07MM1 3- 7	rubber bumper
240(73M2.44(44444	
247(424K.MA(44444 R012 M1 61K	sealing profile

Product	Description
247(344M44(44444	: ubber zumpers EI 5 B RU:
241(7243 R723 M# 00-	actuation
241(M4MF723 MM- 2K	N(ring
2- 3(7441.44(44444 R723 M# - 70	double ball catcher
144(4433.44(44444 R- K0 M# 3M0	safety plate
261(7240.44(44444	Hompression latch
2MM7443.44(44444 R72MM# 724	I rofile half cylinder
2MM7446.44(44444 R72MM# 7K7	I rofile half cylinder
2MB(7M#M44(44414	
2MB(7M#2.44(44414	
2M2.7460.44(44444	Cinge, frame(and door(part Finc die
2M2.7467.44(44444	Cinge, frame(and door(part Finc die
247(MB4M44(S244-	EB HR D8/ EAS8UG I : ND8SE
241(M642.33(44444	: N5 : E) A8JE:
M#0(7443.44(44444	DNS5 Az SE CAU5 SE
241(7443.44(44444	: N5 HNU) : NS
241(7142.44(44444	DSA) : N5 W8 C I L SSEX/ M744(2244
241(707M44(44444	üAB AY DSA) z A: GL 8 E
2MM724M44(44444	I NSXAB 8 E z S8J5 HXS8J5 E: W8 C / I : 8JG(5: 8 EU z ASS
240(76M0.44(44444	
204(2443.44(44444	rectangular profiles
244(46M6 R723 M# 633	tongue
244(6043.43(44444	
2M (7MM8 R722 M# 006	hinge
244(7232 R723 M# 102	Hylinder bolt
244(4K24 R723 M# 040	tongue
246(4M#1.44(44444	
267(724K.44(44444 R72MM# - 3-	) or drive bar
267(4KM# .44(44444	square bar
227(744M44(44444 R723 M# - 36	Dederriegel
2M (74MB.44(44444	vanity hinge
244(4621 R723 M# 7K1	tongue
244(7M#1.44(44444	5 NL z SE I ASSE) 8J/ E:)
267(744K.44(44444 R72MM# 170	) or drive bar
267(4K42.44(44444 R723 MM0KM	rod
267(4641.44(44444 R267(4641.44(44444	z ar guide
2M2(741K.44(44444	hinge
202(44- 4.44(44444	: ound I rofiles EI 5 B RH:
247(3443.44(44444	: ubber zumpers EI 5 B RU:
244(474M44(44444	
744(4444.44(44- 70	) wist bolt
M#0(0442.44(44444	CAU5 SE
234(734K.44(44444	
- M#(7K4M40(40M#M	
241(7074.44(44444	

Product	Description
247(42KK.44(444K4	
241(M637.7K(44444	
240(7202.44(44444	
2MM7K43.44(44444	
6M(734M64(444M	Cinge
247(4234	door seal
22M744MF726 M# 326	door retainer
247(424MF726 M# 326	sealing profile
226(744M44(44444	screw(on hinge
223(744K.44(44444 R722 M# - 40	Weld tape roll
M4(4311.K4(4004M	
244(40- 7.K4(40021	tongue
241(474K.MK(4M44 R726 M# 304	flat rod
24M4M#1.44(44444 R723 MM3MM	: ound bar with eye
232(7646.44(44444	
2- K(7- 42.44(44444	/ lam latch ü5 R SY. Yeyed M833
012 M# 622	
640(7M#3.44(44444	) : 8 SUE swivel lever
241(704M44(44K2K	flat rod
241(704M44(44K14	flat rod
272(4642.44(434M6	hole pattern cover
2MM7K40.44(44444	actuation
241(704M44(01K	Dlat bar A 2K with casserole rolls
663(744M44(4442K	clip hinge