



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Elaflex

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
CSB 21	Exit coupling
DDC-V 25-1 AL	DDC dry coupling male part
EB 835	Bolzen 3 x 24 mm
EG 377	valve core
ELAPAC-Platte 2mm	Material
ERV-CR 80.16	Rubber Expansion Joints
ERV G40.16	Rubber Expansion Joint
ERV-G 100.16	Flexible expansion Joint
ERV-G 65.16	Rubber Expansion Joints
ERV-GR 100.16	[Green ring rubber expansion joint]
ERV-GS 100.16 ZS	rubber expansion joints
ERV-GS 80.16 ZS	rubber expansion joints
14410724	Rubber Expansion Joints
14410709	rubber expansion joints
ERV-R 80.16	Expansion Joint
ERV-R 80X160.16	Rohrverbinder Rotring
HD25	High pressure tank truck hose "yellow ring"
LTW100	light tank truck hose
PSB 16.3	Pump safety break away
42418	Spannloc clamping shell
Spannfix SX 75	Hose Clamp
TW 100	tanker hose
TW75-9	tanker hose
VK80 2 1/2"	TW Male Adapter
VK 80	TW curve
ZVA2-GR-3M	Automatic-Zapfventil
ZVA2 1.0	Automatic Pump Valve
ZVG 2 DISH.3	Filling Valve for LPG Italian Design
49999 / ZVG2 ACME.3	LPG Dispensing valve
ERV-R 350.10	Rubber Expansion Joint
ERV-R 500.10	Rubber Expansion Joint
EFL 21 Fluorline / 10 mtr	Universal Pump Hose
ERV-G 200x150.10	Rubber Expansion Joint
HD 75 C "Yellow Band"	aviation refueling hose
HD 63 C Neon "Yellow Band"	Aviation refuelling hose
HD 50 C "Yellow Band"	aviation refueling hose

Product	Description
HD 25 C "Yellow Band"	aviation refueling hose
ERV-CR 400.10	Rubber Expansion Joint
ERV-CR 500.10 VSRV	Rubber Expansion Joint
ZVG 2.3ACMELT	AUTOGAS NOZZLE
41076 / UTS 50	Universalschlauch
41075 / UTS 38	Universalschlauch
49999 / C-2"	Hose connector
EFL 21 Fluorline / 6 mtr	Pump Hose
ERV-G 125.16	yellow band rubber expansion joints
SSB 16.1	Safety Breakaway Coupling
TW - Kurvenstück VK 80	TW Curve Piece
M 16- 30 LPG	Hose coupling for LPG
MKC 50 SS	Spannloc-TW-Mutterkupplung
ERV-GR 25.16	compensator
ERV-G50.16	Compensator
LPG 32, SVC 32-1¼" St, SMC 32-1¼" St	hose lines
ERV-G 200X160.10	Configurator ERV Rubber Expansion Joints
ERV-G 200.10 ZS	Configurator ERV Rubber Expansion Joints
Gelbring" HD 50 C	Hochdruck-Tankwagenschlauch
Orangering" LPG 32	Tankwagen-Flüssiggasschlauch
TWD 50 Vi	Dichtung
GSD 50Vi	Dichtung
VK 50 - 2"AG	TW coupling transition piece
MK 50	Hose couplings
MB 50	TW blind cap
CSB 21 COAX	Abreißkupplung
EA 021 GRV	Gasventil
EA 020 GRVP	Gasreguliertventil
SSB 16 / 49999	SSB 16 with BS 16 black
BS 16	Break Sleeve
ERV-G 125.TW	Anti-vibration joints
ERV-GR 32.16	Green Band Rubber Expansion Joint
ERV-GR 80.16	coupling
ERV-GR 150.16 ZS VSD	Joints
ERV-GR 200.10 ZS VSD	Joints
41038 TW 50	TW 50 Hose Assembly
type ERV-G	Yellow Band Rubber Expansion Joint
ERV-CR 50.16	expansion joint
GK 80 – 3" AG SS	Guillemin-Kupplung
GSKD 80	Guillemin- Dichtung
EVR-R 200X160.10	Rotring - Gummikompensatoren
ERV-G 100.16 ZS	Yellow Band Rubber Expansion Joint
ERV-G 150.16 ZS	Yellow Band Rubber Expansion Joint
ERV-G 200.16 ZS	Yellow Band Rubber Expansion Joint

Product	Description
MB 80 Al	3" TW Dust Cap
SL16YELLOW	HOSE
SL16GREEN	HOSE
SL16BLACK	HOSE
ZVF40.1	NOZZLE 1 1/2" BSP : male
TW MK-80(3") type MKC-2 ID 75	3" TW Female Coupler with Pinned Clamps
TW VK-80(3") type VKC-2 ID 75	3" TW Male Coupler with Pinned Clamps
ERV-G 400.10	Gelbring-Gummokompensatoren
ERV-R 400.10	Gelbring-Gummokompensatoren
VK 100	TW-curve part
MKC 50.50 (42274)	TW Female Coupling with Clamp
GSD-50 (42325)	TW Coupling Seal
MB-50-MS	TW Dust Cap
ED079	lip seal
EU081	Lip Seal
EU080	Universal Hose
MB-50-AL	2" TW Dust Cap
MB-50-SS	2" TW Dust Cap
EVR-GS 100.VG-1	Gelstahl-Gummikompensatoren
P/N:49999; Type: ZV 400.2	Tap valve
V 19-3/4" NPT	3/4" NPT Male Ferrule Hose Coupling
V 25-1" NPT	1" NPT Male Ferrule Hose Coupling
VC 38-1-1/2" NPT	1 1/2" NPT Male Hose Coupling with Spannloc Clamp
ZVA2 4.3R	Automatic Zapfventil
ZVA2 4.3	AUTOMATIC PISTOL OR NOZZLE FOR DIESEL FUEL LOAD
ZVA2 GR4	Automatic Zapfventil mit Gasrückführung
ZVA2 GRVP4	Automatic Zapfventil
43573	Zapfschlauch
43881	Vaterteil-Hülsenverschraubung
KS16	kink protection
SSB16.3	Abreisskupplung
GG20 S ACME	LPG nozzles
TW 19	3/4" Tank Truck Hose
TW 25	hose
TW 32	1 1/4" Tank Truck Hose
TW 38	1 1/2" Tank Truck Hose
TW 50	2" Tank Truck Hose
TW 63	2 1/2" Tank Truck Hose
TW 80	3" Tank Truck Hose
STW 125	5" Suction and Discharge Hose
STW 150	6" Suction and Discharge Hose
STW 200	8" Suction and Discharge Hose
LTW 50	2" Lightweight Tank Truck Hose
LTW 75	3" Lightweight Tank Truck Hose
LTX 80	3" Extremely Flexible Lightweight Hose

Product	Description
LTX 100	4" Extremely Flexible Lightweight Hose
VLTX 80-3"	3" Hose Fitting for LTX 80 Hose
VLTX 80-3" AI	3" Aluminum Hose Fitting for LTX 80 Hose
HD 19 C	Vapor recovery hose
HD 25 C	Vapor recovery hose
HD 32 C	Vapor recovery hose
HD 38 C	Aeroplane tank hose
HD 50 C	Vapor recovery hose
HD 63 C NEON	steam recovery hose
HD 75 C	Vapor recovery hose
HD 100 C	Vapor recovery hose
HD 100 C NEON	steam recovery hose
VHD 50 C NEON	steam recovery hose
VHD 63 C NEON	steam recovery hose
VHD 75 C NEON	steam recovery hose
VHD 100 C	steam recovery hose
VHD 100 C NEON	steam recovery hose
PHD 38 F	High pressure tank hose special version
PHD 50 F	steam recovery hose
PHD 63 F	Yellow ring aircraft tank hose
PHD 75 F	steam recovery hose
TW 38 E	steam recovery hose
TW 50 E	steam recovery hose
TW 63 E	Suction and pressure hose
TW 100 E	steam recovery hose
SL 16 + colour 1)	¾" Slimline Petrol Pump Hose (Coloured)
SL 16 LT	¾" Slimline Low Temperature Petrol Pump Hose
SL 16 LT + colour 1)	¾" Slimline Low Temperature Petrol Pump Hose (Coloured)
SL 16 BIO	⅝" Slimline Petrol Pump Hose for Biodiesel
SL 19	¾" Slimline Petrol Pump Hose
SL 19 LT	Discharge hose
SL 21	⅞" Slimline Petrol Pump Hose
SL 21 + colour 1)	⅞" Slimline Petrol Pump Hose (Coloured)
SL 21 LT	⅞" Slimline Low Temperature Petrol Pump Hose
SL 21 BIO	⅞" Slimline Petrol Pump Hose for Biodiesel
SL 25 LT	Discharge hose
SL 25 BIO	1" Slimline Petrol Pump Hose for Biodiesel
LC-Mix 19	¾" Economy Petrol Pump Hose
LC-Mix 25	1" Economy Petrol Pump Hose
EFL 16	⅝" Ultra-Flexible Universal Pump Hose
EFL 21	¾" Ultra-Flexible Universal Pump Hose
LPG 10	⅜" LPG Gas Hose
LPG 13	½" LPG Gas Hose
LPG 19	¾" LPG Gas Hose
LPG 25	1" LPG Gas Hose

Product	Description
LPG 32	1¼" LPG Gas Hose
LPG 38	1½" LPG Gas Hose
LPG 50	2" LPG Gas Hose
LPG 75	3" LPG Gas Hose
LPG 100	4" LPG Gas Hose
LPG 16	⅝" LPG Gas Hose
CHD 13	chemical hose
CHD 19	¾" Lilac Band Chemical Hose without Helix
CHD 25	1" Lilac Band Chemical Hose without Helix
CHD 32	1¼" Lilac Band Chemical Hose without Helix
CHD 38	1½" Lilac Band Chemical Hose without Helix
CHD 50	2" Lilac Band Chemical Hose without Helix
CHS 25	CHEMICAL HOSE
CHS 32	1¼" Lilac Band Chemical Hose with Helix
CHS 50	Chemical hose
CHS 63	2½" Lilac Band Chemical Hose with Helix
CHS 75	3" Lilac Band Chemical Hose with Helix
CHS 100	4" Lilac Band Chemical Hose with Helix
LMD 09	½" Blue Band Solvent Hose without Helix
LMD 13	¾" Blue Band Solvent Hose without Helix
LMD 19	1" Blue Band Solvent Hose without Helix
LMD 25	1" Blue Band Solvent Hose without Helix
LMS 25	1" Blue Band Solvent Hose with Helix
LMS 32	1¼" Blue Band Solvent Hose with Helix
LMS 38	1½" Blue Band Solvent Hose with Helix
LMS 50	2" Blue Band Solvent Hose with Helix
LMS 63	2½" Blue Band Solvent Hose with Helix
LMS 75	3" Blue Band Solvent Hose with Helix
UTD 13	HOSE
UTD 19	¾" Blue-White-Blue Band Universal Tank Hose without Helix
UTD 25	1" Blue-White-Blue Band Universal Tank Hose without Helix
UTS 38	1½" Blue-White-Blue Band Universal Tank Hose with Helix
UTS 75	3" Blue-White-Blue Band Universal Tank Hose with Helix
UTS 100	4" Blue-White-Blue Band Universal Tank Hose with Helix
UTL 50	2" Universal Tank Hose 'Light' with Steel Helix
UTL 63	2½" Universal Tank Hose 'Light' with Steel Helix
UTL 75	3" Universal Tank Hose 'Light' with Steel Helix
UTL 100	4" Universal Tank Hose 'Light' with Steel Helix
LBS 50	2" Foodstuff Hose with Helix
LBS 63	2½" Foodstuff Hose with Helix
LBS 75	Food Grade Suction and Delivery Hose
LBS 100	Food Grade Suction and Delivery Hose
KS 50	Hot Air Compressor Hose
KS 75	Hot Air Compressor Hose
FEP 13 D	Universal Chemical Hose

Product	Description
FEP 19	Universal Chemical Hose
FEP 25	Universal Chemical Hose
FEP 32	Universal Chemical Hose
FEP 38	Universal Chemical Hose
2800001343 / FEP 50 x 8,0 mm	Universal Chemical Hose
FEP 63 x 8,0 mm	Universal Chemical Hose
2800001344 / FEP 75 x 8,0 mm	Universal Chemical Hose
FEP 100	Universal Chemical Hose
PTFE 19	Universal Chemical Hose
PTFE 32	Universal Chemical Hose
PTFE 38	Universal Chemical Hose
PTFE 50	Universal Chemical Hose
PTFE 75 (59999) - 1 Meter	Universal Chemical Hose
FX-VC 20-¾" SS/SS	Fluorflex hose couplings
FX-VC 25-1" SS/SS	Fluorflex hose couplings
FX-VC 40-1½" SS/SS	Fluorflex hose couplings
FX-VC 50-2" SS/SS	Fluorflex hose couplings
FHD 150	Collapsible Marine Bunkering Hose
FHD 200	Collapsible Marine Bunkering Hose
HB 50	Hot Bitumen and Heavy Fuel Hose
HB 75	Hot Bitumen Hose
HB 100	Hot Bitumen Hose
WPX 19	Hot Water and Steam Hose
WPX 25	Hot Water Hose
SD 13	Steam Hose
SD 19	Steam Hose
SD 25	Steam Hose
SD 32	Steam Hose
SD 38	Steel wire - steam hose
SD 50	Steam Hose
M 13-½"	Hose Fitting
M 16-¾"	Hose Fitting
M 16-1"	Hose Fitting
M 19-¾" LC	Lightweight Brass Hose Fitting
M 19-1" LC	Lightweight Brass Hose Fitting
M 19-¾"	Brass Hose Fitting
M 19-1"	Brass Hose Fitting
M 19-30 LPG	LPG Hose Fitting
M 25-1"	Brass Hose Fitting
M 16-¾" cr	Stainless Steel Hose Fitting
M 16-1" cr	Stainless Steel Hose Fitting
M 19-1" cr	Stainless Steel Hose Fitting
M 21-1" cr	Stainless Steel Hose Fitting
M 25-1" cr	Stainless Steel Hose Fitting
M 16-1" AdBlue	Hose Fitting for AdBlue® Applications

Product	Description
NYD ¾"	Polyamide Sealing Ring
NYD 1"	Polyamide Sealing Ring
V 13-½"	Brass Hose Fitting
V 16-¾"	Brass Hose Fitting
V 16-¾" NPT	Brass Hose Fitting with NPT Thread
V 16-1"	Brass Hose Fitting
V 19-¾"	Brass Hose Fitting
V 19-1"	Brass Hose Fitting
V 25-1"	Brass Hose Fitting
V 16-¾" cr	Stainless Steel Hose Fitting
V 16-¾" NPT cr	Stainless Steel Hose Fitting with NPT Thread
V 16-1" cr	Stainless Steel Hose Fitting
V 19-¾" cr	Stainless Steel Hose Fitting
V 19-¾" NPT cr	Stainless Steel Hose Fitting with NPT Thread
V 19-1" cr	Stainless Steel Hose Fitting
V 25-1" cr	Stainless Steel Hose Fitting
KS 21	Black kink protection
CS 16	Colour Sleeve for Hose Assemblies
CS 21	Colour Sleeve for Hose Assemblies
KTFM 15	Anti-Kinking Sleeve for Hoses
MX 25-1"	Spannfix nut connection
MX 32-1 1/4"	Spannfix nut connection
MX 32-2"	Hose Fitting with Male BSP Thread
MX 38-1 1/2"	Spannfix nut fitting
MX 38-2"	Hose Fitting with Male BSP Thread
MX 40-2"	Spannfix Nut Connection
MX 50-2"	Spannfix-Mutterverschraubung
MX 63-2½" (43925)	Spannfix nut screw connection
MX 63-3"	Spannfix Nut Connection
MX 75-3"	Spannfix Nut Connection
MX 100-4"	Spannfix Nut Connection
MX 100-5½" L	Spannfix Nut Connection
MX 25-1" SS	Stainless Steel Spannfix Nut Connection
MX 32-1¼" SS	Stainless Steel Female Hose Fitting
MX 38-1½" SS	Stainless Steel Female Hose Fitting
MX 63-2½" SS	Stainless Steel Female Hose Fitting
MX 75-3" SS	Stainless Steel Female Hose Fitting
VX 25-1	Stainless Steel Male Hose Fitting
VX 32-1¼"	Stainless Steel Male Hose Fitting
VX 32-2"	Stainless Steel Male Hose Fitting
VX 38-1½"	Stainless Steel Male Hose Fitting
VX 38-1½" NPT	Stainless Steel Male Hose Fitting with NPT Thread
VX 38-2"	Stainless Steel Male Hose Fitting
VX 40-2"	Stainless Steel Male Hose Fitting
VX 50-2"	Stainless Steel Male Hose Fitting

Product	Description
VX 50-2" NPT	Stainless Steel Male Hose Fitting with NPT Thread
VX 63-2½"	Stainless Steel Male Hose Fitting
VX 63-2½" NPT	Stainless Steel Male Hose Fitting with NPT Thread
VX 63-3"	Stainless Steel Male Hose Fitting
VX 75-3"	Stainless Steel Male Hose Fitting
VX 100-4"	Stainless Steel Male Hose Fitting
VX 50-2" Al	Aluminum Male Hose Fitting
VX 75-3" Al	Aluminum Male Hose Fitting
VX 100-4" Al	Spannfix father screw connection
VX 25-1" SS	Stainless Steel Male Hose Fitting
VX 32-1¼" SS	Stainless Steel Male Hose Fitting
VX 38-1½" SS	Stainless Steel Male Hose Fitting
VX 50-2" SS	Stainless Steel Male Hose Fitting
VX 63-2½" SS	Stainless Steel Male Hose Fitting
VX 75-3" SS	Stainless Steel Male Hose Fitting
VX 100-4" SS	Stainless Steel Male Hose Fitting
MC 13-½"	Stainless Steel Female Hose Coupling
MC 19-¾"	Stainless Steel Female Hose Coupling
MC 25-1"	Stainless Steel Female Hose Coupling
MC 32-1¼"	Stainless Steel Female Hose Coupling
MC 35-1½"	Stainless Steel Female Hose Coupling
MC 35-2"	Stainless Steel Female Hose Coupling
MC 38-1½"	Spannloc - nut screw connection
MC 38-2"	Brass Female Hose Coupling
MC 45-2"	Brass Female Hose Coupling
MC 50-2"	Brass Female Hose Coupling
MC 63-2½"	Brass Female Hose Coupling
MC 63-3"	Brass Female Hose Coupling
MC 75-3"	Brass Female Hose Coupling
MC 100-4"	Brass Female Hose Coupling
MC 13-½" SS	Stainless Steel Female Hose Coupling
MC 19-¾" SS	Stainless Steel Female Hose Coupling
MC 25-1" SS	Stainless Steel Female Hose Coupling
MC 32-1¼" SS	Stainless Steel Female Hose Coupling
MC 38-1½" SS	Stainless Steel Female Hose Coupling
MC 50-2" SS	Stainless Steel Female Hose Coupling
MC 63-2½" SS	Stainless Steel Female Hose Coupling
43220	Spannloc Nut Fitting
VC 13-½"	Brass Male Hose Coupling
VC 19-¾"	Brass Male Hose Coupling
VC 25-1"	Brass Male Hose Coupling
VC 32-1¼"	Brass Male Hose Coupling
VC 38-1½"	Spinlock - father screw connection
VC 38-1½" NPT	Stainless Steel Male Hose Coupling
VC 38-2"	Brass Male Hose Coupling

Product	Description
VC 50-2"	Brass Male Hose Coupling
VC 50-2" NPT	Brass Male Hose Coupling
VC 63-2½"	Brass Male Hose Coupling
VC 63-2½" NPT	Brass Male Hose Coupling
VC 63-3"	Stainless Steel Male Hose Coupling
VC 75-3"	Stainless Steel Male Hose Coupling
VC 80-3")	Stainless Steel Male Hose Coupling
VC 100-4"	Brass Male Hose Coupling
VC 50-2" Al	Aluminum Male Hose Coupling
VC 75-3" Al	Aluminum Male Hose Coupling
VC 100-4" Al	Aluminum Male Hose Coupling
VC 13-½" SS	Stainless Steel Male Hose Coupling
VC 19-¾" SS	Stainless Steel Male Hose Coupling
VC 25-1" SS	Stainless Steel Male Hose Coupling
VC 32-1¼" SS	Stainless Steel Male Hose Coupling
VC 38-1½ " SS	Stainless Steel Male Hose Coupling
VC 50-2" SS	Stainless Steel Male Hose Coupling
VC 63-2½ SS	Stainless Steel Male Hose Coupling
VC 75-3" SS	Stainless Steel Male Hose Coupling
VC 100-4" SS	Stainless Steel Male Hose Coupling
RMX 25 SS	Stainless Steel Male Hose Coupling with DIN 11851 Connection
RMC 25 SS	Stainless Steel Female Hose Coupling with DIN 11851 Connection
RMX 32 SS	Stainless Steel Male Hose Coupling
RMC 32 SS	Stainless Steel Male Hose Coupling with DIN 11851 Connection
RMX 38 SS	Stainless Steel Female Hose Coupling with DIN 11851 Connection
RMC 38 SS	Stainless Steel Female Hose Coupling with DIN 11851 Connection
RMX 50 SS	Stainless Steel Male Hose Coupling with DIN 11851 Connection
RMC 50 SS	Stainless Steel Female Hose Coupling with DIN 11851 Connection
RMX 63 SS	Stainless Steel Male Hose Coupling with DIN 11851 Connection
RMX 75 SS	Stainless Steel Male Hose Coupling with DIN 11851 Connection
RMC 75 SS	Stainless Steel Female Hose Coupling with DIN 11851 Connection
RVX 25 SS	Stainless Steel Male Hose Coupling with DIN 11851 Connection
RVC 25 SS	Stainless Steel Female Hose Coupling with DIN 11851 Connection
RVX 32 SS	Stainless Steel Male Hose Coupling with DIN 11851 Connection
RVC 32 SS	Stainless Steel Female Hose Coupling with DIN 11851 Connection
RVX 38 SS	Stainless Steel Male Hose Coupling with DIN 11851 Connection
RVC 38 SS	Stainless Steel Female Hose Coupling with DIN 11851 Connection
RVX 50 SS	Stainless Steel Male Hose Coupling with DIN 11851 Connection
RVC 50 SS	Stainless Steel Female Hose Coupling with DIN 11851 Connection
RVX 63 SS	Stainless Steel Male Hose Coupling with DIN 11851 Connection
RVX 75 SS	Stainless Steel Male Hose Coupling with DIN 11851 Connection
RVC 75 SS	Stainless Steel Female Hose Coupling with DIN 11851 Connection
SMC 25-1"	Stainless Steel Male Hose Coupling with BSP Thread
SMC 32-1¼"	Stainless Steel Male Hose Coupling with BSP Thread
SMC 50-2"	Steel Male Hose Coupling with BSP Thread

Product	Description
SVC 25-1" NPT	Steel Female Hose Coupling with NPT Thread
SVC 32-1¼" NPT	Steel Female Hose Coupling with NPT Thread
SVC 38-1½" NPT	Steel Female Hose Coupling with NPT Thread
SVC 50-2" NPT	Steel Female Hose Coupling with NPT Thread
SVC 75-3" NPT	Steel Female Hose Coupling with NPT Thread
SMS 13-½"	Stainless Steel Male Hose Coupling with SMS Thread
SMS 19-¾"	Stainless Steel Male Hose Coupling with SMS Thread
SMS 25-1"	Stainless Steel Male Hose Coupling with SMS Thread
SMS 32-1¼"	Stainless Steel Male Hose Coupling with SMS Thread
SVS 13-½"	Stainless Steel Female Hose Coupling with SMS Thread
SVS 19-¾"	Stainless Steel Female Hose Coupling with SMS Thread
SVS 25-1"	Stainless Steel Female Hose Coupling with SMS Thread
SVS 32-1¼"	Stainless Steel Female Hose Coupling with SMS Thread
MKX 32.50	Brass Hose Coupling with TW (Tank Wagon) Thread
MKX 38	Brass Hose Coupling with TW (Tank Wagon) Thread
MKX 38.50	Brass Hose Coupling with TW (Tank Wagon) Thread
MKX 40.50	Brass Hose Coupling with TW (Tank Wagon) Thread
MKX 50	Brass Hose Coupling with TW (Tank Wagon) Thread
MKX 50.50	Brass Hose Coupling with TW (Tank Wagon) Thread
MKX 50.80	Brass Hose Coupling with TW (Tank Wagon) Thread
MKX 63.80	Brass Hose Coupling with TW (Tank Wagon) Thread
MKX 75	Brass Hose Coupling with TW (Tank Wagon) Thread
MKX 75 Al	Aluminum Hose Coupling with TW (Tank Wagon) Thread
MKX 75.80	Spannfix hose coupling
MKX 100 L	Brass Hose Coupling with TW (Tank Wagon) Thread
MKX 100.100	Brass Hose Coupling with TW (Tank Wagon) Thread
VKX 32.50	Brass Adapter with TW (Tank Wagon) Thread
VKX 38	Brass Hose Coupling with TW (Tank Wagon) Thread
VKX 38.50	Brass Hose Coupling with TW (Tank Wagon) Thread
VKX 40.50	Brass Hose Coupling with TW (Tank Wagon) Thread
VKX 50	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKX 50.50	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKX 50.80	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKX 63	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKX 63.80	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKX 75	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKX 75 Al	Aluminum Female Hose Coupling with TW (Tank Wagon) Thread
VKX 75.80	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKX 100	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKX 100 Al	Aluminum Female Hose Coupling with TW (Tank Wagon) Thread
VKX 100.100	Brass Female Hose Coupling with TW (Tank Wagon) Thread
MKC 32.50	Brass Male Hose Coupling with TW (Tank Wagon) Thread
MKC 38	Brass Male Hose Coupling with TW (Tank Wagon) Thread
MKC 38.50	Brass Male Hose Coupling with TW (Tank Wagon) Thread
MKC 50	Brass Male Hose Coupling with TW (Tank Wagon) Thread

Product	Description
MKC 50.80	Brass Male Hose Coupling with TW (Tank Wagon) Thread
MKC 63.80	Brass Male Hose Coupling with TW (Tank Wagon) Thread
MKC 75	Brass Male Hose Coupling with TW (Tank Wagon) Thread
MKC 75 Al	Aluminum Male Hose Coupling with TW (Tank Wagon) Thread
MKC 80.80	Brass Male Hose Coupling with TW (Tank Wagon) Thread
MKC 100 L	Brass Male Hose Coupling with TW (Tank Wagon) Thread
MKC 100.100	Brass Male Hose Coupling with TW (Tank Wagon) Thread
VKC 32.50	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKC 38	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKC 38.50	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKC 50	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKC 50.50	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKC 50.80	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKC 63	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKC 63.80	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKC 75	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKC 75 Al	Aluminum Female Hose Coupling with TW (Tank Wagon) Thread
VKC 75.80	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKC 80.80	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKC 100	Brass Female Hose Coupling with TW (Tank Wagon) Thread
VKC 100 Al	Aluminum Female Hose Coupling with TW (Tank Wagon) Thread
VKC 100.100	Stainless Steel Female Hose Coupling with TW (Tank Wagon) Thread
EW - SK 5	Safety Clamp for Hose Assemblies
EW - K 50 Ms	Hose Clamp with Safety Collar
EW - K 80 Ms	TW Coupling Wrench Size DN 80
EW - K 100 Ms	TW Coupling Wrench Size DN 100
EW - K 50 St	TW Coupling Wrench Size DN 50
EW - K 80 St	TW Coupling Wrench Size DN 80
EW - GH 60/90	Hinged hook wrench
EW - GH 90/155	Hinged Hook Spanner for 2½" – 4" Couplings
EW - H 52/55	Hook Spanner for 1¼" – 1½" Couplings
EW - H 68/75	Hook Spanner for 2" Couplings
EW - H 80/90	Hook Spanner for 2½" Couplings
EW - H 95/100	Hook Spanner for 3" Couplings
EW - H 120/130	Hook Spanner for 4" Couplings
EW - KH 500	Copper Hammer for Tank Truck Drivers
EW - KH 1000	Copper Hammer for Tank Truck Drivers
MKX 50 SS	Stainless Steel TW Hose Coupling DN 50
MKX 50.50 SS	Stainless Steel TW Hose Coupling DN 50 with 2" Hose Tail
MKX 75 SS	Spannfix one-piece hose coupling
MKX 75.80 SS	Stainless Steel TW Hose Coupling DN 75 with 3" Hose Tail
MKX 100.100 SS	Stainless Steel TW Hose Coupling DN 100 with 4" Hose Tail
VKX 50 SS	Stainless Steel TW Hose Adapter DN 50
VKX 50.50 SS	hose coupling
VKX75SS	Spannfix one-piece hose coupling

Product	Description
VKX 75.80 SS	Stainless Steel TW Hose Adapter DN 75 with 3" Hose Tail
VKX 100.100 SS	Stainless Steel TW Hose Adapter DN 100 with 4" Hose Tail
MKC 50.50 SS (42297)	Stainless Steel TW Hose Coupling with Female Thread DN 50
MKC 75 SS	Stainless Steel TW Hose Coupling DN 75
MKC 75.80 SS (42298)	Stainless Steel TW Female Two-Part Coupler DN 75 with 3" Hose Tail
MKC 100.100 SS	Stainless Steel TW Female One-Part Coupler DN 100 with 4" Hose Tail
VKC 50 SS	Stainless Steel TW Male One-Part Coupler DN 50
VKC 50.50 SS (42924)	Stainless Steel TW Male Coupler DN 50 with 2" Hose Tail
VKC 75 SS	stainless steel hose coupling
VKC 75.80 SS (42301)	Stainless Steel TW Male Coupler DN 75 with 3" Hose Tail
VKC 100.100 SS	Stainless Steel TW Male Coupler DN 100 with 4" Hose Tail
AVKX 25	Camlock' Male Adapter with Hose Tail DN 25 (1")
AVKC 25	Camlock' Male Adapter with Hose Tail DN 25 (1")
AVKX 32	Camlock' Male Adapter with Hose Tail DN 32 (1¼")
AVKC 32	Camlock' Male Adapter with Hose Tail DN 32 (1¼")
AVKX 38	Camlock' Male Adapter with Hose Tail DN 38 (1½")
AVKC 38	Camlock' Male Adapter with Hose Tail DN 38 (1½")
AVKX 50	Camlock' Male Adapter with Hose Tail DN 50 (2")
AVKC 50	Camlock' Male Adapter with Hose Tail DN 50 (2")
AVKX 63	Camlock' Male Adapter with Hose Tail DN 63 (2½")
AVKC 63	Camlock' Male Adapter with Hose Tail DN 63 (2½")
AVKX 75	Camlock' Male Adapter with Hose Tail DN 75 (3")
AVKC 75	Camlock' Male Adapter with Hose Tail DN 75 (3")
AVKX 100	Camlock' Male Adapter with Hose Tail DN 100 (4")
AVKC 100	Camlock' Male Adapter with Hose Tail DN 100 (4")
AMKX 25	Camlock' Female Coupler with Hose Tail DN 25 (1")
AMKC 25	Camlock' Female Coupler with Hose Tail DN 25 (1")
AMKX 32	Camlock' Female Coupler with Hose Tail DN 32 (1¼")
AMKC 32	Camlock' Female Coupler with Hose Tail DN 32 (1¼")
AMKX 38	Camlock' Female Coupler with Hose Tail DN 38 (1½")
AMKC 38	Camlock' Female Coupler with Hose Tail DN 38 (1½")
AMKX 50	Camlock' Female Coupler with Hose Tail DN 50 (2")
AMKC 50	Camlock' Female Coupler with Hose Tail DN 50 (2")
AMKX 63	Camlock' Female Coupler with Hose Tail DN 63 (2½")
AMKC 63	Camlock' Female Coupler with Hose Tail DN 63 (2½")
AMKX 75	Camlock' Female Coupler with Hose Tail DN 75 (3")
AMKC 75	Camlock' Female Coupler with Hose Tail DN 75 (3")
AMKX 100	Camlock' Female Coupler with Hose Tail DN 100 (4")
AMKC 100	Camlock Coupling
AVKX 25 SS	Camlock Adapter
AVKC 25 SS	Camlock Adapter
AVKX 32 SS	Camlock Adapter
AVKC 32 SS	Camlock Adapter
AVKX 38 SS	Camlock Adapter
AVKC 38 SS	Camlock Adapter

Product	Description
AVKX 50 SS	Camlock Adapter
AVKC 50 SS	Camlock Adapter
AVKX 63 SS	Camlock Adapter
AVKC 63 SS	Camlock Adapter
AVKX 75 SS	Camlock Adapter
AVKC 75 SS	Camlock Adapter
AMKX 25 SS	Camlock Coupling
AMKC 25 SS	Camlock Coupling
AMKX 32 SS	Camlock Coupling
AMKC 32 SS	Camlock Coupling
AMKX 38 SS	Camlock Coupling
AMKC 38 SS	Camlock Coupling
AMKX 50 SS	Camlock Coupling
12764309	Camlock Coupling
AMKX 63 SS	Camlock Coupling
AMKC 63 SS	Camlock Coupling
AMKX 75 SS	Camlock Coupling
AMKC 75 SS	Camlock Coupling
STKX 50	Hose couplings system
STKC 50	Steam Hose Coupling
STKX 75	Hose couplings system
STKC 75	Steam Hose Coupling
STKX 100	Hose couplings system
STKC 100	Steam Hose Coupling
SFC 25.40	Spannfix Safety Clamp
SFC 38.40	Spannfix Safety Clamp
SFC 50.16	Spannfix Safety Clamp
FFC 50.16	Spannfix Safety Clamp
SFC 75.16	Spannfix Safety Clamp
FFC 75.16	Fixed Flange Coupling
SFC 100.16	Swiveling Flange Coupling
FFC 100.16	Fixed Flange Coupling
SFC 150.16	Swiveling Flange Coupling
SFC 150.16 L	Swiveling Flange Coupling with Aluminum Hose Tail
FFC 150.16	Fixed Flange Coupling
SFC 200.10	Swiveling Flange Coupling
DFC 150.16 L	Fixed Flange Coupling with Aluminum Hose Tail
DFC 150.16	Fixed Flange Coupling
SFX 25.40	Swiveling Flange Coupling
SFX 38.40	Swiveling Flange Coupling
SFX 50.16	Swiveling Flange Coupling
SFX 75.16	Swiveling Flange Coupling
SFX 100.16	Swiveling Flange Coupling
SFX 63 TW	Swiveling Flange Coupling
SFX 75 TW	Swiveling Flange Coupling

Product	Description
SFX 100 TW	Swiveling Flange Coupling
SFC 63 TW	Swiveling Flange Coupling
SFC 75 TW	Swiveling Flange Coupling
SFC 100 TW	Swiveling Flange Coupling
SFC 25.40 SS	Swiveling Flange Coupling
SFC 38.40 SS	Swiveling Flange Coupling
SFC 50.16 SS	Swiveling Flange Coupling
FFC 50.16 SS	Fixed Flange Coupling
SFC 75.16 SS	Stainless steel hose flange
SFC 100.16 SS	Swiveling Flange Coupling
SFX 25.40 SS	Swiveling Flange Coupling
SFX 38.40 SS	Swiveling Flange Coupling
SFX 50.16 SS	Swiveling Flange Coupling
SFX 75.16 SS	Swiveling Flange Coupling
FFX 75.16	Fixed Flange Coupling
SFX 100.16 SS	Swiveling Flange Coupling
FFX 100.16	Fixed Flange Coupling
SFS 25.40	Swiveling Flange Coupling
SFS 50.40	Swiveling Flange Coupling
SK 36	Dust Cap
SK 40	Dust Cap
SK 45	Dust Cap
SK 49	Dust Cap
SK 52	Dust Cap
SK 54	Hose Clamp
SK 57	Hose Clamp
SK 60	Hose Clamp
SK 62	Hose Clamp
SK 64	Hose Clamp
SK 66	Hose Clamp
SK 68	Hose Clamp
SK 72	Hose Clamp
SK 76	Hose Clamp
SK 78	Hose Clamp
SK 80	Hose Clamp
SK 83	Hose Clamp
SK 86	Heavy-Duty Hose Clamp
SK 88	Heavy-Duty Hose Clamp
SK 90	Heavy-Duty Hose Clamp
SK 92	Heavy-Duty Hose Clamp
SK 95	Heavy-Duty Hose Clamp
SK 100	Heavy-Duty Hose Clamp
SK 104	Heavy-Duty Hose Clamp
SK 106	Heavy-Duty Hose Clamp
SK 110	Heavy-Duty Hose Clamp

Product	Description
SK 117	Heavy-Duty Hose Clamp
SK 122	Heavy-Duty Hose Clamp
SK 126	Heavy-Duty Hose Clamp
SK 135	Heavy-Duty Hose Clamp
SK 141	Heavy-Duty Hose Clamp
SX 25	Hose Coupling
SX 32	Hose Coupling
SX 38	Hose Coupling
SX 40	Hose Coupling
SX 50	Hose Coupling
SX 63	Hose Coupling
SX 75	Hose Coupling
SX 100	Hose Coupling
SX 50 SS	Hose Coupling
SC 19	Bolted Hose Clamp
SC 32	Bolted Hose Clamp
SC 38	Bolted Hose Clamp
SC 40	Bolted Hose Clamp
SC 45	Safety Bolted Hose Clamp
SC 50	Safety Bolted Hose Clamp
SC 63	Safety Bolted Hose Clamp
SC 80	Safety Bolted Hose Clamp
SC 100	Safety Bolted Hose Clamp
SC 150	Safety Bolted Hose Clamp
SC 200	Safety Bolted Hose Clamp
SC 13 SS	Safety Bolted Hose Clamp (Stainless Steel)
SC 19 SS	Safety Bolted Hose Clamp (Stainless Steel)
SC 25 SS	Safety Bolted Hose Clamp (Stainless Steel)
SC 32 SS	Safety Bolted Hose Clamp (Stainless Steel)
SC 38 SS	Safety Bolted Hose Clamp (Stainless Steel)
SC 50 SS	Safety Bolted Hose Clamp (Stainless Steel)
SC 63 SS	Safety Bolted Hose Clamp (Stainless Steel)
SC 75 SS	Safety Bolted Hose Clamp (Stainless Steel)
EB-M 6 x 20	Spare Bolt with Nut
EB-M 6 x 20 SS	Spare Bolt with Nut (Stainless Steel)
EB-M 8 x 25	Spare Bolt with Nut
EB-M 8 x 25 SS	Spare Bolt with Nut (Stainless Steel)
EB-M 10 x 40	Spare Bolt with Nut
EB-M 10 x 40 SS	Spare Bolt with Nut (Stainless Steel)
EB-M 12 x 50	Spare Bolt with Nut
M 6 x 40	Assembly Bolt
M 8 x 60	Assembly Bolt
M 10 x 70	Assembly Bolt
M 12 x 110	Assembly Bolt
MB80-MS	TW blind cap

Product	Description
42340 MB 80 AL	TW blind cap
MB 100 AI	Dust Cap (Aluminum)
MB 80 SS	TW Dust Cap (Stainless Steel)
MB 100 SS	TW Dust Cap (Stainless Steel)
VK 50-1½	TW Male Coupling with Female Thread
VK 50-2½"	TW Male Coupling with Female Thread
P/N: 42342, Type: VK 80	TW curve piece
49999 VK 80 Bit	TW curve piece
VK 100 BIT	TW Male Coupling for Bitumen Applications
VK 80 AI	TW Male Coupling with Female Thread (Aluminum)
VK 50 SS	TW Male Coupling with Female Thread (Stainless Steel)
VK 100 SS	TW Male Coupling with Female Thread (Stainless Steel)
K 200 DIN	Chains
K 300 DIN	Chains
K 360 DIN	Chains
K 200 SS	Chains
K 300 SS	Chains
K 360 SS	Chains
MB 50 TS SS	Lockable TW Dust Cap (Stainless Steel)
TS 80 - V 3 (VK 80 TS + MB 80 TS)	Lockable Fill Pipe Coupling DN 80 with TW Connection
TS 80 - G 3	Lockable Fill Pipe Coupling DN 80 with TW Connection
VB 50	TW Dust Plug DN 50
VB 80	TW blanking plug
VB 50 AI	TW Dust Plug DN 50 (Aluminum)
VB 100 AI	TW Dust Plug DN 100 (Aluminum)
VB 50 P	TW Dust Plug DN 50 (Polyamide)
VB 80 P	TW Dust Plug DN 80 (Polyamide)
VB 100 P	TW Dust Plug DN 100 (Polyamide)
VB 50 SS	TW Dust Plug DN 50 (Stainless Steel)
VB 80 SS	TW Dust Plug DN 80 (Stainless Steel)
VB 100 SS	TW Dust Plug DN 100 (Stainless Steel)
MK80	TW nut coupling MK80
MK 80 BIT	TW Female Coupling with Male Thread DN 80
MK 100	TW-nut coupling
MK 100 BIT	TW Female Coupling with Male Thread DN 100 (Brass)
MK 80 AI	TW Female Coupling with Male Thread DN 80 (Aluminum)
MK 50 SS	TW Female Coupling with Male Thread DN 50 (Stainless Steel)
MK 80 SS	TW Female Coupling with Male Thread DN 80 (Stainless Steel)
MK 100 SS	TW nut coupling
TWK 50	TW Crown Piece DN 50
TWK 50-1½" AG	TW Crown Piece DN 50 with Male Thread
TWK 50-2" AG	TW Crown Piece DN 50 with 2" Male Thread
TWK 80	TW Crown Piece DN 80
TWK 80 BIT	TW crown piece
TWK 80 AI	TW Crown Piece DN 80 (Aluminum)

Product	Description
TWK 50 SS	TW Crown Piece DN 50 (Stainless Steel)
TWK 80 SS	TW Crown Piece DN 80 (Stainless Steel)
TWM 80	TW Coupling Nut with Lever DN 80
TWM 80 Al	TW Coupling Nut with Lever DN 80 (Aluminum)
TWM 50 SS	Ring
49999--VK 50-3" IG	coupling
VK 80-2" IG	TW Male Coupling with 2" Female Thread DN 80
VK 80-4" IG	TW Male Coupling with 4" Female Thread DN 80
VK 100-3" IG	TW Male Coupling with 3" Female Thread DN 100
VK 50-1½" AG	TW Male Coupling with 1½" Male Thread DN 50
VK 50-3" AG	TW Male Coupling with 3" Male Thread DN 50
VK 80-2" AG	TW Male Coupling with 2" Male Thread DN 80
VK 80-3" AG	V coupling with external thread
VK 100-3" AG	TW Male Coupling with 3" Male Thread DN 100
MK 50-1½" IG	TW Female Coupling with 1½" Female Thread DN 50
MK 50-2½" IG	TW Female Coupling with 2½" Female Thread DN 50
MK 50-3" IG	TW Female Coupling with 3" Female Thread DN 50
MK 80-2" IG	TW Female Coupling with 2" Female Thread DN 80
MK 80-4" IG	Adapter coupling
MK 100-3" IG	TW Female Coupling with 3" Female Thread DN 100
MK 50-1½" AG	TW Female Coupling with 1½" Male Thread DN 50
MK 50-3" AG	TW Female Coupling with 3" Male Thread DN 50
MK 80-2" AG	TW Female Coupling with 2" Male Thread DN 80
MK 80-3" AG	TW Female Coupling with 3" Male Thread DN 80
MK 100-3" AG	TW Female Coupling with 3" Male Thread DN 100
MK 100-4" AG	TW Female Coupling with 4" Male Thread DN 100
VK 50 x VK 50	TW Male Adapter Coupling DN 50
VK 50 x VK 80	TW Male Adapter Coupling DN 50 to DN 80
VK 50 x VK 100	TW Male Adapter Coupling DN 50 to DN 100
VK 80 x VK 80	TW Male Adapter Coupling DN 80
VK 80 x VK 100	TW Male Adapter Coupling DN 80 to DN 100
VK 100 x VK 100	TW Male Adapter Coupling DN 100
VK 50 x MK 80	TW Adapter Coupling DN 50 to DN 80
VK 50 x MK 100	TW Adapter Coupling DN 50 to DN 100
VK 80 x MK 50-45°	TW Adapter Coupling DN 80 to DN 50 with 45° Bent Lever
VK 80 x MK 100	TW Adapter Coupling DN 80 to DN 100
VK 100 x MK 50-45°	TW Adapter Coupling DN 100 to DN 50 with 45° Bent Lever
VK 100 x MK 80-32°	TW Adapter Coupling DN 100 to DN 80 with 32° Bent Lever
MK 50-45° x MK 50-45°	TW Adapter Coupling DN 50 with 45° Bent Levers
MK 50-45° x MK 80	TW Adapter Coupling DN 50 to DN 80 with 45° Bent Lever
MK 50-45° x MK 100	TW Adapter Coupling DN 50 to DN 100 with 45° Bent Lever
MK 80 x MK 80	TW Adapter Coupling DN 80
MK 80 x MK 100	TW Adapter Coupling DN 80 to DN 100
MK 100 x MK 100	TW Female Adapter Coupling DN 100
KWZ 2	Rail Tanker Adapter with 2" Male Thread

Product	Description
KWZ 3"	Rail Tanker Adapter with 3" Male Thread
KWZ 4"	Rail Tanker Adapter with 4" Male Thread
KWZ 3" Al	Rail Tanker Adapter with 3" Male Thread (Aluminum)
KWZ 4" Al	Rail Tanker Adapter with 4" Male Thread (Aluminum)
KWZ 2" SS	Rail Tanker Adapter with 2" Male Thread (Stainless Steel)
KWZ 3" SS	Rail Tanker Adapter with 3" Male Thread (Stainless Steel)
KWZ 4" SS	Rail Tanker Adapter with 4" Male Thread (Stainless Steel)
KWZ x VK 50	Rail Tanker Adapter with TW Male Coupling DN 50
KWZ x VK 80	Rail Tanker Adapter with TW Male Coupling DN 80
KWZ x VK 100	Rail Tanker Adapter with TW Male Coupling DN 100
KWZ x VK 50 SS	Rail Tanker Adapter with TW Male Coupling DN 50 (Stainless Steel)
KWZ x VK 80 SS	Rail Tanker Adapter with TW Male Coupling DN 80 (Stainless Steel)
KWZ x VK 100 SS	Rail Tanker Adapter with TW Male Coupling DN 100 (Stainless Steel)
Storz C-2" Ms	Storz Fixed Coupling with Female Thread DN 50 (Brass)
Storz B-3" Ms	Storz Fixed Coupling with Female Thread DN 80 (Brass)
Storz C-2" Al	Storz Fixed Coupling with Female Thread DN 50 (Aluminum)
Storz B-3" Al	Storz Fixed Coupling with Female Thread DN 80 (Aluminum)
Storz A-4" Al	Storz Fixed Coupling with Female Thread DN 100 (Aluminum)
Storz C-2" SS	Storz Fixed Coupling with Female Thread DN 50 (Stainless Steel)
Storz B-3" SS	Storz Fixed Coupling with Male Thread DN 80 (Stainless Steel)
Storz A-4" SS	Storz Fixed Coupling with Male Thread DN 100 (Stainless Steel)
GK 80-3" Al	Guillemin Fixed Coupling with Arresting Device and Male Thread DN 80 (Aluminum)
GK 100-4" Al	Guillemin Fixed Coupling with Arresting Device and Male Thread DN 100 (Aluminum)
GK 80-3" A Al	Guillemin Fixed Coupling with Arresting Device and Female Thread DN 80 (Aluminum)
GK 100-4" A Al	Guillemin Fixed Coupling with Arresting Device and Female Thread DN 100 (Aluminum)
BWO 25180	Corrugated tubes with oval steel flanges
BWO 25240	Corrugated tubes with oval steel flanges
BWO 32180	Corrugated tubes with oval steel flanges
BWO 32240	Corrugated tubes with oval steel flanges
p/n: 80000, type: BWO 40180	corrugated pipe
BWO 40240	Corrugated tubes with oval steel flanges
BWO 50180	Corrugated tubes with oval steel flanges
BWO 50240	Corrugated tubes with oval steel flanges
KW 32180	Corrugated tubes with oval flanges f. cathode protection
KW 32240	Corrugated tubes with oval flanges f. cathode protection
KW 40180	Corrugated tubes with oval flanges f. cathode protection
KW 40240	Corrugated tubes with oval flanges f. cathode protection
KW 50100	Corrugated tubes with oval flanges f. cathode protection
KW 50180	Corrugated tubes with oval flanges f. cathode protection
KW 50240	Corrugated tubes with oval flanges f. cathode protection
GF 20	Threaded Flange DN 20
GF 25	Threaded Flange DN 25

Product	Description
GF 3225	Threaded Flange DN 32/25
GF 32	Threaded Flange DN 32
p/n: 80000, type: GF 40	threaded flange
GF 50	Threaded Flange DN 50
GF 3225 ZN	Threaded Flange DN 32/25, Zinc Plated
GF 32 ZN	Threaded Flange DN 32, Zinc Plated
GF 40 ZN	Threaded Flange DN 40, Zinc Plated
GF 50 ZN	Threaded Flange DN 50, Zinc Plated
PD 20	Oval flange seals of NBR yellow
PD 25	Oval flange seals of NBR yellow
PD 32	Oval flange seals of NBR yellow
PD 40	Oval flange seals of NBR yellow
PD 50	Oval flange seals of NBR yellow
NFD 32	Oval flange seals NBR Black 8 mm for type KW
NFD 40	Oval flange seals NBR Black 8 mm for type KW
NFD 50	Oval flange seals NBR Black 8 mm for type KW
AMB 19	Camlock Dust Cap for Male Couplings, DN 19
AMB 25	Camlock Dust Cap for Male Couplings, DN 25
AMB 32	Camlock Dust Cap for Male Couplings, DN 32
AMB 38	Camlock Dust Cap for Male Couplings, DN 38
AMB 50	Camlock Dust Cap for Male Couplings, DN 50
AMB 63	Camlock Dust Cap for Male Couplings, DN 63
AMB 75	Camlock Dust Cap for Male Couplings, DN 75
AMB 100	Camlock Dust Cap for Male Couplings, DN 100
AMB 19 Al	Camlock Dust Cap for Male Couplings, DN 19, Aluminum
AMB 25 Al	Camlock Dust Cap for Male Couplings, DN 25, Aluminum
AMB 32 Al	Camlock Dust Cap for Male Couplings, DN 32, Aluminum
AMB 38 Al	Camlock Dust Cap for Male Couplings, DN 38, Aluminum
AMB 50 Al	Camlock Dust Cap for Male Couplings, DN 50, Aluminum
AMB 63 Al	Camlock Dust Cap for Male Couplings, DN 63, Aluminum
AMB 75 Al	Camlock Dust Cap for Male Couplings, DN 75, Aluminum
AMB 100 Al	Camlock Dust Cap for Male Couplings, DN 100, Aluminum
AMB 19 SS	Camlock Dust Cap for Male Couplings, DN 19, Stainless Steel
AMB 25 SS	Camlock Dust Cap for Male Couplings, DN 25, Stainless Steel
AMB 32 SS	Camlock Dust Cap for Male Couplings, DN 32, Stainless Steel
AMB 38 SS	Coupling Cap
AMB 50 SS	Camlock Dust Cap for Male Couplings, DN 50, Stainless Steel
AMB 63 SS	Camlock Dust Cap for Male Couplings, DN 63, Stainless Steel
AMB 75 SS	Camlock Dust Cap for Male Couplings, DN 75, Stainless Steel
AMB 100 SS	Camlock Dust Cap for Male Couplings, DN 100, Stainless Steel
AVKI 19	Camlock Male Adapter with Female Thread, DN 19
AVKI 25	Camlock Male Adapter with Female Thread, DN 25
AVKI 32	Camlock Male Adapter with Female Thread, DN 32
AVKI 38	Camlock Male Adapter with Female Thread, DN 38
AVKI 50	Camlock Male Adapter with Female Thread, DN 50

Product	Description
AVKI 63	Camlock Male Adapter with Female Thread, DN 63
AVKI 75 Ms (Brass)	Kamlok male part clutch
AVKI 100	Camlock Male Adapter with Female Thread, DN 100
AVKI 19 Al	Camlock Male Adapter with Female Thread, DN 19, Aluminum
AVKI 25 Al	Camlock Male Adapter with Female Thread, DN 25, Aluminum
AVKI 32 Al	Camlock Male Adapter with Female Thread, DN 32, Aluminum
AVKI 38 Al	Camlock Male Adapter with Female Thread, DN 38, Aluminum
AVKI 50 Al	Camlock Male Adapter with Female Thread, DN 50, Aluminum
AVKI 63 Al	Camlock Male Adapter with Female Thread, DN 63, Aluminum
AVKI 75 Al	Camlock Male Adapter with Female Thread, DN 75, Aluminum
AVKI 100 Al	Camlock Male Adapter with Female Thread, DN 100, Aluminum
AVKI 19 SS	Camlock Male Adapter with Female Thread, DN 19, Stainless Steel
AVKI 25 SS	Kamlok male coupling
AVKI 32 SS	Camlock Male Adapter with Female Thread, DN 32, Stainless Steel
AVKI 38 SS	Camlock Male Adapter with Female Thread, DN 38, Stainless Steel
AVKI 50 SS	Kamlok male coupling
AVKI 63 SS	Camlock Male Adapter with Female Thread, DN 63, Stainless Steel
AVKI 75 SS	Camlock Male Adapter with Female Thread, DN 75, Stainless Steel
AVKI 100 SS	Camlock Male Adapter with Female Thread, DN 100, Stainless Steel
AVB 19	Camlock Dust Plug, DN 19
AVB 25	Camlock Dust Plug, DN 25
AVB 32	Camlock Dust Plug, DN 32
AVB 38	Camlock Dust Plug, DN 38
AVB 50	Camlock Dust Plug, DN 50
AVB 63	Camlock Dust Plug, DN 63
AVB 75	Camlock Dust Plug, DN 75
AVB 100	Camlock Dust Plug, DN 100
AVB 19 Al	Camlock Dust Plug
AVB 25 Al	Camlock Dust Plug
AVB 32 Al	Camlock Dust Plug
AVB 38 Al	Camlock Dust Plug
AVB 50 Al	Camlock Dust Plug
AVB 63 Al	Camlock Dust Plug
AVB 75 Al	Camlock Dust Plug
AVB 100 Al	Camlock Dust Plug
AVB 19 SS	Camlock Dust Plug
AVB 25 SS	Camlock Dust Plug
AVB 32 SS	Camlock Dust Plug
AVB 38 SS	Camlock Dust Plug
AVB 50 SS	Camlock Dust Plug
AVB 63 SS	Camlock Dust Plug
AVB 75 SS	Dust plug
AVB 100 SS	Dust plug
AMKI 19	Female coupler with female parallel thread
AMKI 25	Female coupler with female parallel thread

Product	Description
AMKI 32	Female coupler with female parallel thread
AMKI 38	Female coupler with female parallel thread
AMKI 50	Female coupler with female parallel thread
AMKI 63	Female coupler with female parallel thread
AMKI 75	Female coupler with female parallel thread
AMKI 100	"American" female coupler with female parallel thread
AMKI 19 AI	"American" female coupler with female parallel thread
AMKI 25 AI	"American" female coupler with female parallel thread
AMKI 32 AI	"American" female coupler with female parallel thread
AMKI 38 AI	"American" female coupler with female parallel thread
AMKI 50 AI	"American" female coupler with female parallel thread
AMKI 63 AI	"American" female coupler with female parallel thread
AMKI 75 AI	"American" female coupler with female parallel thread
AMKI 100 AI	"American" female coupler with female parallel thread
AMKI 19 SS	"American" female coupler with female parallel thread
AMKI 25 SS	"American" female coupler with female parallel thread
AMKI 32 SS	"American" female coupler with female parallel thread
AMKI 38 SS	"American" female coupler with female parallel thread
AMKI 50 SS	Kamlok Nut Coupling
AMKI 63 SS	"American" female coupler with female parallel thread
AMKI 75 SS	"American" female coupler with female parallel thread
AMKI 100 SS	"American" female coupler with female parallel thread
DDC-M 25-3/4" Ms	Dry Disconnect Coupling, female
DDC-M 25-1" Ms	Dry Disconnect Coupling, female
DDC-M 50-1 1/2" Ms	Dry Disconnect Coupling, female
DDC-M 50-2" Ms	Dry Disconnect Coupling, female
DDC-M 65-2 1/2" Ms	Dry Disconnect Coupling, female
DDC-M 65-3" Ms	Dry Disconnect Coupling
DDC-M 80-3" Ms	Dry Disconnect Coupling, female
DDC-M 25-3/4" AI	Dry Disconnect Coupling, female
DDC-M 25-1" AI	Dry Disconnect Coupling, female
DDC-M 50-1 1/2" AI	Dry Disconnect Coupling, female
DDC-M 50-2" AI	Dry Disconnect Coupling, female
DDC-M 65-2 1/2" AI	Dry Disconnect Coupling, female
DDC-M 65-3" AI	Dry Disconnect Coupling, female
DDC-M 80-3" AI	Dry Disconnect Coupling, female
DDC-M 100-4" AI	Dry Disconnect Coupling, female
DDC-M 25-3/4" SS	Dry Disconnect Coupling, female
DDC-M 25-1" SS/VI	Mother-dry clutch
DDC-M 50-1 1/2" SS	Dry Disconnect Coupling, female
DDC-M 50-2" SS	Dry Disconnect Coupling, female
DDC-M 65-2 1/2" SS	Dry Disconnect Coupling, female
DDC-M 65-3" SS	Dry Disconnect Coupling, female
DDC-M 80-3" SS	Dry Disconnect Coupling, female
DDC-M 100-4" SS	Dry Disconnect Coupling, female

Product	Description
DDC-S 1" PE	Dust Plug for DDC-M
DDC-S 2" PE	Dust Plug for DDC-M
DDC-S 3" PE	Dust Plug for DDC-M
DDC-S 4" PE	Dust Plug for DDC-M
DDC-V 25-3/4" Ms	Dry Disconnect Coupling, male
DDC-V 25-1" Ms	Dry Disconnect Coupling, male
DDC-V 50-1 1/2" Ms	Dry Disconnect Coupling, male
DDC-V 50-2" Ms	Dry Disconnect Coupling, male
DDC-V 65-2 1/2" Ms	Dry Disconnect Coupling, male
DDC-V 65-3" Ms	Dry Disconnect Coupling, male
DDC-V 80-3" Ms	Dry Disconnect Coupling, male
DDC-V 25-3/4" Al	Dry Disconnect Coupling, male
DDC-V 50-1 1/2" Al	Dry Disconnect Coupling, male
DDC-V 50-2" Al	Dry Disconnect Coupling, male
DDC-V 65-2 1/2" Al	Dry Disconnect Coupling, male
DDC-V 65-3" Al	Dry Disconnect Coupling, male
DDC-V 80-3" Al	Dry Disconnect Coupling, male
DDC-V 100-4" Al	Dry Disconnect Coupling, male
DDC-V 25-3/4" SS	Father dry clutch
DDC-V 25-1" SS/Al	Father dry clutch
DDC-V 50-1 1/2" SS	Dry Disconnect Coupling, male
DDC-V 50-2" SS	Dry Disconnect Coupling, male
DDC-V 65-2 1/2" SS	Dry Disconnect Coupling, male
DDC-V 65-3" SS	Dry Disconnect Coupling, male
DDC-V 80-3" SS	Dry Disconnect Coupling, male
DDC-V 100-4" SS	Dry Disconnect Coupling, male
DDC-K 1" PE	Dust Cap for DDC-V
DDC-K 2" PE	Dust Cap for DDC-V
DDC-K 3" PE	Dust Cap for DDC-V
DDC-K 4" PE	Dust Cap for DDC-V
BK 1/2"	Dust cap
BK 1"	Dust cap
BK 2"	Dust cap
BK 3"	Dust cap
BK 4"	Dust cap
BK 5 1/2" Al	Dust cap
BK 1/2" SS	Dust cap
BK 1" SS	Dust cap
BK 2" SS	Dust cap
BK 3" SS	Dust cap
K 160 L	Dust cap
K 180 L	Dust cap
K 260 L	Dust cap
K 160 SS	Dust cap
S-Haken SS 3.0	Stainless Steel S-Hook

Product	Description
RS ¾ x 1	Female/male reducer type RS
RS 1 x 1¼	Female/male reducer type RS
RS 1½ x 2	Female/male reducer type RS
RS 2 x 1½	Female/male reducer type RS
RS 2 x 2½	Female/male reducer type RS
RS 2 x 3	Female/male reducer type RS
RS 3 x 2	Female/male reducer type RS
RS 3 x 4	Female/male reducer type RS
RS 4 x 3	Female/male reducer type RS
RS 1 x 1¼ SS	Female/male reducer type RS
RS 1 x 2 SS	Female/male reducer type RS
RS 2 x 1 SS	Female/male reducer type RS
RS 2 x 2½ SS	Female/male reducer type RS
RS 2 x 3 SS	Female/male reducer type RS
RS 3 x 2 SS	Female/male reducer type RS
RS 3 x 4 SS	Female/male reducer type RS
RS 2 x 78 SS	Reducer type RS
AN ½"	Welding nipple type AN
AN 1"	Welding nipple type AN
AN 2"	Welding nipple type AN
AN 3"	Welding nipple type AN
AN 4"	Welding nipple type AN
AN 5½"	Welding nipple type AN