







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





Faabo

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

rFyBRAND'FSR PON

01361 (xettfolgekolben 2rm.5)1 M 5D1 mm9 01415 8rake and clutch bleeding equipment 7K175 Vressure sprayer K1711 VRZV SCH 2EHCNETU YAL2 K7165 Sil dispensing device KK116 Vneumatic pump KK050 K5265 oil dispensing truck K6160 pneumatic piston pump 5B0 K611) pneumatic pump K4411 Sil pump K4441 And flow counter with quantity preselection K4467 (Zanual flow meter for frost protection9 1)7141 floor oil drain unit 1)165 oil suction device 1)110 1)6165 TAH 41K5 6K115 pneumatic oil gun 6)016 Otationary grease gun 6000 Prease gun with flef- 2iscontinued KMway rotary /oit D)7,K11 Otainless steel swivel hose reel D)K1,111 D)K1,111 (Yose drum oil 051 barYose 05 m 037 -9	'UCTduc	RtbuUesceCi
TK175	<u>01361</u>	(xettfolgekolben 2rm.5)1 M 5D1 mm9
K1711 VRZV SCH 2EHCNETU YAL2 K7165 Sil dispensing device KK116 Vneumatic pump KK050 Vneumatic pump K5765 oil dispensing truck K6160 pneumatic piston pump 5B0 K611) pneumatic pump K411L Sil pump K4465 Sil pump K4441) hand flow counter with quantity preselection K4467 (Zanual flow meter for frost protection9 17141 floor oil drain unit 1)165 oil suction device 1)110 mobile grease gun 6615 TAH 41K5 pneumatic oil gun 66116 pneumatic oil gun 6)110 mobile grease gun 6)016 Otationary grease gun 66DDI Prease gun with fleF. 2iscontinued KMway rotary /oit D)7).K11 Otainless steel swivel hose reel D)K1.)11 (Yose drum oil 051 barYose 05 m 037 -9	<u>01415</u>	8rake and clutch bleeding equipment
K7165 KK116 KK050 K5765 Oil dispensing truck K6160 pneumatic piston pump 5B0 K611) K4111 K4645 Sil pump K4411 hand flow counter with quantity preselection K4467 (Zanual flow meter for frost protection9 j7141 floor oil drain unit))165 4DK5 Oil suction device))110 (S6165 TAH 41K5 6K115 pneumatic oil gun 60110 Mobile grease gun 66DDI Prease gun with fleF. 2iscontinued KMway rotary /oit D)7),K11 Otainless steel swivel hose reel D)K1,J11 (Yose drum oil 051 barYose 05 m 037 -9	<u>7K175</u>	Vressure sprayer
KK116 KK050 K5765 Oil dispensing truck K6160 Pneumatic pump K4111 K4645 Sil pump K4411 hand flow counter with quantity preselection K4467 (Zanual flow meter for frost protection9 17141 floor oil drain unit 1)165 4DK5 Oil suction device 1)110 16165 TAH 41K5 6K115 Pneumatic oil gun 6)110 Frease gun with fleF. 2iscontinued KMway rotary /oit D)77,K11 Otainless steel swivel hose reel D)K1,111 (Yose drum oil 051 barYose 05 m 037 -9	<u>K1711</u>	VRZV SCH 2EHCNETU YAL2
KK050 K5765 Oil dispensing truck K6160 pneumatic piston pump 5B0 K61I) pneumatic pump K41II K4645 Sil pump K4411 hand flow counter with quantity preselection K4467 (Zanual flow meter for frost protection9 17141 floor oil drain unit 1)165 4DK5 Oil suction device 1)110 16165 TAH 41K5 6K115 pneumatic oil gun 6)110 mobile grease gun 6000 Gtationary grease gun Prease gun with fleF. 2iscontinued KMway rotary /oit D)77,K11 Otainless steel swivel hose reel D)K1,111 (Yose drum oil 051 barYose 05 m 037 -9	<u>K7165</u>	Sil dispensing device
K5765 oil dispensing truck K6160 pneumatic piston pump 5B0 K61I) pneumatic pump K41II K4645 Sil pump K441) hand flow counter with quantity preselection K4467 (Zanual flow meter for frost protection9 17141 floor oil drain unit 1)165 4DK5 oil suction device 1)110 1)6165 TAH 41K5 6K115 pneumatic oil gun 6)110 mobile grease gun 6)016 Otationary grease gun 66DDI Prease gun with fleF. 2iscontinued KMway rotary /oit D)7).K11 Otainless steel swivel hose reel D)K1.)11 D)K1.)17 (Yose drum oil 051 barYose 05 m 037 -9	<u>KK1I6</u>	Vneumatic pump
K6160 pneumatic piston pump 5B0 K61I) pneumatic pump K41II K4645 Sil pump K441) hand flow counter with quantity preselection K4467 (Zanual flow meter for frost protection9 17141 floor oil drain unit 1)165 4DK5 oil suction device 1)110 16165 TAH 41K5 6K115 pneumatic oil gun 6)110 mobile grease gun 6)016 Otationary grease gun 66DDI Prease gun with fleF. 2iscontinued KMway rotary /oit D)7).K11 Otainless steel swivel hose reel D)K1.)117 (Yose drum oil 051 barYose 05 m 037 -9	<u>KK050</u>	
K61I) pneumatic pump K41II K4645 Sil pump K441) hand flow counter with quantity preselection K4467 (Zanual flow meter for frost protection9 J7141 floor oil drain unit J)165 4DK5 oil suction device J)110 J6165 TAH 41K5 6K115 pneumatic oil gun 6J110 mobile grease gun G6DDI Prease gun with fleF. 2iscontinued KMway rotary /oit DJ7).K11 Otainless steel swivel hose reel DJK1.J11 DJK1.J17 (Yose drum oil 051 barYose 05 m 037 -9	<u>K5765</u>	oil dispensing truck
K41II K4645 Sil pump K441) hand flow counter with quantity preselection K4467 (Zanual flow meter for frost protection9)7141 floor oil drain unit))165 4DK5 oil suction device))110)6165 TAH 41K5 6K1I5 pneumatic oil gun fination of the prese gun fination of the prese gun fination of the prese gun with flef. 2 iscontinued KMway rotary /oit D)7).K11 D)K1.J11 D)K1.J11 (Yose drum oil 051 barYose 05 m 037 -9	<u>K6160</u>	pneumatic piston pump 5B0
K4645 Sil pump K441) hand flow counter with quantity preselection K4467 (Zanual flow meter for frost protection9 17141 floor oil drain unit 1)165 4DK5 oil suction device 1)110 1)6165 TAH 41K5 6K115 pneumatic oil gun 6)110 mobile grease gun 6)016 Otationary grease gun 66DDI Prease gun with fleF. 2iscontinued KMway rotary /oit D)7).K11 Otainless steel swivel hose reel D)K1.111 D)K1.117 (Yose drum oil 051 barYose 05 m 037 -9	<u>K61I)</u>	pneumatic pump
K441 hand flow counter with quantity preselection K4467	<u>K41II</u>	
K4467 (Zanual flow meter for frost protection9)7141 floor oil drain unit))165 4DK5 oil suction device))110)6165 TAH 41K5 6K115 pneumatic oil gun 6)110 mobile grease gun 6)016 Otationary grease gun 66DDI Prease gun with fleF. 2iscontinued KMway rotary /oit D)7).K11 Otainless steel swivel hose reel D)K1.)11 D)K1.)17 (Yose drum oil 051 barYose 05 m 037 -9	<u>K4645</u>	Sil pump
17141 floor oil drain unit 1)165 4DK5 oil suction device 1)110 1065 107 108 108 109	<u>K441)</u>	hand flow counter with quantity preselection
))165 4DK5 oil suction device))110)6165 TAH 41K5 6K115 pneumatic oil gun 6)110 mobile grease gun 6)016 Otationary grease gun 66DDI Prease gun with fleF. 2iscontinued KMway rotary /oit D)7).K11 Otainless steel swivel hose reel D)K1.)11 D)K1.)17 (Yose drum oil 051 barYose 05 m 037 -9	<u>K4467</u>	(Zanual flow meter for frost protection9
ADK5 oil suction device))110)6165 TAH 41K5 6K115 pneumatic oil gun 6)110 mobile grease gun 6)016 Otationary grease gun 6000 Prease gun with fleF. 2iscontinued KMway rotary /oit D)7).K11 Otainless steel swivel hose reel D)K1.)11 D)K1.)17 (Yose drum oil 051 barYose 05 m 037 -9	<u>)7141</u>	floor oil drain unit
))110))6165 TAH 41K5 6K1I5 pneumatic oil gun 6)110 mobile grease gun 6)016 Otationary grease gun 66DDI Prease gun with fleF. 2iscontinued KMway rotary /oit D)7).K11 Otainless steel swivel hose reel D)K1.)11 D)K1.)17 (Yose drum oil 051 barYose 05 m 037 -9	<u>))165</u>	
)6165 TAH 41K5 6K115 pneumatic oil gun 6)110 mobile grease gun 6)016 Otationary grease gun 66DDI Prease gun with fleF. 2iscontinued KMway rotary /oit D)7).K11 Otainless steel swivel hose reel D)K1.)11 D)K1.)17 (Yose drum oil 051 barYose 05 m 037 -9	<u>4DK5</u>	oil suction device
6K1I5 pneumatic oil gun 6)110 mobile grease gun 6)0I6 Otationary grease gun 66DDI Prease gun with fleF. 2iscontinued KMway rotary /oit D)7).K11 Otainless steel swivel hose reel D)K1.)11 D)K1.)17 (Yose drum oil 051 barYose 05 m 037 -9	<u>))110</u>	
6)110 mobile grease gun 6)016 Otationary grease gun 66DDI Prease gun with fleF. 2iscontinued KMway rotary /oit D)7).K11 Otainless steel swivel hose reel D)K1.)11 D)K1.)17 (Yose drum oil 051 barYose 05 m 037 -9	<u>)6165 TAH 41K5</u>	
6)016 Otationary grease gun 66DDI Prease gun with fleF. 2iscontinued KMway rotary /oit D)7).K11 Otainless steel swivel hose reel D)K1.)11 (Yose drum oil 051 barYose 05 m 037 -9	<u>6K1I5</u>	pneumatic oil gun
66DDIPrease gun with fleF. 2iscontinued KMway rotary /oitD)7).K11Otainless steel swivel hose reelD)K1.)11(Yose drum oil 051 barYose 05 m 037 -9	<u>6)110</u>	mobile grease gun
D)7).K11 Otainless steel swivel hose reel D)K1.)11 (Yose drum oil 051 barYose 05 m 037 -9)	<u>6)016</u>	Otationary grease gun
<u>D)K1.)11</u> <u>D)K1.)17</u> (Yose drum oil 051 barYose 05 m 037 -9	<u>66DDI</u>	Prease gun with fleF. 2iscontinued KMway rotary /oit
D)K1.)17 (Yose drum oil 051 barYose 05 m 037 -9	<u>D)7).K11</u>	Otainless steel swivel hose reel
	<u>D)K1.)11</u>	
	<u>D)K1.)17</u>	(Yose drum oil 051 barYose 05 m 037 -9
<u>D577.017</u> hose reel	<u>D577.017</u>	hose reel
I1X3000 intergral Vumpe	<u>I1X3000</u>	intergral Vumpe
l0X3000 Cntegral industrial pump s. l11	<u>I0X3000</u>	Cntegral industrial pump s. I11
Taasm Art.MLr.B 7)DI0	Taasm Art.MLr.B 7)DI0	
Art.MLr.B K4011 Zobile oil dispenser	<u>Art.MLr.B K40</u> 11	Zobile oil dispenser
K3)- 41 AV 2igital hand flow meter	<u>K3)- 41 AV</u>	2igital hand flow meter
DD6K1 drip basin	<u>DD6K</u> 1	drip basin
KK1413A modular pneumatic oil pump	<u>KK1413</u> A	modular pneumatic oil pump
zT I110 Zuffler repair kit	<u>zT I110</u>	Zuffler repair kit
zT I115 air inlet connection repair kit for	<u>zT I115</u>	air inlet connection repair kit for





Product	Description
16659.080.050	Seating Screw
01210.080.035	head screw
<u>55200.127.001</u>	Hexagon Head Bolt
07090.080.022	Hexagon Head Bolt
62303.080.001	Zinc plated
U51450.037.0001	Hexagon Socket Head Cap Screw
U51410.037.0001	Hexagon Socket Head Cap Screw
<u>U51000.037.0200</u>	Hexagon Socket Head Cap Screw
<u>L51530.040.0001</u>	Hexagon Socket Set Screw with Flat Point
17567.080.073	U-Bolt type
<u>51044.060.016</u>	Hexagon Socket Head Shoulder Screw
39660.045.001	Linch pin Spring
01000.160.080	Hexagon head bolt
38100.240.001	Plain washer
38130.200.001	Plain washer
51422.084.022	Bonded Sealing Washer EPDM- SS A2
<u>51422.084.019</u>	Bonded Sealing Washer EPDM- SS A2
51422.067.019	Bonded Sealing Washer EPDM- SS A2
30125.060.060	woodscrew
30410.063.019	Shim Ring
38600.120.018	Shim ring
69155.060.040	Blind rivet nut
<u>69155.040.040</u>	Blind Rivet Nut
12921.080.001	Prevailing torque type hexagon nut
CM37419857	Prevailing Torque Type Hexagon Nut
CM66576803	Captive Hexagon Socket Head Cap Screw
CM60634088	Captive Hexagon Socket Head Cap Screw
CM74234043	Captive Hexagon Socket Head Cap Screw
CM37729316	Captive Hexagon Socket Head Cap Screw
CM36699318	Captive hexagon socket head cap screw
CM07681746	Captive Hexagon Socket Head Cap Screw
<u>CM77822737</u>	Captive hexagon socket head cap screw
CM35628972	Hexagon socket head cap screw
<u>30125.060.050</u>	MAXXFAST Universal woodscrew
CM59553676	socket head cap screw
CM10700599	socket head cap screw
<u>51044.100.040</u>	socket head shoulder screw
30125.060.050 / 6X50MM (35)	Hexagon Head Wood Screw
<u>11398.030.020</u>	Piller 41897503
<u>51050.030.008</u>	Screw M3x8
<u>51580.030.010</u>	Pin 41905203
<u>24995.060.008</u>	Combiner Screw
<u>51829.060.025</u>	Knob 41901424
<u>36302.131.005</u>	Washer 41906063
<u>51345.030.008</u>	Ground screw 41906148





Product	Description
<u>37000.030.001</u>	Ground wahser 41906147
<u>63611.080.060</u>	Hexagon Socket Head Cap Screw
<u>63158.100.001</u>	Spacer
08280.080.045	Hexagon Head Bolt
38073.080.001	Hexalobular Socket Button Head Screw
11396.030.020	Spacer
63158.080.001	Spacer
08280.060.040	Hexagon Head Bolt
38073.060.001	Hexalobular Socket Button Head Screw
51028.060.012	Hexagon socket button head screw
69170.100.035	Blind Rivet Nut
31810.035.013	Self-drilling hexagon head screw washer
31810.035.019	Self-drilling hexagon head screw washer
51420.016.001	Hexagon Socket Set Screw with Cone Point
17260.050.028	U-Bolt Type A
23510.160.110	Double end stud with reduced shank
07000.040.090	Hexagon socket head cap
M8x50MM***	Hexagon head screw
07000.100.035	Hexagon socket head cap screw
07000.060.040	Hexagon socket head cap screw
39080.030.010	Parallel pin
39080.030.016	Parallel pin
39080.030.018	Parallel pin
07000.060.045	Hexagon socket head cap screw
12410.060.001	nut
14456.060.001	cap nut
12460.060.001	nut
12460.050.001	nut
51530.050.001	 washer
53570.060.025	Hexagon socket head cap screw
53570.080.025	Hexagon socket head cap screw
<u>55425.060.001</u>	Plain washer
<u>55425.080.001</u>	Plain washer
38250.060.001	Plain washer
17902.110.040	Helical tension spring
47050.050.001	Nut
<u>51829.060.020</u>	Knurled thumb screw
<u>51050.050.008</u>	socket head cap screw
<u>55450.050.001</u>	Spring lock washer with square ends
16510.040.001	Hexagon domed cap nut
<u>9 T 89</u>	Assortment box plastic
<u>9 T 240</u>	Assortment box plastic
<u></u> <u>CM77543499</u>	Hexagon Socket Head Cap Screw
CM32842962	Hexagon Socket Head Cap Screw
16837.200.001	Thimble Steel Zinc Plated





Product	Description
<u>87916.000.080</u>	Serrated Lock Washer with External Teeth
11398.030.013	Spacer, internal and external thread
<u>04400.120.040</u>	screws
24665.040.008	Cross screw
11400.060.001	Hexagon connection nut H=3xD
<u>51190.060.016</u>	Threaded stud
<u>51190.050.012</u>	Threaded stud
<u>20325.120.001</u>	Threaded rod
<u>U51000.025.0300</u>	Head Cap Screw
<u>U51000.025.0325</u>	Head Cap Screw
<u>51060.050.016</u>	Hexagon socket countersunk head screw
<u>17912.077.030</u>	compression spring
<u>39250.033.016</u>	Parallel key
CM25423550	Captive hexagon socket head cap screw
16660.050.040	Knurled thumb screw
69400.060.030 / 6OCH30	Blind rivet nut
69315.050.030 / 5OCH30	Blind rivet nut open
13100.120.001	Spacer
<u>55390.030.001</u>	Spring lock washer
<u>51930.030.001</u>	Plain washer
<u>51930.060.001</u>	Plain washer
<u>51050.060.012</u>	Hexagon socket head cap screw
<u>64010.060.001</u>	Screw insert
72350.100.002	Cage Nut Type SMG
<u>36395.060.001</u>	Locking disc
<u>69155.080.040</u>	Blind rivet nuts
<u>69155.050.040</u>	Blind rivet nuts
<u>51580.080.016</u>	Parallel pin
<u>51580.040.010</u>	Parallel pin
<u>51580.030.016</u>	Parallel pin
<u>U51050.013.0050</u>	Hexagon socket head cap screw
15000.050.001	Hex press nut
<u>CM50448375</u>	Hexagon socket head cap screw
<u>37.820.120.001</u>	Adjusting ring
<u>37820.160.001</u>	adjusting ring
<u>37.820.250.001</u>	Adjusting ring
<u>37820.200.001</u>	Hexagon Thin Nut
11075.300.200	Hexagon thin nut
<u>24691.050.010</u>	head screw
<u>45150.030.001</u>	Cross Recessed Raised Cheese Head Screw
<u>51340.030.006</u>	Cross recessed raised cheese head screw
<u>66930.005.000</u>	Technical ball
<u>55400.120.001</u>	Hexagon domed cap nut
<u>11396.050.020</u>	Spacer
<u>11398.050.055</u>	Spacer





Product	Description
16010.160.001	Lifting eye bolt
16210.050.010	Wing screw rounded wing
16733.080.080	Snap hook (carabine hook)
CM12162529	Hexagon Socket Head Cap Screw
CM47481138	Hexagon Socket Head Cap Screw
CM64269545	Hexagon Socket Head Cap Screw
CM84879239	Captive hexagon socket head cap screw
17690053008	Screw eye
71560.080.001	Self-cutting threaded insert
51305.040.012	Hexalobular countersunk head screw
27100.040.008	
11400.120.001	screw Hexagon Head Bolt
48170.060.035	·
48170.060.02 <u>5</u>	SCIEW
	SCIEW
47000.060.001	Nut
A1 M12 / 15060.120.001	Hex press nut Stainless steel
51468.040.001	Locking disc spring
CM67474301	Prevailing Torque Nut
55730.050.001	Prevailing torque
<u>55730.040.001</u>	Prevailing torque type hexagon nut
51030.060.012	Hexagon socket button head screw
<u>55010.080.020</u>	Hexagon head screw
<u>55050.050.006</u>	Hexagon socket head cap screw
55060.050.018	Hexagon socket countersunk head screw
55730.030.001	Prevailing torque type hexagon nut
<u>55050.030.006</u>	Hexagon Socket Button Head Screw
38080.080.001	Hexagon Socket Button Head Screw
<u>55050.040.016</u>	Hexagon Socket Button Head Screw
07010.050.030	Hexagon Socket Head Cap Screw
<u>55050.050.020</u>	Hexagon Socket Button Head Screw
55060.030.010	Hexagon Socket Countersunk Head Screw
38600.100.016	Hexagon Head Bolt
55050.030.012	Hexagon Socket Button Head Screw
<u>55420.050.001</u>	Hexagon Socket Countersunk Head Screw
07117.060.010	Hexagon socket head shoulder screw tolerance
47480.080.012	Knurled thumb screw high
55970.040.001	Spring cotter pin
<u>36230.250.001</u>	Push-on fixing washer
62323.160.001	receptacle
62283.004.016	Grommet
62285.000.216	Protecting washer
62272.001.610	Stud
55500.080.090	Hexagon Socket Head Cap Screw
<u>55050.050.018</u>	Head cap screw
<u>55120.050.008</u>	Slotted cheese head screw





Product	Description
55050.060.020	Hexagon Socket Head Cap Screw
01258.080.025	Hexagon flange bolt
51448.131.007	Washer
21520.080.050	Stud metal end
11590.080.001	Hexagon nut with flange
07160.060.016	Hexagon socket head cap screw
07160.050.012	Hexagon socket head cap screw
69025.050.030	Blind rivet nut
51050.040.035	Hexagon socket head cap screw
51340.030.008	Cross recessed raised cheese head screw
<u>51340.040.006</u>	Cross recessed raised cheese head screw
51340.040.008	Cross recessed raised cheese head screw
<u>26660.048.060</u>	screw
<u>71751.050.010</u>	Self-cutting threaded insert
<u>71566.050.001</u>	Self-cutting threaded insert
71560.050.001	Self-cutting threaded insert
71571.050.001	Self-cutting threaded insert
<u>55520.030.001</u>	Curved spring lock
CM37089425	socket head cap screw
<u>CM57511983</u>	socket head cap screw
<u>CM37914154</u>	socket head cap screw
M69135.040.0079	Rivet Nut
<u>51113.080.050</u>	Round connection nut Stainless steel
<u>51028.080.020</u>	Hexagon socket button head screw with flange
<u>51028.050.016</u>	Hexagon socket button head screw with flange ISO 7380-2 Stainless steel
<u>51030.040.016</u>	Hexagon socket button head screw
<u>51030.040.050</u>	Hexagon socket button head screw
<u>51030.050.016</u>	Hexagon socket button head screw
<u>51030.050.050</u>	Hexagon socket button head screw
<u>51030.060.016</u>	Hexagon socket button head screw
<u>51030.060.050</u>	Hexagon socket button head screw
<u>51030.080.016</u>	Hexagon socket button head screw
<u>51030.080.060</u>	Hexagon socket button head screw
<u>51532.080.001</u>	Plain washer for bolts with heavy type spring pins
<u>16190.080.030</u>	T-head bolt with square neck
<u>51334.035.019</u>	Hexalobular pan head
<u>51334.042.019</u>	Hexalobular pan head
<u>51334.048.019</u>	Hexalobular pan head
<u>51190.100.020</u>	Threaded stud
<u>45150.040.001</u>	
<u>07160.050.016</u>	Hexagon cylinder head screw
37265.060.001	Contact lock washer
CM53043603	Hexagon socket head cap screw
<u>CM82447688</u>	Hexagon socket head cap screw

Fabory





Product	Description
<u>CM41220463</u>	Hexagon socket head cap screw
<u>CM73137374</u>	Captive hexagon socket head cap screw
<u>CM71192107</u>	Hexagon socket head cap screw
<u>CM77430853</u>	Hexagon socket head cap screw
<u>CM65010260</u>	socket head cap screw
CM34912964	Hexagon socket head cap screw
<u>72350.060.001</u>	Cage nut
<u>51802.040.010</u>	
<u>1042-026</u>	semicircular notches
<u>CM37351693</u>	screw
CM58513365	socket head cap screw
M69135.100.0150	Rivet Nut
<u>CM35797496</u>	Hexagon socket head cap screw
CM62830423	Captive hexagon socket head cap screw
CM04015610	Captive hexagon socket head cap screw
<u>51010.100.030</u>	Hexagon head screw DIN 933 Stainless steel A2 70 M10X30
<u>07160.060.045</u>	
<u>27410.015.003</u>	
<u>11590.060.001</u>	Hexagon nut
<u>38080.050.001</u>	Plain washer
CM29246714	SCREW
CM62829009	SCREW
<u>CM99394776</u>	SCREW
<u>55418.030.001</u>	Plain washer
<u>SIP-0-80-1-A2</u>	UNF x 1 Inch Phillips Pan Head Machine Screws (ASME B18.6.3) - Stainless Steel (A2)
12858.060.001 (pack of 250)	Prevailing torque type hexagon nut
<u>71566.040.001</u>	Self-cutting threaded insert
CM25267513	Captive hexagon socket head cap screw
<u>CM66371015</u>	Hexagon socket head cap screw ISO 4762 Steel Zinc plated 8.8
<u>62257.204.030</u>	QUICK SYSTEM Toggle latch Stainless steel A2 2.04.00.30/6
CM92137722	
<u>51667.050.016</u>	SECURITY One-way pan head screw
<u>51667.040.020</u>	SECURITY One-way pan head screw
<u>51667.050.040</u>	SECURITY One-way pan head screw
<u>51667.050.050</u>	SECURITY One-way pan head screw
<u>51667.060.020</u>	SECURITY One-way pan head screw