




ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Fiama

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
SEP F 160 230VAC	Level controls propeller
EF700-2 (1480)	Seilzuggeber, inkremental
9514007M5	Incremental encoder
FKE6-20-A/B	Spindle clamp member
OP3 A 40 SX F14 R P6 D12	Indicator
OP6 A 20 DX F20 R	Position indicator with hollow shaft
OP6 A 30 DX F20 R	Digital position indicator
OP6-A-6,0-SX-F20-R	Digital position display
SEM-150-230VAC	Rotary Paddle Level Switch
SEP-160-24VDC	Füllstandskontrolle für Feststoffe
PA50-2K-S	linear potentiometer
OP3-C1,2/5-DX-F14-R-P6	Mechanical Position Indicator
OP6-A-2.5 DX-F20-R	Digitale Positionsanzeige
PF200 2M / 9508101	Transducer
OP5-A-5,0-SX-F20-R	Digital position indicator
2239 - PF-1000-10K-2	Pulley sensor, potentiometric 10 K-ohms
OP3-B-1,0-DX-F14-G-P6	Mechanical Position Indicator
I60-10-DX-2Z-0-10	Digital Position Indicator
PF 200 10K-4	Wire Linear Potentiometric Transducer
SEP-200	Füllstandskontrolle für Feststoffe
I80-30-DX-1Z-0-30	Positionsanzeige, analog
1480	Position Transducer
66/6-A-2-14x30-14x30	Winkelgetriebe, kugelgelagert
Type: SEP-160-24VDS	Rotary Paddle Level Switch
EP7-B-G-20	
SEP-160-230VAC	Rotary Paddle Level Switch
Type: SEP-160-230VAC	Fill level control for solids
9508115	POTENTIOMETER
OP9-A-8,0-DX-F30-R	Linear movement counter
PF-300-5K-10K-2 same as PF-300-10K-2	Cable transducer, potentiometric
OP3-A-2,0-DX-F14-R-P6	Digital position indicator
TC80-R1/1-C-1-B/0-300	Analog speed display
9602103	Füllstandskontrolle für Feststoffe
EF700-5 (5047)	Seilzuggeber, inkremental
EF700-2	Actuated encoder, incremental
EF700-5	Encoder

Product	Description
Type: OP3-B-4.0-DX-VA10-G-P6-01	Mechanical Position Indicator
FKE3-14-RB10-A/B	spindle clamp element
PR-20C-24-10W-10K-RB15	Rotating Potentiometric Transducer
OP6 A 39(37) DX F20 R 2 RR	Mechanical Position Indicator
11170 - PF-700-10K-2	Pull-cable encoder, standard version
9500150	Transducer
OP3-A-2.0-SX-F14-R-P6	Position indicator
9192014	Indicator
EP20-RS-A-R-20-1	Electronic Position Indicator
9508116	encoder
F8P-1.0-SM12-WI	
FBP-1.0-SMI2-TL-K1	LCD measurement display
F8P-1.0-MT	LCD measurement display
F8P-2.0-MT	LCD measurement display
F8P-3.0-MT	LCD measurement display
SEP160F/24 VDC	Level switch
PR-20C-30-5W-10K	Gear potentiometer
Type: OP6-B-4.0-DX-F20-G	position indicator
Type: OP7-A-1.0-DX-F20-G	Digital position display
EN20-F20-500-LD2-2	Encoder
OP6-A-2.0-SX-F20-R	Digital position display
OP9 A 15 SX F30 R	Digital position indicator
OP10 A 15 DX F20 R	Mechanical Position Indicator
OP3 A 25 DX F14 R P6	
OP6- A-4.0-DX-F20-R	Mechanical Position Indicator
PF500T-I	Transducer
MT1- M10	Transducer
OP3 C 10 DX F14 R	Indicator
PR-2--3.3-1W-10K-2	Rotating Potentiometric Transducer
OP3-C-2.0-DX-F14-R-P6	indicator
1446200	Mechanical Position Indicator
DIST.BLOC FL-B OP6-OP7 F20	Block Flange for Position Indicators
OP3 A 40 DX F14 G/ P6 D10	Indicator
OP9 D 10 SX F35 R	indicator
66/6 A MM 1:1	L Reducer
1435807	
9525352M11	sensor
OP6 A 20 DX F20 GR INOX	Indicator
OP6 A 2.0 DX VA20 G	Digital position display
PF200 3G 10 K	Transducer
1407100	Block Flanger
9500264CIN	Rotating Potentiometric Transducer
9500120M5	Incremental Encoder
1406200P6 OP3 A 40 DX F14 R P6	4-digit indicator, view angle above horizontal shaft
FL-B OP3	Block Flange

Product	Description
OP6 B 100 DX F20 R	Position Indicator
OP7 A 25 SX F20 G 2RR	position indicator
EF700/9512100	WIRE INCREMENTAL TRANSDUCERS
9500110	ROTATING POTENTIOMETRIC TRANSDUCERS
9500107	Rotating Potentiometric Transducer
9192000IN	Electronic Position Indicator
9192006	Electronic Position Indicator
OP3 A 100 SX F14 R 2RR P6	Mechanical Position Indicator
9205560	Mechanical Position Indicator
9600307	Mechanical Position Indicator
OP3 B 20 DX F14 R	Indicator
EP7-A-R-20	Electronic position indicator
EP7-B-R-20	Electronic position indicator
PF-300-10K-2	draw-wire encoder
PF-700-10K-5	Wire Linear Potentiometric Transducer
WEP10-30 (19410)	Hollow shaft electronic position indicator
PF-2000-10K-5	Pneumatic pulley
F20-1.0	Measurement display, battery-operated
EP7 A R 14	Direct command digital position indicator
RB14/12 mm	reducing socket for OP3
EP7 A R F14	Shaft hole
BF 14/12 D12	Socket
OP3 A 50 SX F14 R 4RN	indicator
OP3-A-50-SX-F14-R-P6	digital position display
OP3-A-8.0-SX-F14-R-P6	Digital position indicator
OP9 B 20 DX F30 R	position indicator with hollow shaft
OP3 D 10 SX F14 R / 1405307	Mechanical Position Indicator
EN14 200 PP 2M Z	incremental rotary encoder
OP6-A-10.0-DX-F20-R	Digital position indicator
OP3 B 40 SX F14 R	Position indicator with hollow shaft
9500154	Mechanical Position Indicator
9512205	Mechanical Position Indicator
OP6 D 13 SX F20 R 2RR 3 GR	POSITION INDICATOR with hollow shaft
PF500 T-V 2M	wire position transducer
EF700	THREAD ENCODER
OP2-A-10.0-DX-F10-R-I18	digital position indicator
OP2-B-10-DX-F10-R-I18	digital position indicator
FKE2-10	spindle - clamping element for OP2
SEM150/220 - 9600131	Level Control Switch
PR20 R 1/4 MOLT POT.1 G 10 K CAVO MT 2	Rotating Potentiometric Transducer
PR20 R 1/4 MOLT POT.1 G 10 K CAVO MT 5	Rotating Potentiometric Transducer
1449521	BLOCK FLANGE
66/6 A MM 1:2 SP	Right-Angle Gearbox for Intermittent Use
66/6 A MM 2:1 SP	Right-Angle Gearbox for Intermittent Use
OP5-B-5.0-DX-F20-R	Digital position display

Product	Description
9520110 / PA130K POT LIN AD ASTA 130mm	CONNECTOR
9525218	Mechanical Position Indicator
EP7 A R F20	Programmable position indicator
9500268	Rotating potentiometric transducer
SM85	MEMBRANE LEVEL CONTROL
PR-20C-24-10W-10K-C1/10m-RB15 / 34557	Transmission potentiometer
OP3 A 50 DX F14 G D10	POSIZ INDICATOR
9192002	electronic position indicator
OP6 B 25 SX F20 R	Mechanical Position Indicator with Hollow Shaft
SEM300/24 VAC	PROPELLER LEVEL CONTROLS
OP3-B-1.0-DX-F14-R-P6	Mechanical Position Indicator with Hollow Shaft
PR-20-1-1W-10K-2	Rotating Potentiometric Transducer
9508103	Transducer
Type: PF-300-10K-2	pulley sensor
PF300 TRASD LG 300 MM POT 5G 10K CAVO M 2	encoder
OP6 A 80 SX F20 R	Mechanical Position Indicator with Hollow Shaft
PR20C 24/1 10G 10K D15	Rotating Potentiometric Transducer
OP6 A 40 SX F20 R D12	position indicator with hollow shaft
OP6-A-4,0-SX-RB12-R	Digital position indicator
OP3C10DXF14R2RRP6	Mechanical Position Indicator with Hollow Shaft
OP3-C-0,10-DX-F14-R-P6	Digital position indicator
Nr. 10257 Type PR-20C-54-10W-10K	transmission potentiometer
OP3-B-2.0-DX-F14-R-P6	Digital position indicator
OP3-D-2.0-DX-F14-R-P6	Digital position indicator
OP3 A 20 DX F14 R	Mechanical Position Indicator with Hollow Shaft
OP9 D 10 DX F30 R	Mechanical Position Indicator with Hollow Shaft
IP200 + MG65 R 100/1 SC 0-200 SX 15-58483	Degree clock
66/5 B FMM 1:1	gearbox
66/5 SP A MM 1:1	gearbox
66/5 A MM 1:1	gearbox
66/5 A FM 1:1	gearbox
2044214	Mechanical Position Indicator
EF1000	thread encoder
OP3 B 15 DX F14 R	Position indicator
DIST.H15 OP	Intermediate Flange for Position Indicators
OP7 A 170 DX F20R	Mechanical Position Indicator with Hollow Shaft
OP6 A 60 DX F20 R	Mechanical Position Indicator with Hollow Shaft
OP6T A 60 DX F20 R	Mechanical Position Indicator with Hollow Shaft
H15-P6-OP3	intermediate flange
OP6T-A-2,0-DX-F20-R	Digital position indicator
IN80 1G=5(714) 0-10 SX 15-56321	Mechanical Position Indicator
IN90-50-SX	position indicator
IN80-0.5/714-SX-0-10	position indicator
IN80 10 SCALA 0-10 DX 15-56320Q	Mechanical Position Indicator
1446300	Indicators

Product	Description
Type OP6-A-6,0-DX-F20-R	Digital position indicator
9602102 SEP160 220VAC	Level Control Device
IN80-10-DX-0-100	position indicator
OP3D100DXF14G P6 BOCC H5.5 2RR	Mechanical Position Indicator with Hollow Shaft
OP3 A 60 DX F14 R P6 IN	Mechanical Position Indicator with Hollow Shaft
OP6 A 30 SX F20 R	Mechanical Position Indicator with Hollow Shaft
2016114	
OP6-B-3,0-DX-F20-R	Mechanical Position Indicator with Hollow Shaft
OP3-A-1.7/5-SX-F14-R-P6	POSITION INDICATOR WITH HOLLOW SHAFT
PR-20C-20.25-10W-5K-2-100N	Gear potentiometer
9500264CIN / PR20C R 24/1 POT. 10G 500OHM CONN 4 PIN INOX SIL.	transducer
PR20C R 20,25/1 POT. 10G 5K	Rotating potentiometric transducer
PR-20C-24-10W-0,5K-VA	Gear potentiometer
4424 - PR-20C-24-10W-10K-RB15	Rotating Potentiometric Transducer
OP3 A 15 DX F14 R P6	Mechanical Position Indicator with Hollow Shaft
9500155C / PR20C R 24/1 POT. 10G 10K CONN 4PIN	rotary potentiometric transducer
PF200 TRASD LG 200 MM POT 3G 10K CAVO M 2	Potentiometric Linear Transducer
OP6 B 20 DX F25 GR	Mechanical Position Indicator with Hollow Shaft
EP20 A G VIS F Ø20	Electronic Hollow Shaft Position Indicator
PR20C R 10/1 POT. 10G 10K CONN 4PIN	Rotating Potentiometric Transducer with Connector
9500208	
25892 - OP7-A-2,0-SX-F20-G	Digital position display
31142 - OP7-A-2,0-DX-F20-G	Position indicator - digital OP7
1090605 / I60 R 20/1 SC 0-20 SX LC 15-57431	Gravitational reaction position indicator
P70 / 02-04072	Gravitational reaction handwheel
36676 - IN80-5-SX-0-50	Digital/analog position indicator
PK-700-10K - 2	Pulley sensor
OP7 D 10 SX F20 R 2RR D14	Mechanical Position Indicator with Hollow Shaft
OP7-D-0,10-SX-RB14-R	Digital position indicator
OP3 C 50 DX F14 R P6	Mechanical Position Indicator with Hollow Shaft
SEP160/24VCC / 9602103	Level Control Device
PF300 / 9508102	Potentiometric Linear Transducer
PR20C R 1/4 MOLT POT.1 G 10 K CONN 4PIN	Rotating Potentiometric Transducer with Connector
EP7 B R F20	meter
1405800P6 / OP3 A 20 DX F14 R P6	Mechanical Position Indicator with Hollow Shaft
1407100 / FL-B OP3 A/B F14	Shaft Block Flange for OP3 Position Indicators
FKE3-14-A-B	Spindle Clamp Element for OP3 Position Indicators
OP3 A/B F14 FLB-F14 P6 POS.B D10	LOCK FLANGE
OP3 A 20 DX F14 R P6 D10	Mechanical Position Indicator with Hollow Shaft
EF700 PP 2M	Wire Incremental Transducer
EF700 PP 5M	Wire Incremental Transducer

Product	Description
I60 R 30/1 0-30 DX	gravitational reaction position indicator
FL-B OP3 A/B F14 D10	Shaft Block Flange
OP3 A 20 SX F14 G P6 INOX	Mechanical Position Indicator with Hollow Shaft
OP6 D 20 DX F20 G	Mechanical Position Indicator with Hollow Shaft
OP3-A-2.0-SX-F14VA-G-P6	Digital position indicator
SM85EX	Membrane level control
EN20 ENC 500 I.	ENCODER
PF-200-10K-2	Pulley sensor
9514265RES	
OP3A10DXF14R / 1405300	Mechanical Position Indicator with Hollow Shaft
1446601 / OP6 A 100 SX F20 R	position indicator
OP7-A-2.0-DX-F20-R	Mechanical Position Indicator with Hollow Shaft
3025166	
01-32062EX	
OP6 A 10 DX F20 GR	Mechanical Position Indicator with Hollow Shaft
OP6 A 25 SX F20 G 5RN C	POSITION INDICATOR
I80 R 200/1 SC 0-20 DX	Analog Position Indicator with Gravity Reaction
1514724	
OP2 B 10 DX F8 R	Position indicator
OP2 B 100 DX F8 R 2RR	Mechanical Position Indicator with Hollow Shaft
OP7 A 100 SX F25 G 3 GRANI M5	Mechanical Position Indicator with Hollow Shaft
I80-200-DX-2Z-0-20	position indicator
9500155CMF	
BF-BL OP3 D12	Shaft Block Flange for OP3 Position Indicators
OP6 A 10 DX F20 G D20/14/12 FORO TRASV M5	Digital mechanical position indicator
66/6 D FFF 1/1	POSTPONEMENT
EP46NET	Position indicator
EN20-500 (9514007M5)	Hollow Shaft Encoder
OP7-C-3.0-DX-F20-R	Digital position indicator
OP3-B-1.0-SX-F14-R-P6	
38187	
PF500/9508108M5	TRASD
I60 R 10/1 SC 0-10 SX 15-57351Q	Pressure gauge
FKE3-14-RB08-A/B	Clamping element
OP6 A 50 DX F20 R	Position Indicator
OP3-A-4.0-SX-F14-G-P6	Mechanical Position Indicator with Hollow Shaft
FLOP3 -1407100	Shaft Block Flange for OP3 Position Indicators
V4P2	Measurement display with potentiometer input
PM-OP3 ET SX	
OP10A40SXSXF20G AZZ 1495623	
1407100	LOCK FLANGE
1406209P6	
OP7 A 40 DX F20 R 2RR	
F1X5-3-RS485	Fiama display
RD50 FL-OP7/EP7 1:10	

Product	Description
OP7-A-10-DX-VA12.7-G	Digital position indicator
EN25 50 PP 2m Z	Display
PR20C-V	
OP3 B 40 SX F14 R P6	
OP6 A 80 DX F20 R	ACCOUNTANT
OP3 A 2.5 DX F14 R P6 IN	Position indicator
EP25BR	
3439 / Type: SEP-160-F-230VAC	Level control for solids
SEP160F/220 9602602	
2044224/TC80	
Propeller for SEM300/24 VAC	
OP6B50DXF20R	
PR-20C-20-10W-5K-100NE	
EP9LBF25	Battery Powered Electronic-Digital Indicator
9500105C	Pontentiometer
OP3 A 17(5) SX F14 R	
OP7 A 100 DX F20 R	
FL-B OP6 OP7 EP7 B F20	
9500267 / PR20C R 36/1 POT. 10G 10K	
PR-20C-36-10W-10K	Gearbox potentiometer
PR20C/9500282+02-04153	TRANSDUCER
OP3 A 10 SX F14 R	
PF 900 2M	
OP3-A-2,0-DX-F14-R-P6 / 1265	Digital position indicator
OP3-A-1,2/5-SX-F14-R-P6 / 11457	Digital position indicator
OP3-B-1,2/5-RX-F14-R-P6 / 39622	Digital position indicator
OP3-B-1,2/5-SX-F14-R-P6 / 2464	Digital position indicator
FL-B OP6 F20 D12	
29893 / PR-20-0,5-1W-10K-2	Gearbox potentiometer
PR20 R 1/2	MOLT POT. 1G 10K CAVO M 2
EP3 B R F14	
OP3T A 10 SX F14 R P6 2RR	Indicator
30491 / SL-ATEX-150-24VAC-M1"1/2	ATEX level control for solids
9690000EX / SL.ATEX 150/24VAC 1"1/2	
OP3 A 50 DX F14 R	digit indicator
20/17 D17	
9691150EX	
MAR501/150PROT-INFL-OP3	
PR-20C-24-10W-10K-C1 / 6197	Gearbox potentiometer