



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

InguB

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

RANDI'S PAOIUCTS

Pgrodct	lescgnitnrp
247(42M-.44(44444 R 012 M4 612	sealing profile
K-M7KM44K-KR-4	Vuarter()urn Sock
722 M4 637	screw(on hinge
2M2(7413.44(44444	Seft screw on hinge
244(743-.44(44444	Cousing with shell
244(7M41.44(44444 Actuation 5bK G5ün chromed	8nsert
244(4-4-.44(44444 tongue steel galvanised C- (S3K mm	Ham
2M0(7242	/charnier G5s
241(7-61 914M M4 K67P	Hompression Satch
241(M142.44(44444	N(:ing
241(7243.44(44444	Hompression Satch
241(734K.44(44444	key plate
241(M24-.73	Grounding /pring
241(M14M.44(44444	N(:ing
2-0(7M4-.44(44444	)Trscharnier
246(4MMM.44(44444	/winghandle Satch
244(7M4M.44(44444	Cinge for 8ndustrial Enclosures
247(4142.44(44444	Hompression Satch
2M2(7420.44(44444	/winghandle Satch
722 M4 607	screw(on hinge
723 M4 -27	padlock pass padlock
-M4(7K37.40(40M4M	Vuarter()urn Satch
-M4(774M.44(4444M	BS: battery pack lead gel battery
247(42M2.44(44444	sealing profile
2-7(MK4K.44(44444	Cinge for Enclosures
234(7347	)elescopie lid support with M4 pegs
247(4K43.44(44444	Window /eals EI5B
247(4-42 R 02K M4 34-	filler
221(744M.44(44444 R 72M M4 -KM	zol(bolt lock
2M3(4643.44(44444	/teel tube
2M1(734-.44(44444	stainless steel screw on hinge
-M4(7-37.44(MM3K-	Vuarter()urn Satch with Hompression
-M4(K74M.44(44HM3	Vuarter()urn Satch
-M4(K742.44(44444	Vuarter()urn Satch with Hompression
-40(K7K7.44(44644	5oor /ensor
2-0(7443	Cinge

Product	Description
GKS-075-0006 / GKS-075 207 064 A 2000	Spring-loaded test probe
GKS-899-0008 / GKS-899 306 180 A 3002 M	Spring-loaded test probe
GKS-912 291 130 N 3002	ISL Ingun test pin 912291130N3002
GKS-050 291 050 A 1500	RNS PROBE
SKS-215-0230 / SKS-215 303 180 A 3002 MF	Switching probe
GKS-416 002 300 A 5004	
GKS-912 306 200 R 3002	
GKS-204 291 130 N 3003	
GKS-113 306 400 A 2202	
GKS-899 305 075 A 3002 M	
GKS-112 306 200 A 3002 M	Spring-loaded test probe
HSS-827 306 200 A 1502 M	
T-912-0063 / T-912 305 140 350 250A1502M	Step probe
HSS-150 317 300 A 3002 M	High-current probe
HSS-118 306 250 A 1502 M	High-current probe
HSS-120 306 230 A 1502 / HSS-120-0032	high current pin
GKS-912 217 175 N 1504	Spring-loaded test probe
GKS-103-0086 / GKS-103 206 400 A 3002	Spring-loaded test tip
GKS-103-0058 / GKS-103 202 650 A 5002	Spring-loaded test tip
GKS-100-0100 / GKS-100 291 090 A 1500	Spring-loaded test probe
KS-10047G-JP	Contact sleeve
SKS-215-0002	Switch contact pin
HSS-118-0061	
GKS-100-0033 / GKS-100 217 170 A 2000	Standard stroke test probe
KS-550E08 / KS-550 E08	Receptacles
GKS-075-0016 / GKS-075 217 120 A 2000	Spring-loaded test probe
GKS-075 217 120 A 2000 C	Spring-loaded contact pin
GKS-075-0022 / GKS-075 201 064 A 2000	Spring-loaded test probe
GKS-075-0217 / GKS-075 204 115 A 2000	Spring-loaded test probe
GKS 112 305 080 A1502M	Spring-loaded test probe
SKS-215 302 180 A 1502 M	Switching probe
HSS-118 305 080 A 1502 M	High-current probe
GKS-427 306 200 A 1502 M	Spring-loaded test probe
SW ZW GKS-051	Seting/drawing tool GKS-051
GKS-100-0181 / GKS-100 214 080 A 1500	Spring-loaded test probe
22661 / NHS-ST-20.0-2.5-POM-M3	Push rod
GKS-100 306 130 A 2200	Spring-loaded test probe
GKS-113-0201 / GKS-113 306 230 A 1505	Spring-loaded test probe
GKS-854 306 400 A 3002	Spring-loaded test probe
GKS-100 302 150 A 3000 C	Spring-loaded test probe
GKS-002 206 191 A 1800	Spring-loaded test probe
GKS-050 306 090 A 1503 M	Spring-loaded test probe
KS-004 30 G	Receptacle
25241 (ME-P-S2.0-16-054-QS4)	
GKS961305050A0601	

Product	Description
PAS-05.8-03.0-FR4	
SKS215305100A3002EC	
HSS-118 306 130 A 1502	International standard HSS
HSS-118-0072 / HSS-118 306 350 A 1502	High-current probe
HSS-118 306 180 A 1502	International standard HSS
P/N: GKS-040-0006, Type: GKS-040 304 040 A 0800	Spring-loaded contact pin
E-075-0002 / E-075 291 064 A 2800	Ingun E-Type test probe
KS-07547G / KS-075 47 G	KS with a square post and press ring
GKS-075-0770 / GKS-075 214 064 A 2000 LH	Spring-loaded test probe
GKS-100 204 106 A 3000	Spring-loaded test probe
HFS-836 288 120 A 4588A31R50L	Radio-frequency probe
KS-075 47 G	KS with a square post and press ring
KS-100 47 G	KS with square and press ring
HSS-118-0306 (HSS-118 306 160 A 1504)	high current pin
GKS-550 307 050 A 1500	Spring-loaded test probe
GKS-100 288 150 A 2000 E	Spring-loaded test probe
GKS-100 288 150 A 2000 C	Spring-loaded test probe
GKS-100 288 150 A 2000 LH	Spring-loaded test probe
HSS-118-0163 / HSS-118 306 200 A 2210	High-current probe
PKS-399-0065	
HSS-118 305 065 A 1506 (HSS-118-0585)	high current pin
HSS-118 306 200 A 1506 (HSS-118-0053)	high current pin
HSS-118 302 100 A 1503 (HSS-118-0300)	high current pin
HFS-840-0586	High-Frequency Probe
HFS-810-0096	Radio-frequency probe
KS-215 M1.6-F	Receptacle
SKS-215-0023 / SKS-215 002 180 A 3002 M	Switching probe
KS-11330M2-T / KS-113 30 M2-T	Receptacle A
GKS-113-0327 / GKS-113 302 300 A 3002 M	Spring-loaded test probe
GKS-112-0550 / GKS-112 302 150 A 3002 M	Spring-loaded test probe
GKS-112-0551 / GKS-112 302 200 A 3002 M	Spring-loaded test probe
GKS-913 306 350 R 2502 Z / GKS-913-0054	Spring-loaded contact pin
HSS-120-0073 / HSS-120 306 300 A 2202 M	High-current probe
GKS-970-0002 / GKS-970 305 130 A 2001 K	Spring-loaded test probe
GKS-079 301 050 A 1300	Spring-loaded contact pin
KS-079 35	contact socket
HSS-623 306 600 A 10002 M	high current pin
KS-623 M5 M5-R	Silver-plated contact sleeve
GKS-204 305 130 A 3005	Spring-loaded contact pin
GKS-001-0014/ GKS-001 306 100 A 1500	
HSS-118-0103 / HSS-118 306 160 A 1502 M	High-current probe
GKS-112 204 130 R 5002 M	screw contact pins
GKS-913-0033 / GKS-913 306 230 A 1502 S	Spring-loaded test probe
SE-HSAL2-12-M-G-000	plugs
GKS-100 306 250 A 2000	Spring-loaded test probe

Product	Description
KS-9676035M-R	Contact socket A
GKS-967 303 130 A 2001	Spring-loaded contact pin
HFS-819 319 090 A12743RV5-H3	PISTON
GKS-100-0835 / GKS-100 306 200 A 1500 E	Spring-loaded contact pin
GKS-100-1447 / GKS-100 306 200 A 1500 C	Spring-loaded contact pin
HFS-810-0468 / HFS-810 201 051 A 8006 S	Radio-frequency probe
GKS-941 305 050 A 0800 L / GKS-941-0018	Spring-loaded test probe
P/N: HFS-860-0003, Type: HFS-860 303 074 A 5343 Y6	high frequency pen
GKS-913 306 230 A 1502 0	
GKS-135 360 090 A 2000	Spring-loaded test probe
33678 / MA 2112/D/H/S-7/HG/PYLON-12	Manual test fixture
HSS-621 305 400 S 5002 M	high current pin
GKS-550 214 050 A 1500	Spring-loaded test probe
GKS-113-0450	Test Probes
SKS-465 302 400 A 3502 SF	needle
GKS-365-0054 / GKS-365 204 400 N 8001	Spring-loaded test probe
KS-36523	Receptacle, plated
HSS-118 306 250 A 1502	High-current probe
P/N: 48530, Type: MA 2012/D/H	Manual test adapter
P/N: 48620, Type: MA 2013/D/H	Manual test adapter
P/N: 32660, Type: MA 2112/D/H/S-7	Manual test adapter
P/N: 32500, Type: MA 2113/D/H/S-10	Manual test adapter
P/N: 46239, Type: ATS MA13/S-10/ESD	Exchangeable kit
P/N: 46254, Type: ATS MA13/ESD	Exchangeable kit
P/N: 45904, Type: ATS MA12	Exchangeable kit
P/N: 43612, Type: NHS-ST-60.0-2.5-KU-AL-ESD	Niederhalterstempel
P/N: 3161, Type: PAS-02.8-05.0	Test sample edition
38786 / GDF-185-60-100N-A6-A6-D	Gas spring
GKS-100 307 250 A 3000	TEST PROBE
KS-075 47 E03	RECEPTACLE
KS-100 47 G12-13	RECEPTACLE
GKS-100 307 150 A 1500	Probe pin
PKS-171 319 150 A 0302 A	Pneumatic test probe
KS-171	Receptacle
HSS-120 303 300 A 1510	
GKS-100 303 150 A 3000 E	Test probe
HSS-118 302 100 A 1502	high current pin
HSS-118 303 200 A 1502	high current pin
HSS-552 306 400 A 2003 M	high current pin
KS10130E13	KS for GKS-101: inst height 14.0mm
HSS-120 306 230 A 1510	High-current probe
GKS-101 307 130 A 0800	Spring-loaded test probe
GKS-100 302 150 A 2000	Test Probe
KS-550 WL	Receptacle
GKS-912 201 130 A 3002 C	Spring-loaded test probe

Product	Description
SKS-115 306 100 A 1502 M	Switching probe (NO)
KS-115-M3-F1	
GKS-075 303 120 A 2800	Test needle
GKS-112 303 180 A 3002	Spring-loaded test probe
GKS-103 102 400 A 3002 M	
GKS-313 306 300 A 1502 M	
KS-103 30 M2.5	
KS-313 30 M2	
AW-KS-SET-CABLE	Extraction tool
GKS-100-0162 / GKS-100 306 229 A 2000	Spring-loaded test probe
E-100-0032 / E-100 307 150 A 3000	Ingun E-Type test probe
GKS-945-0005 / GKS-945 357 106 A 1100	Spring-loaded test probe
KS-050 47 E08	Receptacle
SW-ZW-WP-100 A	Insertion tool
SW-ZW-WP-075 A	Insertion tool
AW-KS-Set-ICT	Extraction tool
SW-KS-100	Insertion tool
45000 / PP-INGUN-F	Personality pin
SW-KS-075 G	Insertion tool
E-100-0001 / E-100 291 090 A 3000	Ingun E-Type test probe
GKS-912 306 140 A 1502 C	Spring-loaded test probe
GKS-103-0156 / GKS-103 105 400 A 1502 M	Spring-loaded test probe
KS-103 30 M2.5-S	Spring-loaded test probe
GKS-100 307 250 A 3000 C	Spring-loaded test probe
GKS-913 303 230 A 1502 0	spring-loaded test probe
GKS-003 206 254 A 120	Spring-loaded contact pin
GKS-100-0338 / GKS-100 306 150 A 0600	Spring-loaded test probe
GKS-004 206 396 A 2000	Spring-loaded test probe
KT-120 L3 E02-30	Contact terminal
KT-150 L3 E03 M3	Contact terminal
HSS-150-0118 / HSS-150 319 400 A 3002	High-current probe
BIT-HSS-150 M-300	screwdriving tool
GKS-100 214 050 A 2000	Test needle
GKS-100 291 090 A 2200	Spring-loaded contact pin
GKS-075 277 064 A 2000 LH	Test needle
GKS-050 214 050 A 2000	Test needle
GKS-050 297 050 A 2000	Test needle
SW-KS-050 G	Setting tool
SW-KS-100 G	tool
GKS-100 214 106 A 2000 C	Spring-loaded contact pin
GKS-100 291 090 A 2000 C	Spring-loaded contact pin
HSS-120 302 230 A 3002 M	PINK POGO
HSS-120 317 300 A 3002 M	PINK POGO
GKS-412-0330 / GKS-412 206 200 R 3002	Spring-loaded test probe
HSS-623-0001 / HSS-623 306 600 A 7002 M	High-current probe

Product	Description
SKS-415 306 230 A 2302 2	Switching probe (NO)
GKS-113 217 300 A 3002 / GKS-113-0848	Measure pin
GKS-051-0059 / GKS-051 201 051 A 1000 K1	Spring-loaded test probe
HSS-120 306 400 A 3002/ HSS-120-0066	contact pins
HSS-150 305 400-S 3002 M	
GKS-113-0001 / GKS-113 201 180 R 0602	Test Probe
GKS-103-0081 / GKS-103 206 230 A 5002	Spring-loaded test probe
HFS-821 313 050A18005USBMINI-D/ HFS-821-0029	high frequency pen
HSS-120 305 230 A 1502 M	High-current probe
KS-113 30 M2-T	Receptacle A
GKS-912-1906 / GKS-912 288 230 A 3002	Spring-loaded test probe
GKS-003 206 254 A 2000	Spring-loaded test probe
HSS-150-0011 / HSS-150 302 400 A 3002	High-current probe
GKS-050 305 050 A 1000 / GKS-050-0018	test needle
HFS-840-0128 / HFS-840 201 051 A 5306 S 4M	Radio-frequency probe
HSS-552-0004 / HSS-552 302 400 A 2003 M	High-current probe
GKS-087 305 050 A 0802 M	Test needle
HSS-2259	High-current probe
912 201 130 A 1502	
SKS-415-0059 / SKS-415 002 300 A 2302 E	Switching probe (NO)
GKS-100-1597 / GKS-100 303 150 A 2000 LH	Spring-loaded test probe
HSS-520 306 230 A 1502 0	high current pin
HFS-890 305 123 A 9343 E	Radio-frequency probe
GKS-050-0016 / GKS-050 214 050 A 1500	Spring-loaded test probe
GKS112 303 200A 1505 MC	pin
GKS-112 214 130 A 1502 M	Spring-loaded test probe
HSS-118 214 130 A 3003	High-current probe
GKS-100 201 090 A 2000	Test Probe
KS-10030	Receptacle
KT-375-HL-B	
GKS-112 305 064 A 0602 M	Spring-loaded test probe
GKS-112 305 080 A 0602 M	Spring-loaded test probe
GKS-212 306 200 A 3007 M	Spring-loaded test probe
KS-212 30 M	Receptacle A
SKS-465 002 300 A 3502 MF	Switching probe (NO)
GKS-427 303 200 A 1502 M / GKS-427-0010	Spring-loaded test probe
GKS-075 305 064 A 0600	Spring-loaded test probe
KS-075 30 E05	KS with solder cup, inst. height 13mm
SKS-465 002 300 A 9002 MF	Switching probe (NO)
KT-586 102 400 R	Contact terminal R
GKS-075 305 050 A 2000 C	Spring-loaded test probe
BIT-GKS-212M	
BIT-T-888M	
BIT-SKS-465M-B	
BIT-T-912M	

Product	Description
BIT-SKS-465M	
BIT-T-888M-3	
ETK-GDH-MAxxxx (54791)	Spare part kit, gas spring bracket
GKS-100 201 090 A 3000 E	Spring-loaded test probe
GKS-100 201 090 A 3000 C	Spring-loaded test probe
GKS-100 201 090 A 3000 LH	Spring-loaded test probe
GKS-100 303 150 A 3000 LH	Spring-loaded test probe
GKS-100 303 150 A 3000 C	Spring-loaded test probe
KS-810 M5-F	
HFS-860 303 090 A 5342 SSMP M	
KS-07547G-JP	KS-075 47 G-JP KS with square and compression ring
GKS 112 303 180 A 1502 M	screw contact pins
GKS-103 206 400 A 1502 M	Test probe, 4mm
GKS-001 306 100 A 0600 / GKS-001-0012	Spring-loaded contact pin
GKS-113-0133 / GKS-113 302 300 A 1502	
GFS-6,00-1,50-RD-25-06,5-B/20889	
GKS-101 308 115 A 1500	
GKS-101 301 050 A 1500	
GKS-075 306 120 A 2000	
SW-ZW-GKS-101	
SW-ZW-GKS-075	
SKS-465 002 230 A 2002 MF	
GKS-080-0020 / GKS-080 305 080 A 0805 E	Spring-loaded test probe
GKS-103-0163	GKS-103 206 400 A 5002 spring test tip
BIT-GKS-967 M-B-K	
HSS-120 306 230 A 3002	
PKS-399 302 250 A 4202 2H	
GKS-967-0044	
BCP-118-0003	
GKS-112-2187	Spring-loaded contact pin
GKS-100-0244	
HSS-120-0042	High-current test probe
HSS-120-0085	High-current test probe
HSS-120-0125	High-current test probe
HSS-118-0118	High-current test probe
HSS-118-0052	High-current test probe
HSS-118-0062	High-current test probe
HSS-118-0063	High-current test probe
HSS-118-0066	High-current test probe
HSS-118-0218	High-current test probe
SW-KS-112	Insertion Tool, 2mm
SW-KS-113	Insertion tool
GKS-100 217 170 A 0600 E	Test Probe
GDF-270-100-075N-A6-A6	Gas spring