




ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

InguB

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

IRAND'S PRODUCTS

Prodct	Dnecrustuoi
247(M(-Ryp 016K(7V	water level probe
24)S3S	CE5GA water level probe type 016K(7
(47377	0onnector bayonet according to G6ü)S)37
(4)834	2Kpin 5eutsch liitin
S77772	water level sensor
S7777M	6ensor
016KS7	Water level probe
S7778S	1EHE1 6WGR0/
910A S7847442)) P S774)4	type CGNNA:T)P7 N0)7777BB
S77)37	sensor
Ryp 016K(7 -24)(77V	CE5GA Wasserstandssonde
247()(_	I16RAN56 probe
S77)78	CE5GA zIstandssonde Ryp 016KS7
()!(!	üil level sensor type N:)S7
S777MM	CE5GA oil level probe type 016KS7
S77)(2 P 016KS7	zIstandssonde
24)S37	Water level sensor
247847	zIstandssonde
(4)MM7	
(4722M	1iquid 1evel 6ensor
247(77	water level sensor
247(2)	sensor
247 (7)	Remperature 6witch
247 (24	B)(J),S IK28 H50
S7772!	CE5GA Wasserstandssonde
247(72	Wasserstandssonde
(47373	Herbindungskabel).777mm
S7774M	CE5GA Wasserstandssonde
247()!	
24)S!S, RypeU 016K(7	üil level probe
24S27)	Rransmitter
244S2S	CE5GA water level probe type 016K(7
Ryp 016K(7, 247(S!	0apacitive 1iquid 1evel 6witch
24)S8(_	Water level probe
S777((	water level sensor
24444S	GN5G0ARü:

Product	Description
KS-9676035M-R	Contact socket A
GKS-967 303 130 A 2001	Spring-loaded contact pin
HFS-819 319 090 A12743RV5-H3	PISTON
GKS-100-0835 / GKS-100 306 200 A 1500 E	Spring-loaded contact pin
GKS-100-1447 / GKS-100 306 200 A 1500 C	Spring-loaded contact pin
HFS-810-0468 / HFS-810 201 051 A 8006 S	Radio-frequency probe
GKS-941 305 050 A 0800 L / GKS-941-0018	Spring-loaded test probe
P/N: HFS-860-0003, Type: HFS-860 303 074 A 5343 Y6	high frequency pen
GKS-913 306 230 A 1502 0	
GKS-135 360 090 A 2000	Spring-loaded test probe
33678 / MA 2112/D/H/S-7/HG/PYLON-12	Manual test fixture
HSS-621 305 400 S 5002 M	high current pin
GKS-550 214 050 A 1500	Spring-loaded test probe
GKS-113-0450	Test Probes
SKS-465 302 400 A 3502 SF	needle
GKS-365-0054 / GKS-365 204 400 N 8001	Spring-loaded test probe
KS-36523	Receptacle, plated
HSS-118 306 250 A 1502	High-current probe
P/N: 48530, Type: MA 2012/D/H	Manual test adapter
P/N: 48620, Type: MA 2013/D/H	Manual test adapter
P/N: 32660, Type: MA 2112/D/H/S-7	Manual test adapter
P/N: 32500, Type: MA 2113/D/H/S-10	Manual test adapter
P/N: 46239, Type: ATS MA13/S-10/ESD	Exchangeable kit
P/N: 46254, Type: ATS MA13/ESD	Exchangeable kit
P/N: 45904, Type: ATS MA12	Exchangeable kit
P/N: 43612, Type: NHS-ST-60.0-2.5-KU-AL-ESD	Niederhalterstempel
P/N: 3161, Type: PAS-02.8-05.0	Test sample edition
38786 / GDF-185-60-100N-A6-A6-D	Gas spring
GKS-100 307 250 A 3000	TEST PROBE
KS-075 47 E03	RECEPTACLE
KS-100 47 G12-13	RECEPTACLE
GKS-100 307 150 A 1500	Probe pin
PKS-171 319 150 A 0302 A	Pneumatic test probe
KS-171	Receptacle
HSS-120 303 300 A 1510	
GKS-100 303 150 A 3000 E	Test probe
HSS-118 302 100 A 1502	high current pin
HSS-118 303 200 A 1502	high current pin
HSS-552 306 400 A 2003 M	high current pin
KS10130E13	KS for GKS-101: inst height 14.0mm
HSS-120 306 230 A 1510	High-current probe
GKS-101 307 130 A 0800	Spring-loaded test probe
GKS-100 302 150 A 2000	Test Probe
KS-550 WL	Receptacle
GKS-912 201 130 A 3002 C	Spring-loaded test probe

Product	Description
SKS-115 306 100 A 1502 M	Switching probe (NO)
KS-115-M3-F1	
GKS-075 303 120 A 2800	Test needle
GKS-112 303 180 A 3002	Spring-loaded test probe
GKS-103 102 400 A 3002 M	
GKS-313 306 300 A 1502 M	
KS-103 30 M2.5	
KS-313 30 M2	
AW-KS-SET-CABLE	Extraction tool
GKS-100-0162 / GKS-100 306 229 A 2000	Spring-loaded test probe
E-100-0032 / E-100 307 150 A 3000	Ingun E-Type test probe
GKS-945-0005 / GKS-945 357 106 A 1100	Spring-loaded test probe
KS-050 47 E08	Receptacle
SW-ZW-WP-100 A	Insertion tool
SW-ZW-WP-075 A	Insertion tool
AW-KS-Set-ICT	Extraction tool
SW-KS-100	Insertion tool
45000 / PP-INGUN-F	Personality pin
SW-KS-075 G	Insertion tool
E-100-0001 / E-100 291 090 A 3000	Ingun E-Type test probe
GKS-912 306 140 A 1502 C	Spring-loaded test probe
GKS-103-0156 / GKS-103 105 400 A 1502 M	Spring-loaded test probe
KS-103 30 M2.5-S	Spring-loaded test probe
GKS-100 307 250 A 3000 C	Spring-loaded test probe
GKS-913 303 230 A 1502 0	spring-loaded test probe
GKS-003 206 254 A 120	Spring-loaded contact pin
GKS-100-0338 / GKS-100 306 150 A 0600	Spring-loaded test probe
GKS-004 206 396 A 2000	Spring-loaded test probe
KT-120 L3 E02-30	Contact terminal
KT-150 L3 E03 M3	Contact terminal
HSS-150-0118 / HSS-150 319 400 A 3002	High-current probe
BIT-HSS-150 M-300	screwdriving tool
GKS-100 214 050 A 2000	Test needle
GKS-100 291 090 A 2200	Spring-loaded contact pin
GKS-075 277 064 A 2000 LH	Test needle
GKS-050 214 050 A 2000	Test needle
GKS-050 297 050 A 2000	Test needle
SW-KS-050 G	Setting tool
SW-KS-100 G	tool
GKS-100 214 106 A 2000 C	Spring-loaded contact pin
GKS-100 291 090 A 2000 C	Spring-loaded contact pin
HSS-120 302 230 A 3002 M	PINK POGO
HSS-120 317 300 A 3002 M	PINK POGO
GKS-412-0330 / GKS-412 206 200 R 3002	Spring-loaded test probe
HSS-623-0001 / HSS-623 306 600 A 7002 M	High-current probe

Product	Description
SKS-415 306 230 A 2302 2	Switching probe (NO)
GKS-113 217 300 A 3002 / GKS-113-0848	Measure pin
GKS-051-0059 / GKS-051 201 051 A 1000 K1	Spring-loaded test probe
HSS-120 306 400 A 3002/ HSS-120-0066	contact pins
HSS-150 305 400-S 3002 M	
GKS-113-0001 / GKS-113 201 180 R 0602	Test Probe
GKS-103-0081 / GKS-103 206 230 A 5002	Spring-loaded test probe
HFS-821 313 050A18005USBMINI-D/ HFS-821-0029	high frequency pen
HSS-120 305 230 A 1502 M	High-current probe
KS-113 30 M2-T	Receptacle A
GKS-912-1906 / GKS-912 288 230 A 3002	Spring-loaded test probe
GKS-003 206 254 A 2000	Spring-loaded test probe
HSS-150-0011 / HSS-150 302 400 A 3002	High-current probe
GKS-050 305 050 A 1000 / GKS-050-0018	test needle
HFS-840-0128 / HFS-840 201 051 A 5306 S 4M	Radio-frequency probe
HSS-552-0004 / HSS-552 302 400 A 2003 M	High-current probe
GKS-087 305 050 A 0802 M	Test needle
HSS-2259	High-current probe
912 201 130 A 1502	
SKS-415-0059 / SKS-415 002 300 A 2302 E	Switching probe (NO)
GKS-100-1597 / GKS-100 303 150 A 2000 LH	Spring-loaded test probe
HSS-520 306 230 A 1502 0	high current pin
HFS-890 305 123 A 9343 E	Radio-frequency probe
GKS-050-0016 / GKS-050 214 050 A 1500	Spring-loaded test probe
GKS112 303 200A 1505 MC	pin
GKS-112 214 130 A 1502 M	Spring-loaded test probe
HSS-118 214 130 A 3003	High-current probe
GKS-100 201 090 A 2000	Test Probe
KS-10030	Receptacle
KT-375-HL-B	
GKS-112 305 064 A 0602 M	Spring-loaded test probe
GKS-112 305 080 A 0602 M	Spring-loaded test probe
GKS-212 306 200 A 3007 M	Spring-loaded test probe
KS-212 30 M	Receptacle A
SKS-465 002 300 A 3502 MF	Switching probe (NO)
GKS-427 303 200 A 1502 M / GKS-427-0010	Spring-loaded test probe
GKS-075 305 064 A 0600	Spring-loaded test probe
KS-075 30 E05	KS with solder cup, inst. height 13mm
SKS-465 002 300 A 9002 MF	Switching probe (NO)
KT-586 102 400 R	Contact terminal R
GKS-075 305 050 A 2000 C	Spring-loaded test probe
BIT-GKS-212M	
BIT-T-888M	
BIT-SKS-465M-B	
BIT-T-912M	

Product	Description
BIT-SKS-465M	
BIT-T-888M-3	
ETK-GDH-MAxxxx (54791)	Spare part kit, gas spring bracket
GKS-100 201 090 A 3000 E	Spring-loaded test probe
GKS-100 201 090 A 3000 C	Spring-loaded test probe
GKS-100 201 090 A 3000 LH	Spring-loaded test probe
GKS-100 303 150 A 3000 LH	Spring-loaded test probe
GKS-100 303 150 A 3000 C	Spring-loaded test probe
KS-810 M5-F	
HFS-860 303 090 A 5342 SSMP M	
KS-07547G-JP	KS-075 47 G-JP KS with square and compression ring
GKS 112 303 180 A 1502 M	screw contact pins
GKS-103 206 400 A 1502 M	Test probe, 4mm
GKS-001 306 100 A 0600 / GKS-001-0012	Spring-loaded contact pin
GKS-113-0133 / GKS-113 302 300 A 1502	
GFS-6,00-1,50-RD-25-06,5-B/20889	
GKS-101 308 115 A 1500	
GKS-101 301 050 A 1500	
GKS-075 306 120 A 2000	
SW-ZW-GKS-101	
SW-ZW-GKS-075	
SKS-465 002 230 A 2002 MF	
GKS-080-0020 / GKS-080 305 080 A 0805 E	Spring-loaded test probe
GKS-103-0163	GKS-103 206 400 A 5002 spring test tip
BIT-GKS-967 M-B-K	
HSS-120 306 230 A 3002	
PKS-399 302 250 A 4202 2H	
GKS-967-0044	
BCP-118-0003	
GKS-112-2187	Spring-loaded contact pin
GKS-100-0244	
HSS-120-0042	High-current test probe
HSS-120-0085	High-current test probe
HSS-120-0125	High-current test probe
HSS-118-0118	High-current test probe
HSS-118-0052	High-current test probe
HSS-118-0062	High-current test probe
HSS-118-0063	High-current test probe
HSS-118-0066	High-current test probe
HSS-118-0218	High-current test probe
SW-KS-112	Insertion Tool, 2mm
SW-KS-113	Insertion tool
GKS-100 217 170 A 0600 E	Test Probe
GDF-270-100-075N-A6-A6	Gas spring