



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Dirak

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAN'S PORU'CTo

Oraduci	'tecrspisak
20 9-- 196-- /7 9-- , 874-	quantometer, 1ma5Q96--mcTh
L3H--- HD4W -.9G	Gounter
2eter type L3HD4	remote reading digital Gounter
Zlu5i l0 CD6-	IS()O7E
EAGDR-- üAGED---M out of production	LIAIOG GPS7IE(
Bit AGE 8ilot	Bit AGE 8ilot
corrector for gas l x and 8 Gorus 8l0, -.! N 4- bar	
GP(SLNJG	Cas Jolume Gonverter
AO2LH---	Bit
GU)3E4	Gyble 8ulse Lensor
Gyble sensor AIE+	
A1S96	Gold Water 2eter
Z3S+O 9---TI0 96- C4D-- /7 96- 874D	
Z3S+O 9---TI0 9-- C4D-- /7 9-- 874D	
L3 HD4 9TR AATL	3ithium)att.
/G3RR--HAH9HHR	Lensor
l06-CD6	lurbine 2eter 6-mm 9@
GZNS2a++ J	Strasonic compact thermal energy meter
7r. F:4H9 lype 9RRN49N6NH9	gas pressure regulator
()E :HR9 LO3TLLJ	
EL3HHAO	LIAIOG GPS7IE(
L3 H--- ü Glass -.6 LM	
EL3HHGO üL3H---M	Gounter
WP3IE+N2 4---NR--N6--N874D	Zlow meter
F:4V:	Zlow meter
WP3IE+N2 96-N46-NR--N874D	Zlow meter
WP3IE+N2 4--N4--N96-N874D	Zlow meter
WP3IE+N2 D-NV-N9--N874D	Zlow meter
A1S46TGP28PLO	water meter
4RRN6NH9, 4	regulator
4RRNDND9	regulator
((N4DN6-NR4NV7N-RR	gas regulator
repair kit for ((4DN6-NR4NV7N-RR	repair kit
(epair kit for separator -RR /76-	
GP(SL 8l0, -.! = 4- bar	Electronic volume corrector for gas
4R4z9--N:-	(epair kit for regulator 9RRN49N:NH9 /7 :-

Oraduci	'tecrspisak
4R-z9--NR9	(epair kit for regulator 4RRN:NH9
446zH--N44	(epair kit for LLJ -RR separator
446zD--N44	(epair kit for LLJ O X OO separator
446zH--N4-	(epair kit for LLJ -RR separator
446zD--N4-	(epair kit for LLJ OXOO separator
GUJ3E4 for A1S46TGP28PLOIE	
CL	
L3HD4+-H4 = EL3HHGO	Ltatic counter
I046- CD6- 87:-	Cas turbine meter
Gorus 8I0	Cas Jolume and Iemperature Gonverter
20V-C4D-	Zlow meter
4RRN6NH9	pressure regulator for natural gas
()E :HR9 AGG LO3 LAJ VDR9	8ressure (egulator
9RRNVNDNDD	(egulator
():H-- üwith reed switch and silencerM	Zlow Gontrol (egulator
():H-- üwithout reed switch and silencerM	Zlow Gontrol (egulator
FRI46 T (Z 2aster 6	
LIA9--874D	
9RRNVN6NH9 /7 6-	CAL (ECS3AIP(
B4 6 Wire	Gyble 8ulse Lensor Lpecial
B4- 6 Wire	Gyble 8ulse Lensor
()E :HR9 AGG LO3 LAJ VDR9 /7 V- 874D	
S2A++N46	Strasonic compact thermal energy meter
AIE+ J9	Gyble Lensor
UJ3E4TAIE+	Gyble pulse sensor
9::N49N6NH9	38C gas regulator
repairTservice kit for ((4DN6-N:9NV7N-RR	repairing set for regulator
444z6--N-9	(egulator housing repair kit
446zH--N4:	(epair kit
WP3IE+9--	
WP3IE+V-	Gold Water 2eter
GZ64B4-	
L3H--- GI L3HD4W-H4 N G3. -.9	Gontactor
C96 /76- 8744-	
C4-- /76- 8744-	
I0V-C4D-	lurbine flowmeter for commercial measurement
C4-- /7 6-	
CD6 /7 6-	
CD6- D A7LO D--	
CD6- D A7LO R--	
C4-	
C4D	/iaphragm Zlow 2eter
A1S46TGP28PLOIE	Gold Water 2eter
A1S9-	Water 2eter
L3HD4+N(:	)idirectional Gounter

Oraduci	'tecspisak
ELWAO26	LW AGE 803PI N (EA/NP73U 30GE7LE
((N4DN6-N6:NV7N-RR	Cas regulator
9RRNVN6ND:	regulator
R!VR44-9	repair kit
R!!H-R9-	repair kit
R!!64R--	repair kit
/7:- C4D	/elta Gompact gas meter
GZ Echo OO 4.4T:@)L82 18D	
GZ64TGZEGFP	)attery 8ack
DSBG46U44-)(4--	WAIE(2EIE(S7O2AC ;
()E R944	Cas regulator
A444:H9 üOtron EuropeM	)attery
((4DNV-N6:NV7N-RR	
Zlostar 2, cod. Z34--Y8	Water Gounter
444N4R4N6-	2embrane
F6VD: T ((4DN6-N6:N VF /76- 874D	gas pressure regulator
R!!64R--	
9-6D64R4 ü IZ64R M	
9-6D64RR	Lpring for pilot
()O 9R49TI(4 5 4	Cas regulator
9-6D64R9	L8(O7C
ELWAO2:	LW AGE8ilot 30GE7LE
EL3HHGO	counter
Lr.7 R:-RVVDH!D	C4-- (otary Gounter
9RRN49N6NDD /7 :- 874D	Cas (egulator
/elta LEC4--	(otary flowmeter
ELP7--9	SL) P8IOGA3 8(P)E
Z3S+O 9--- /7V- C4D-	turbine flow meter
Z3S+O 9--- /76- CD6	turbine flow meter
converter corus ipD6	Corrector
206-N4-- 879-	7AIS(A3 CAL 1SA7IP2EIE(
Lafety shutNoff valve LLJ VDR9 /74-- 874D	valve
:H--NR4!	CAL 8(ELLS(E (ECS3AIO7C JA3JE
9RRN49N6NDD /7N:- 87N4DT6	
EL3HH)O	counter
:6---449	oNring
9-6!9VD-	valve plug
9-6!R!D-	valve plug
:6--9-96	oNring
()E :HR- /76- A7LO R--	
F-DV9 T W8 Wolte5 /7 V- 1R 4-- 87 4D	Fori ontal Woltmann counter
Z3S+O 9-V- /7V- C4--	turbine flow meter
Z3PLIA(N 2 /7V- N R@	GPS7IE(
((4DN6-N:9NVF	
()E :HR9 /796 A7LO R-- N VDR9	A/YSLIE(

Oraduci	'tecrspisak
/E3IA:-C96T4N 6-LE	(otary Gas 2eter
/E3IA6-C:-T4N 6-LE	
HD9D:D	Lpring
OI(NHD94RH-4	
20 V- C96- /7 V-, 874D, 3 Q 49- mm	lurbine gas flow meter for nonNcommercial measurement
9RRN49N:NH9 /7:- 87 4DT:	
FRH:!	Acceptance test certificate) to E7 4-9-:
4RRNF8N6ND9	pressure regulator
9RRNVN6NH9	gas pressure regulator
lype ((4D T A7 -:9-	(ECS3AIP(
4RRN4NHR-	gas pressure regulator
7r. F9VV4 lype CD6	
()E :-94 /76- J) V6--	Cas regulator ü2EIFA7E CALM
F4664	GybleNLensor AIE+
()E :-94 /76- LAJ V694	gas pressure regulator
Z3:-Z2	
Z3P/OLN2 /7:-	
HD94RH-4	Lpring
H6H:6R	Aluminium (educer
I04--C:--TA7LO46- 3ZTFZ	IS()O7E CAL 2EIE(L
F:VD9	gas pressure regulator
/elta 9-6- C4-- /76- 8m Q4!.R bar	(otary Zewer
/elta 9-6- C4-- /76- 8m Q4D bar	(otary Zewer
/elta 9-V- C4D- /7V- 874D	/E3I(A LO3JE(E/OIOP7
/74-- üZlostar 2M	Water meter
4RRNVND4	gas pressure regulator
9RRN49NVND9	gas pressure regulator
F!:V	
R!!!!-D--	repair kit
/E3IA6-CD6T4N6-LE	
Z3S+O9--- C4-- T I0V-C4--	
()E :HR4 /76- LAJ VDR4	gas pressure regulator
!66N9--N44	
4RRN6NH9 /7 96 87 6	
EL3HHGØ3H--- GI L3HD4+-H4 N G3. G	GPS7IE(
H6-6R6	
lyp /E3IA 1/D- /7 :- 874D	quantometer
C4---	
F-9-D	LtartNup screen for /B0 /7 6- flat
H6HDH4-4	
GA3 Zlodis /746	
)RV4(N+3N9--	(egulator
HD9R6!	Lpring
() :HR9 /76- A7LO 46- T LLJ VDR9	
GU)3E2)SLN62	

Oraduci	'tecrspisak
9RRN49NDNH9	Cas regulator
9RRN49N6NH9 /76- 874D	
20 6- 14-- /7 6-	turbine gas meter
HVV-4!RR	
lype ()E :-R-	Cas regulator
()E :H99 LLJVD49 /74-- 874D	Cas regulator
):9(N//N-H6	
OI(NHD9D6-	
/elta LE 9-V- C4D- /7V- 874D	Zlowmeter JP3S2EI(OG
R!!9HR9-	(epar kit
9--RD.OI(.4-	OI(P7 P8IOGA3 8P(I
:6-.RH.OI(.4-	OI(P7 GPS7IE(LPZIWA(E
L3H--N(:	OI(P7 GPS7IE(
GP(SL EJP;_	
GZNLE7LP(L4.H	
GU)3E4-T6WO(E	
GU)3E B4 6	
/E3IA C:-	
/E3IA CD6	
Z3S+O C:-	
Z346-B8	Z3PLIA(GPS7IE(
G3	
()E :-44 T J/) V644	
206-CD6	1uantometers
repair kit for regulator 9RRNVNDNDD ü4R4z9--N6:M	
repair kit for regulator 9RRNVNDNDD ü446zD--N49M	
H464! T	Watermeter
WE9--2CR6-N-489	Woltmann hori ontal counter
F49R6 T W8 Wolte5 /7 6- 1R :- 87 4D	Fori ontal Woltmann counter
F-6V- T W8 Wolte5 /7 4-- 1R 4D- 87 4D	Fori ontal Woltmann counter
F-DH6 T W8 Wolte5 /7 46- 1R :- 87 4D	Fori ontal Woltmann counter
4RRN6NH9 /7 96 876 / se D,R	
F-H6R	communication module
/-V: T Lervice parameteri ation	8arameteri ation service
WE-6-FB9--N-4	Gounter
WE4--BB96-N-4	
WE46-2BR--N-4	
repair kit for ((4DN96NR4NV7N-RR T 444E6--N-	
444E4--N44	
444z6--N-4	
CL /76- 874D	
20 V-	CAL 2EIE(
7r. F:49D lyte 9RRN49N6NH9	gas pressure control device
Z39-4!-G4DW3NZ	Z3P/OL cold water speedometer
/7 6- 87 4D	

Oraduci	'tecrcpisak
WE-V-YB996N-489	Zlow meter
((N4DNV-N:9NVFNL3NO02.4 /7V-, 874D	pressure regulator
Gyble sensor J9 4H6:!:49AA	Lensor
L3HD4E-H4	
C4D- /7V- A7LO 46-, 4.4D	
499-:!:49)A	WP3IE+ 2 GP3/ WAIE(2EIE(
9RRN49NDNH9 /7 :- 874D	Cas regulator
L3H--- üL3HD4+N(:M	
444zR--N-!	
4:HzR--N-9	
L3H--- üL3HD4+N(:M cl -.9s	
E2P/--4	
()!:-LCNE6.5.5.9.5.6	
E1244DH	2easurement boards
/746 IL7, 1R 9,6N(4D-, 3Q44- mm	Z3P/OL counter
/746 IL7, 1R 9,6N(4D-, 3Q4:6 mm	Zlodis counter
ESIZ--4	
20 V- /7 V-, 874D, 3 Q 49-mm.	Cas turbine flow meter for nonNcommercial metering
9RRN49N6NH9	regulator
F:R6: ü7ominal diameter /7 6-M	gas pressure control device
Z3PLIA(2 /74-- IJ2	
FRV69 N 9RRN49N4NHR-	
F-D-6	Gyble Lensor
SDIV-V4	Cas 2eter
()E :-94	
L3HD4N+-H4	Multifunctional Gounter
DSA)46U44-)(4--3ZG)+7	
DSA)9-U4R-G(4--3Z)+7	
()E :HR9 T LLJ VD:9 /7V- A7LO R--	
Z3S+O 9--- C96- 874D	
FR-69 T C4-- /7 6-	rotary lobe gas meter
F6V:!	Acceptance test certificate) n. E7 4-9-:
C9-46 T)B C:	Onserting
F6VH4 T ((4DNV-N6:NV7	gas pressure regulator
C44-4 T Gode ((4DN-IV	regulator
I(GO)GU6(VDV(4	
F49R6	flowmeter
F-D-D	sensor
6H9HV:: T C96	gas meter
EGOIL3H29P	Gounter
C-:!D T C:- /7 :-	rotary lobe gas meter
!64NV6VN-: T F-R:9	Ompulse taker
C-66V T C4-- /7 V-	rotary lobe gas meter
1/96	
F-9-H	

Oraduci	'tecrspisak
FR-DI Z3S+O 9-- C96- /7 V-	turbine wheel gas meter
F4HD4	
C-:H6	
C-IR:	
Zlostar :- 1R 4D m (4D- /7 :-	
CE-4!!N 9RRN49N:NDD	gas regulator
/EN4-N2O--9N8I)--4	counter
9RRNVNDNDD /76- 874D	
C4- /796	rotary piston gas meter
4RRN:NH9 /7 96	CAL E+8A7LOP7 JA3JE
I0 T Z3S+O C4D- /7V-	
Galibration	
() R999	
membrane for ((4DN6-N6:N497N-RR	
F6:V:	
()E 4V49 /76- 874D	pressure regulator
lype 4RRN:NH9	Cas regulator
I0V- C4-- /7V- 874D	
((N4D=6-N:9N-V7N-RR	Cas regulator
/elta LE CD6 /76- 874D	(otary gas flow meter
I046- CD6- Glass 46- 879-	
Gyblel2 Lensor AIE+	
Aquadis: /7 9-	Water meter
I046- CD6- 879-	
20 4-- C:-- /7 4-- , 874D, 3 Q 46- mm	turbine gas flow meter for nonNcommercial measurement
F4H6R lype L)J 466/	safety blow off valve
FRH6R	
20V- 196-	
Z3S+O 9-V- C4D-	
9RRNVNDNH9 /76- 874D	
):9(NG/N-H6	
OI(NHD9D:H	
Zlostar /7V- 3R6- 1RQD- (R46 R@	
Zlostar /74-- 3R6- 1RQ4-- (R46 :@	
Zlostar /76- 3R-- 1RQ96 (R46 9@	
()E 4V99	gas pressure regulator
WE4--BB96-N-4	
20 V- 96N:-- /7 V-	turbine gas flow meter for nonNcommercial measurement
20 4-- :-ND6- /7 4--	turbine gas flow meter for nonNcommercial measurement
()E :HR9 LLJ VDR9 /74-- 8796	
S7OCAL R-- ü/EM	1uantitative transformations
lest according to 2O/	
lesting and additional costs F)A	
Cefahrgutpauschale	
lype 9RRN49N6N#79-	gas pressure regulator

Oraduci	'tecrspisak
(E :-R9 T LLJ V6R9	Cas regulator
(E :-99 T LLJ V699	Cas regulator
206-/7 6- 874D	Jolumetric gas meter
((4DN6-N6:NV7NL3NO07.4	gas regulator
R\ VH999-	
L)J 466/ üD bargM	safety blow off valve
L)J 466/ ü.: bargM	safety blow off valve
FRH64NOnspection certificate) according to E7 4-9-:	test certificate
I0/74--C96--	turbine gas meter
((N4DNV-NV9N497N-RR	Cas regulator
E2P/--R	
Gyble sensor J9	Gyble technology for reliable water and gas meter data transmission
AG/NC4- c	7atural gas meter
((4DN6-N6:N497N-RR (P2	
4RR /796 874D	
204-- C:--	1uantometer
FRHD-	gas pressure regulator
/elta Gompact C:- /76-	Cas meter
A1SR-	Gold Water 2eter
A1S:-	Gold Water 2eter
WP3IE+6-	Gold Water 2eter
WP3IE+D6	Gold Water 2eter
2DG0:-	1SA7IP2EIE(
4RRN:NH9 /796 874D	
446EH--N49	
!66N9--N46	
((4DN6-N9:NV7 L3NO07.4 /76- 874D	CAL 8((ECS3. WOIF LAZE LFSI PZZ JA3JE.
/E3IA GP28AGI C4-	
/E3IA GP28AGI C96	
2N)SL GU)3E J9.-	
DSA)46U44-)(4--3ZG)+7NZ(	
Z3-6-CPR--N--:	Water 2eter
((N4DN6-N6:NV7N-RR T /7 6- 87 4D	pressure regulator
Z36-6CPR--N--:	
L3HD-N9)4H4	
/elta LE 9-T6- CD6 @	(otary flow meter
part no /elta /76- CD6	
I0TZlu5i C4D- /74--	flowmeter
AGP-----4H- T Zlostar 2 /76-	
AAG-----!-- T Emisor Gyble Lensor 9Nwire transmitter B4	
BOICL24	GA33O7C 2P/E2
LYR.6F	position indicator
4RRNHR-	

Oraduci	'tecrspisak
Bit 2G L3H---	
O7/S)P+ CL2TC8(LT:C E+IE(7A3 2P/E2	
L3HD-N9A4H4	
F:46H T 9RRN49N6NH9	Cas 8ressure (egulator
/elta LE CD6 /76-	Cas meter
/elta LE C4D- /7V-	Cas meter
WP3IE+ 2 /7:--	
WE9--CR6-N-489	
Cas regulator repair kit ((4DN6-NR4NV7N-RR	(epair kit
FRR4- T W20 GZNEOO 1p 4- /7 6-	
GZ66NB4-	
((4DN6-N:9NV7N-RR	Cas regulator
FRHHV	
444E9--N49	
E444N49DN--	
444NR4:N--	spindle
RIVH4:9-	
6DD:IR4!:I6-	
4-4I6A	
Z39-4R-G(4D-W	Z3P/OL GPS7IE(
CG/(206-	Jolumetric gas meter
WGOIG/7462 TSnimag:	S7O2AC GPS7IE(ZP(GP3/ WAIE(
(34--N9-VG4-.L	CAL 2EIE(
((4DN96NR4NV7N-RR T /796	
Let of spare parts for ((4DN96NR4NV7N-RR T /796	
L3HD4+	ActiveT(eactive GI -.6 Pne Way Gounter
A18464R:G J21)R46N BOI	Otron Aquadis; Gomposite Jolumetric Water 2eter
I046- CD6-	
GP(SL EJP ; 8I0	corrector
Ace 8ilot 2eter (eadingTGonfiguration Loftware ü4 I icenseM	Ace 8ilot 2eter (eadingTGonfiguration Loftware ü4 I icenseM
/A3UA /P8 SL) Pptical (eader	/A3UA /P8 SL) Pptical (eader
EA(0B2B44D	SL) P8IOGA3 8(P)E
E3OILWAO2:	Ace8ilot
(epair kit for ((4DN6-N6:N49nN-RR	(epair kit
444E9--N9-	Wearing parts set
(E :HR- /76- 874D IZ64R	