




ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Kuhnke

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
160.000066 (105G310F-24VDC)	Contacteur (relay)
160.000061 (105A220-24VDC)	Relais
105A220-24VDC	relay
160.000072 / 105A310-230VAC	Relais
105A310F-230VAC	Relay
160.000074	Relay
114-A4.230VAC1L	relay
120.000381	position sensor
171-G2 24V DC	Relay
8882CCFCE-24VAC (220.000046)	relay
33.18.115	magnetic sensors
132428	Positionsgeber Reed (3-adrig)
36.290.025	Brass cylinder, double-acting
59176 / 36.290.025	
39.232.004	Pneumatic cylinder
40.100	Miniature cylinder
54.022 / 50563	Pneumatic timer
50274	
60.006	Pressure Wave Switches
64.025 12VDC	micro solenoid valve
62883	3/2 WEGE, SITZV. ELEKTR.
76.410.00.02 (120.000494)	Coil 24VDC
76.077.91.00 (ID: 72335)	
77.012.22.00	
77.012.90.00 120.000557	Ventil
77.012.91.00	solenoid valve
77.012.92.00	
79.022	Type 76 valve
79.027	
81.020	Steel slide valve
81.040.01 24VDC	Solenoid valve
84.214	
AR4023010	"T" switch for cylinder - 2 wires (2,5 mts.)
D 24-BOR-F-DS9420-24VDC	Rotary solenoid
D 29- BOR * -F -DS9420- 12VDC 100%ED / 51544	
D 53- BRL * F80- 24VDC 100%ED (15801)	Rotary magnet

Product	Description
D26-LOL-F-24VDC 4.4%ED	rotary magnet
15801 / D53-BRL-F80-24VDC 100%ED	Magnet
90244	
H6246-F * - - 12VDC 100%ED	Solenoid Actuator
471955502 / HS7085 OEM	spool
IA4F-48VDCM	Relais
IA6F-009M (64,7-116VDC)	Relais
IA6F-48VDCM	Relais
MT321024	Multimode relay
UF3-24VDCN	Relay unit
UA2-131 160.000027 16292	
114A4-12VDC N	Relais
PT570048	Schrack Relais
160.000076 / 105G220F-24VDC	Relay
76.097.97.00	
61319 / 76.022.62.21	
AirBox 32-F-GE-MO	AS-Interface Module, pneumatic
36.290.075	Piston
D 54-..LOL14* -F - - 24VD	magnets
69070 / RM050W-OBOO-F* / 24VDC 100%ED	SOLENOID
72071 / RM050W-OBOO-F* / 24VDC 5%ED	
120.000563	valve
76.410.00.02(ID:57843)	24VDC coil
76.410.02.12 Spule 24VAC 50/60Hz	Solenoid Valve
KU1510.2 50-500V 24VDC	
URM50 - N	Magnet
93025	AS interface module, pneumatic
10939	
48765	
59195	
KU K-F-GE-MOv	Air-Box
105A220F-015	Relais
105A310F-015	Relais
180.000087	
KM 1-FK-SW	Montageplatte
KM-1-FK-GE	
74.000 / 52930	
74.003	3/2-Way Poppet valve
Z 319.02	
Z 438	Haltebügel
120.000153/76.087.97.00	valve
UD1515.2 230	
0497486	Pneumatischer Vorwahlzähler
72.025	
61059	

Product	Description
220.000046	
SP781.0027	Stahlschieberventil
H2406-F / 71123	Linear Solenoid
76.046.11.00	3/2-WEGE,SITZV.,ELEKTR
51.020.03.00	
74.002 150.000016	Pneumatic Valve
HT-D70-F-24VDC 100% ED	Magnet
BI 17-F	Bistable Linear Solenoid
76.146.01.00	valve
76.022.71.21	3/2-Wege Schieberv.
76.026.11.00	3/2-WEGE,SITZVENTIL,ELEKTR
24.291.012 ISO 6432	
26.291.100 Zylinder ISO 6432	
H6206	
RM50-F	Magnet
120.000197 / 36.150.020	Ms-Zylinder ew
36.150.020 (M105714)	
Z393	
Bezeichnung: 36.290.075 Ident-Nr.: 59174	
32-F-GE-MO Ident-Nr.: 93024	AirBox
61565 (39.242.025 KHZ)	Relay
76.027.60.41	valve
76.146.71.21	3/2-way valve
72.015	
H3286-R-F-110VDC	
IA4-24VDC	Relay
49425	
ZER-2-01-2-3-230VAC (160.000028)	
60.006 (150.000303)	
D 54- BOL * -N - - 24VDC 100%ED , 16293	
47.220	
50.400	Drehverteiler M5
50.051	Verbindungsstück M5 - M5
47.255	
105G220-24VDC	relay
770.22.12.00, Art N: 120.000621	Valve
BI 17-F-24VDC 25% ED	Bistable linear solenoid
15801	
65.271.24VDC	mm valve
63.130.10 24VDC	Mini-solenoid valve
64.015 (13110)	Solenoid Valve
12434	magnetic valve
64.070 (82189)	Solenoid Valve 3/2-way
64.074	solenoid valve
65.119.24VDC	solenoid valve

Product	Description
65.127.24VDC	solenoid valve
65.175 24VDC	magnetic valve
150.000073 - 195414	
195411 / 65.231	Kuhnke Solenoid Valve Type 65
65.235 24VDC	magnetic valve
68.030.01	valve
79767	valve
63.052.30	valve
50.880.00.20.00	Pressure regulator
150.000011	Sitzventil Stößel
72.010 / 72.010, NC	Plunger valve, mechanical
MM 15-F-24VDC 25%ED	
105G220	
54.022 (Ident-Nr. 50563)	
D53-BRL-F80-24VDC 100%ED	
105A310F-24VDC	Relais
RS-9527.	Relais
47260	Check Valve
WA27/SG/HB Dichtsatz f. WV0270030DW	
76.147.91.00	5/2-way poppet valve
76.097.98.00	Poppet valves
17400	
E 94 – ROO – N 24 VDC 100%ED	
120.000631 - 52716	valve
120.000045 - 11207	87.024 5/2 steel spool valve
62140	3/2-WEGE,SITZVENTIL,ELEKTR
76.411.00.02	
76.023.26.41	
59181 - 37.150.012	Zylinder
38.290.025 (59452)	
772.12.90.00	
77.212.12.00	
76.087.95.00	
76.410.02.12 Spule	
Ident-Nr.: 29827 (64.014 230V AC 5,5VA NW1,0 3/2 NC ST SCH.)	
D59.LOR.F.DS9420	Electric motor
50.670	
HM157.F.24VDC.100%	Solenoid
E53.LOR.N.DS3679	rotary solenoid
D 29-ROL12,5 F DS9420	
105A310F-80VDC B	relay
120.000640 - 31570	P781.0028 steel gate valve
59442	
76.126.01.00	poppet valve
76.126.11.00	poppet valve

Product	Description
74.001	seat valve, directly operated
MT3230C4 (1 pack x 25 pcs.)	Relay
12165	
P/N: 15801, Type: D 53- BRL * -F80- - 24VDC 100%ED	Rotary magnet D 53
RM050-F-24VDC	magnet
62883 (76.126.01.00)	
KU1510.2 (50-500V 230VAC 50/60Hz)	
D 23-..LOL * -F - - 24VDC 100%ED / 51370	
76.084.18.00	
46.002	
37.290.050	
188150	
105A310F-42VDC	
105A310F-48VAC	
38.190.012	Brass Cylinder
76.410.02.12	Solenoid Coil 24VAC 50/60Hz
76.022.27.00	
RY2S-ULDDC24	
93797	Cable Piercing
105A220F-24VDC	Relaisschütz
93024	AS interface module, pneumatic
76.023.23.41	Schieberventil
RS-9591	
50.806.00.50.00	
4051251	Microsolenoid valve
Z 318.02	Relay base
76.026.23.21	
H3286-R-F 220VDC 100%ED	
76.066.11.00	
D22.LOL.F.24VDC.4.4%ED	
RS-9502-42VDC / 160.000124	relays
72.010	Plunger valve, mechanical
V45-N-24VDC 100%ED	Solenoid V45
KUD 1515.2 230/400V	Relais
P/N: 120.000658, Type: 21.51A.0050	cylinder
A.032.0008.DOM.KT	
120.000660	Pneumatic cylinder
120.000281	cylinder
21.51A.0025	
18.008.06/ 120.000586	accessories
105G310F-220VDC	
00.580.4473/03	
UF3-230VAC1L	Relay
P/n.150.000491 98.020.00	
63.054.10 (24VDC)	valve

Product	Description
E53.BOL.F.24VDC.100%ED	Rotary solenoid
E53.BOR.F.24VDC.100%ED	Swivel solenoid
65.495.00	Plug-in socket
UF3XD 24VDC N	RELAY WITH BASE
1393092-2	
8-1393163-3	socket
P/N: 130.000136, Type: H3286-R-F-220VDC 100%ED	Magnet
68.050.51	Solenoid Valve
38.150.050	Brass-Cylinder
130.000245	Magnet
72.020	Plunger valve
SP778043520	valve with coils
76.073.91.00C / 120.000654	
76.410.02.14 (120.000558)	110VAC coil
81.012	Steel slide valve
160.000267	relay
D 36-..BOR * -M -DS9420- 24VDC 100%ED	
79.020 (58724)	Valve
21.61A.0100	Pneumatic cylinder
21.61A.1500	Pneumatic cylinder
H3246-F **- 4VDC 100%ED (48444)	Solenoid Actuator
76.127.91.00 (57837)	seat valve
D54.LOL.N.24VDC.100%ED	Rotary Solenoid
PT41K-SS	Pneumatic timer
105A310 (230 VAC)	Relay
130.000615 (D22-BRO*-F-24VDC)	magnet
D 59-..ROR *-N-DS9420-24VDC 100%ED	Rotary solenoid
RM 20-F-24VDC 100% ED	Heavy-duty linear solenoid
PT41H	Pneumatic timer 3/2
SL7010-F-24VDC-10%ED (193368)	Lock door
KU 1-F-GE-MO 93021	Air box
85193 / RM 40 - -F* - - 24VDC 100%ED	Solenoid
IA2-24VDC	Relays
5072CCFCE-230VAC (220.000274) 1pack=20pcs	Relais
160.000274	Relay
37.290.025 (59196)	cylinder
776100002	coil
0230031411	dehumidifier
18005	magnet
P/N: 120.000097, Type: 76.123.91.00	5/2-way slider
105A310-230VAC (160.000072)	
50564	Pneumatic Timer
H3446-F 24VDC 100%ED	Electromagnet
IA6F-48VDCM (160.000021)	Relais
195414	Coil

Product	Description
43.138	Accessory set
761432540	Lever valve
160.000061	Relay
20.196.01	Seal kit
IA4-230VAC	relay
BI 8-F - - 24VDC 15%ED 29265	Bistable linear solenoid
BI 13-F - - 24VDC 25%ED 17982	Bistable linear solenoid
21.11A.0100	Cylinder
P/N 65.495.02 / 150.000333	Plug-in socket with LED
76.412.00.02	COIL FOR SOLENOID VALVE
76.066.01.00	3/2-way valve
RM40.F.24VDC.5%ED	Magnet motor
RM080W-HBLL-N* - 24VDC 100%ED	High Performance Stroke Magnet
AL 7011 - F - 24VDC 10%ED (193449)	Magnetic lock
65.111	Kuhnke Solenoid Valve Type 65
VD.050.0100.0075	Pneumatic Cylinder
199190001	DSR Diastar DN15-50 without OB 4-20mA
120.000159	.
D22.ROR.F.24VDC.100%ED	
HS7722.24VDC	Motorised door lock
76.410.02.14 (62499)	Coil 110VAC 50/60H
KE.087.91.00.0012	
RM060W-OBOO-F-24VDC-100%ED	Coil
76.087.92.00	valve
D 74-..LOR *-N (18870)	Rotary Solenoid
PT41C	PT Timer
192417	PS D-Sub cable for motor lock HS7722
60.060.01	Pressure relay
83.212	Slider valve
26.291.025	pneumatic cylinder
KX.11A.0350.1063	
130.000012	
AIRBOX K-F-SW-BI	AS-Interface Modul
5927384	reducer
ARS2320 FS	Function Device USB, Ethernet, CANopen
ARS2310 FS	Function Device USB, Ethernet, CANopen
E56.LOR.F40	
001205	
D53.ROL.N.24VDC.100%ED	Rotary Solenoid
D 53-..LOR *-N - - 24VDC 100%ED	Operating voltage of the swing magnet
D 24-..ROR *-F -DS9420- 24VDC 100%ED	rotary solenoid
D54.ROR.N.24VDC.100%ED	
76.411.00.02 (24VDC)	coil
76.411.02.12 (24VAC)	coil
V45-F-12VDC-25%ED	Valve

Product	Description
76.146.11	Valve
ZFK.63.1400	Cylinder
060.001906	
KX.41A.0050.4148	
18.008.02 (120.000703)	clevis D40 ISO
18.005.02 (120.000507)	Mounting brackets
21.21A1180 (120.000704)	cylinders
76.144.12.00 (120.000684)	valve
AIRBOX K-S-GE-MO	
81.029	valve
BBG-2-600-HDH	Body Blank Gauge
1869601	
BBG-CAL-2L-SA	
Certificate for calibration angle	
HT-D30-F-24VDC 100% ED	sticking magnet
54.025	Pneumatic timer
76.127.91.00	solenoid valve
HM157-F - - 24VDC 45%ED	oppressive solenoid magnets
54.021 (Ident-Nr.: 50154)	timer
K-F-SW-MO	AS-Interface Module, pneumatic
H6286-R-F - - 24VDC 100%ED	
76.127.71.41	valve
77.012.12.00	
D33.ROR.F.24VDC.100%ED	Rotary Solenoid
76.410.02.15	coil
105-A310.24VDC	Relay
UR 050.135 NT95	Cylinder
76.410.00.02 (57843) for quantity 4 pieces	
H 3406-F-24VDC 100% ED	lifting magnet
UR 050.90 NT95	
D22-LOL-F-24VDC 100% ED	rotating magnet
D26.ROR.F.DS9420.12VDC.100%ED	
V30-N-24DC100%ED	Solenoid Actuator
76.124.12.00	5/3 way valve
76.124.02.0076.124.02.00 (120.000713)	76.124.02.00 5/3 way valve
19.304.080	cylinder
Z801	Connector Plug
RM040W-OBOO-N-24VDC.100%ED	
Z836	Stroke Limiter
Z837	Flange Plate
D24.BOL.F.24VDC.100%ED	
D 24-..BOR * -F -DS9420- 12VDC 100%ED / 72167	
51.018.01US	timer
38150012	
39.230.010	

Product	Description
47.251.60	
65.171-24VDC	Solenoid valve
764100002	coil
76.087.91.00	
120.000156	valve
120.000716	
P/N: 060.000442, Type: 1-1393154-5	
H6206-F 24VDC 100%ED	Solenoid Actuator
37.290.100	Cylinder
KA2P.050.0175	Magnetic Twin Shanks Anti-Rotation Cylinder
CBM.32.020.DOM.DX	
CBM.32.020.DOM.SX	
P/N: 120.000020, Type: 81.021	
74.002	Poppet valve
76.067.92.00	valve
694 443 57	Control cabinet modul
694 454 53	Counter-Encoder
694 454 01	Counter module
694 455 02	communication module
77.610.00.06	24VDC coil
D 29-..ROL12* -F -DS9420	magnet
28.291.080	
694 454 16 00	FIO Drive Control
76.143.25.42	version with plastic body
76.127.71.42	valve
E53.ROR.N.24VDC.100%ED	solenoid
81.024	valve
37.250.025	Pneumatic cylinder
18.796.01	
H32-F-HS3025/1 240 VDC	Solenoid
E53-BOR-F-DS5632-24VDC OEM	Rotating magnet
150.000530/195422 - 65.176-110VAC	solenoid valve
680.180.14	bus terminator P-DP
76.146.11.00	solenoid valve 3/2
AIRBOX-1-F-GE-MQ	AS-Interface module, pneumatic
D54-ROL-F-24VDC	
2515025	
184111	FIO bus coupler DI16 DO16
182639	
195227	
182646	
p/n: 53954 type: 105A310F-230VACHE	relay
D 32-..ROR	
694 454 16 00 / 196876	FIO Drive Control
17514	BRAKE ELECTROMAGNET

Product	Description
51550	Rotating solenoid
77.012.14.00	
H3486-R-F - - 24VDC 100%ED	Solenoid
33.008.18.05	
77.032.91.00	valve
50.880.00.80.00	Pressure regulator
81.021	
84.230.01	Solenoid Valve
770229100	valve
D29.LOL.F.DS9420.24VDC.100%ED	Solenoid
D 24-BOR-F-DS9420-24VDC 100% ED	rotary magnet
D 24-..BOL * -F -DS9420- 24VDC 100%ED	rotary magnet
D 34-BOR-F-DS9420-24VDC 100% ED	Rotary solenoid
200004891	2/2 magnetic valve
76.094.08.00	
770129000	valve
90195	
19.194.050	
H6246-F * - - 24VDC 100%ED	Solenoid Actuator
76.083.98.00	
81.025	
438956101	door lock
37.400.02	Cylinder Seal Kit
46.000	seat valve, mechanical
RM080W-HBOO-N / 77459	Solenoid
60972	
8000554	Valve
76.067.94.00	
76.136.01.00	
60G700 / 36.290.025	cylinders
79.029	Valve
D26-BOR-F-DS9420-24V DC 100 ED	
D29-BOR-F-DS9420-24V DC 100 ED	
694.412.01	Umbrella clamp
694.412.02	Shield terminal
RS9558-230VACH	
28291025	0.5-10 BAR PISTON
E56.ROL.F40.24VDC.100%ED	magnet
21.51A.0250	Pneumatic Cylinder
D54-BOR-F-24VDC	electric motor
KX.51B.0125.2389	
D39.LOL.M.DS9420.12VDC.100%ED	
1VDC000009R0005	Coil
1VDC000009R0002	Coil
D26.LOR.F.DS2993.24VDC.100%ED	

Product	Description
76.136.21.00	Valve
76.411.02.14	
76.143.91.00	
76.067.81.41	valve
D23.ROL.F.24VDC.100%ED	
76.746.01.00	
D56LOR-F-DS9420	
81.029 /58720	ROUTER
old code 76.026.71.21 new 76.126.71.21	
76.126.71.21	
AR380050 / MP 1024-F/VA	load cell
76.027.95.00	solenoid
76.410.02.14	Reels
33.21.326	Pneumatic Proximity Switch
114-A4.24VAC1L	relay
21.41A.0050	
76.123.71.41	solenoid
77.610.00.06 24VDC	coil
D92-LOL-N-24VDC 100%ED	ROTARY SOLENOID
19104010	cylinder
81.014	Mini chair pneumatic valve
D59-BOR-N-DS9420-24VDC100%ED	
D59.BOR.F.DS9420.24VDC.100%ED	Rotary Solenoid
Code 72.015	MACROVALVE AND BUTTON
toggle/lever switch for 74.002	
24.291.015	
76.023.71.42	valve
76.023.95.00	pneumatic piston
39.240.025	Pneumatic Clamping Cylinder
28.29.050	CYLINDERS
4-1415033-1	
VF.032.0025.D10	cylinder
MT336230 / 060.000370	
20.596.01	Cylinder seal kit
20.504.0075	Cylinder
213R11	Seal kit
87.040.01.24VDC	solenoid
13282 - 83.240.01-24VDC	DYN valve
21.11A.0075	
E54-BOR*-N-24VDC 100%ED	magnet
VF.063.0150.DOM	cylinder-piston
150.000071 / 65.171-24VDC	solenoid valve
51.006.00	Zeitglied
E52.BOR.N.24VDC.100%ED	
76.083.97.00	

Product	Description
76.027.94.00	solenoid valve
76.067.91.00 (12v dc)	compressed air distributor
76.410.00.01 (12VDC coil to suit)	
182634	
KE.023.71.42	
21.41A.0400	
19.504.015	
4013331	conversion kit
35.150.080	PRESSURE CYLINDER
KE.023.71.41	
K6310.0115	
81027	
760879400	
D52ROL-F-24VDC-100%ED	D5 Series Rotary Solenoid
C.050.0075.DOM	
D52.ROL.N.24VDC.100%ED	
H3486-R-F 220VDC	
33.20.501	
SP778013520	
47.076	
47.075	
67.499.02-old code ,new code- 65.495.02	
76.420.00.99 (left)	MANIFOLD End Plate - Left
76.420.00.01	
76.527.91.00	
76.420.00.98 (right)	MANIFOLD End Plate right
160.000162	
701.002	rotary drives
21.11A.0500	
KE.087.97.00.0012	
36.290.150	compressed air cylinder
76.144.25.39	
64.017.24V	Coil
KX61A05004222	cylinder
76.047.69.41	Pedal
76.420.00.12	Iso 2 single subbase
76.420.00.14	Subbase x iso 2 battery
76.420.00.85	Alim subbase. /close iso 2
76.420.00.32	Blind plate x iso 2
38.250.025	
RM080W.OBOO.N.24VDC.100%ED	magnetic actuators
V30.N.24VDC.100%ED	
D23.ROR.F.24VDC.14%ED	Solenoid Valve
59196	Piston
130.000165 - 97940	

Product	Description
201885	Coil
D39.LOL.M.DS9420.24VDC.100%ED	
76.147.81.41	
060.000297	
KE.042.27.00.3848	valve
36.250.075	pneumatic piston
776100012	24VAC coil
123B-50250/1	
33.19.200	sensors
761448138	compressed air valves
760422721	compressed air valves
85.030.01	air distributor
Vitoflame 200 / Z004790	
85.022 / 120.000046	
120.00074274514/19.104.025	SHORT STROKE CYLINDER
76.266.01.00	solenoid valve
39027 / RS-9558	Relais
19294025	cylinders
H34-F-HS3144	Solenoid lock
64.025 24V DC	micro solenoid valve
46.001	valve
21.41A.0150	
150.000073 / 201899	solenoid valve
150.000530 / 201898	solenoid valve
2111A0250	piston
691.200.01	
120.000746 / 76.420.00.29	
201088	
D26.BOL.F.DS9420.24VDC.100%ED	
21.31A.0750	
160.000267 / RS-9564	
160.000292 / RS-9529	Relais
EMI-SS-224A	
D52.ROR.F.24VDC.100%ED	
RS9529 (105-G310F.230VAC)	
RS9564 (105-G220F.230VAC)	
76.387.97.00 / 120.000747	3/2-way valve
AC.3A.0160.MX.0160	
16.109.11	
SP750.0315	reducer
HDM.063.150.GS.M	
HDM.040.250.GS.M	
761279200	
77.610.00.07	
RM32.R.F.24VDC.100%ED	

Product	Description
74.004	
47.002	
38.250.050	Pneumatic cylinder
D54-ROR-F-24VDC / 130.000440	magnet
D64-ROR-N-24VDC / 130.000330	magnet
D64-BOR*-F-24VDC / 130.000469	magnet
Z376.02 - 7A / 300V	
50.780.00.10.10	microregulator
D96-BOO*-N-205VDC 5%ED	magnet
D54-LOR40-N-24VDC 100%ED /	magnet
38.250.075	Cylinder
RM040W.OBOO.F.24VDC.100%ED	Solenoid
81.044.01.24VDC	
39.242.025	
48.250.00.10.10	Pressure Regulator