



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Pneumax

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
0790320608D (0MRB310)	handle
104.32.6.30.LC	3/2 way valve
1260.25.100.M	Cylinders
1260.40.70.MAX	small cylinder
1260.50.0100	Small cylinder
1280.32.F	
1320.50.100.01	cylinders
1320.50.50.01	cylinders
1320.80.200.01	cylinders
1321.50.100.01.X	
1321.50.160.01X	Zylinder ISO 15552 - VDMA 24562
1385.50.50.02	
1500.DC.5M	Magnetic sensor
1501.40.10	short-stroke cylinder
1501.40.60	Short stroke
1502.20.10	Short-stroke cylinder
1511.32.100	short stroke cylinder
1511.32.150	short stroke cylinder
171E2N.C.D.0009A	Proportional pressure regulator
17204 B.B.C	filter regulator
1763.80.NR	pressure translator
214/2.52.55/2	5/2 Lever Valve
PN06136.220	PNEUMATIC CYLINDER-Q50-MAGNETIC-CORSA-STROKE
228.52.6.27	5/2 directional valve
2304.52.00.35.02	
2304.52.00.39.02	5/2 valve ENOVA
412/1.52.0.0.S5 (24V/DC)	5/2-Wegeventil G 1/2
2306.52.00.35.02	5/2-way valve ENOVA
2317.20	profile seal
2420A09984	round cylinder
2431.52.00.35.09 (24V/DC)	5/2-way valve G 1/4
2431.52.00.39.09 (24V/DC)	5/2-way valve
2431.52.00.39.62	Ventil
2435.52.00.29.02 (24V/DC)	5/2 way valve
305.11.00.L-24V	socket
305.M5 (24V/DC)	3/2-way micro valve

Product	Description
395.01	Base for electrical valve
428.32.0.1.S5	3/2-way valve
468/1.32.0-1NA-M2	
6425A00951	5/2-way valve
771.32.0.1.AC.M2	
772.32.0.1.AC.M2	directional poppet valve
824.52.2.9.M2	5/2-Wegeventil G 1/4
858/2.52.3.6.M2	5/2 way valve
858/2.52.3.9.M2	
878/2.52.2.9.M2	110 was bobbin
0PGL104 (H100A00985)	Special version rotary cylinder
H100C00005	Pneumatic cylinder
1511.32.0020.XZ	PNEUMATIC CYLINDER, BAR, Ø:32 MAGNETIC , STROKS:20
H100C00165	Kurzhubzylinder in Sonderausführung Magnetkolben
MB57	Magnetspule
N331.0A (24V/DC)	3/2 ways miniature valve
N331.8B (24V/DC)	miniature valve
N371.1	Micro electrovalvles for pneumatics 3/2 nc 90° 24
N371.3 (24V/DC)	Ways miniature valve
OPGL161.2	
PN07271 (N371.1)	3/2 way miniature valve
RG1319/0019	Gasket Set for 1321.80.0.01
RG1383/0003	Seal kit for 1383 (84-85) .50.0.01
RK434/0014	Repair Kit
RS.UA	Magnetic sensor
RS.UAC1	magnetic sensor
T228.52.11.1	
Art.Nr. 1390.63.60.01	ECOLIGHT Cylinder
Art.Nr. RG1390/0004	seal kit
Art.Nr. 1390.63.160.01	ECOLIGHT Cylinder
858/4.52.3.9.M2	5/2-Wegeventil G 1/8
1262.20.50.M	Small cylinder
1301.32.13/1F (1320.32.13/1F)	Fork head
6.04.18	Or valve
RG1319/0002	
1260.50.100	
1511.40.15	Short-stroke Cylinder
1320.40.100.01	Profilrohrzylinder, doppelwirkend
1320.125.230.01	Profilrohrzylinder, doppelwirkend
1320.80.230.01	Profilrohrzylinder, doppelwirkend
0FDT102	
RGR5.20	Winkel-Steckverschraubung M5
RDR3.20	Gerad-Steckverschraubung M3,
RDR3.30	Gerad-Steckverschraubung M3,
RDR5.20	Gerad-Steckverschraubung M5

Product	Description
RDR5.30	Winkel-Steckverschraubung M5
RGR5.30	M5 angle swivel coupling,
RGSR5.20	
900.18.9	Zweihand Steuerblock
MB22	Magnetspule
N371.4	Wege Miniaturventil
N338.0E	3/2-way miniature valve (15mm)
2431.53.31.35.09 (24V/DC)	5/3 way valve
2411.52.00.39.09 (24V/DC)	5/2 directional valve
RGSR5.30	
RDSR5.20	
RDSR5.30	
1260.32.F	Halter
PN06472	PNEUMAX Ventil
1740.50.NR	Pressure transducer
1561.80.120.01.1	“EUROPE“ Kompaktzylinder
17304B.B.D	Filter regulator
1391.50.50.01	cylinder
1390.B	Halter für Magnetsensor
1321.80.200.01V	Zylinder ISO 15552 - VDMA 24562
2435.52.00.36.02 (24V/DC)	5/2 directional valve
228.52.5/1	5/2 Wegeventil
488.52.0.1.M58	5/2 ECO valve
224.53.32.9.1/1	5/3 Wegeventil
2431.52.00.35.12	
2635.53.31.24.02 (24V/DC)	VALVE
412.53.31.0.0.S5 (24V/DC)	5/3-way valve
484.52.0.12.M11 (24V/DC-3.8W)	5/2 Wege ECO-Ventil
5325.32E	Profibus Slave
2308.52.00.35.02	5/2-way valve ENOVA
228.52.4.1	5/2-way valve
858/2.53.31.3.5.M2	Valve
773.32.0.1C.M2	3/2 way valve
0001344531E	PNEUMAX Ventil
MC5	Magnetspule
1011.52.1.9	5/2 Wegeventil
2308.52.00.39.02	way valve
2141.52.00.35.12	5/2 Wegeventil
2141.52.00.36.12	5/2 way valve
2415.53.31.35.05	5/3 Wegeventil
17304B.B.C	Pressure regulator
17303B	
T171BRMC	
T171BL	
228.32.0.1	3/2 way valve

Product	Description
2541.52.00.39.02 (24V/DC)	5/2 Wegeventil
773.32.0.1.AC.M2	3/2-way valve
228.52.8/1	
PN99298.25	Special Piston
MB11	Solenoid
1511.63.40	Short stroke cylinder
PN95346	Modified Cylinder
0PGL161.2	Ventil in Sonderausführung
212/2.32.11.1	3/2 Wegeventil
2141.52.00.39.92	Pneumatic valve
105.32.2.1	3/2 way valve
1511.63.50	Short stroke cylinders
2241.52.00.39.02 (24V/DC)	5/2-way valve OPTYMA32-S
828.53.32.3.5.M2	5/3 way valve
828.52.3.9.M2	5/2 directional valve
2435.52.00.39.82 (24V/DC)	5/2-way valve G 1/8,
N338.OE-8	3/2-Wege - Miniaturventil (15 mm)
T500814U	shut-off valve
1021.52.3.9.M4R	5/2-way valve, with polyurethane seal Spring Return
MB9	solenoid
228.32.2.1/1	3/2 directional valve
228.32.4.13	3/2 Wegeventil
1500.DC	Magnetic sensor
228.32.11.12	PNEUMATIC CONTROL VALVE
214/2.52.8/2	
0PNT241.1 (805.52.0.1.02)	
diverse 1281.20.100	Zylinder
1281.20.200.M	Kleinzylinder ISO 6432 "MIR"
1260.32.150.M	small cylinder
1200.32.03	Swivel fork
105.52.6.40D	5/2 way valve
772.32.0.1C.M2 = PG2A301EC10000	3/2 way seat valve
2531.52.00.39.02	solenoid valve
5323.22	Profibus DP module
1319.40.50.01	rollers
1319.40.80.01	Profile tube cylinder
1321.80.100.01	Profile tube cylinder
0FDT359.1	Valve (pedal)
808.32.11.1	3/2 way valve
999180300019662 / 171E2NTD0009	Proportional pressure regulators
17402 NB.P	Druckregler pneumatisch
2435.53.31.35.88	5/3-way valve
2435.52.00.35.88	5/2-way valve G 1/8, FLAT
104.32.0.1.PA	3/2 way valve
10452622/2L	

Product	Description
104.6.23/2	Push button protruding
105.32.0.1	
105.52.0.1	5/2 way valve
105.52.2.1	5/2 directional valve
105.32.2.1/1	3/2 way valve
105.52.2.1/1	way valve
N361.1	Wege miniature valve
N371.3-VA	
878/2.52.3.6.M2	
488.52.0.0 M11	5/2 Wege ECO-Ventil
900.18/1-4	Druckschalter P/E
RS/OR2125	
RK1701A/022	
RS/1701/7	
RK1701A/013	
2635.52.00.24.02 (24V/DC)	5/2 way valve
N341.8C (24V/DC)	
17104A.B.D.PS	Filterregler
488.32.0.1.M58 (230V/50-60Hz)	3/2 way ECO valve
N338.R0E	3/2-way miniature valve
2435.52.00.35.02 (24V/DC)	5/2 directional valve
2308.62.44.35.02	2x3/2-way valve ENOVA
1071.52.3.5.M2	
1021.52.3.6.M3R	
414/2.32.0.1.C05-1	
6303.40.DF	Angular gripper
6303.40.DL	Angular gripper
824.52.1.9	Wegeventil
214/2.32.55/1	.
1605.25.350.01.M	Piston Rodless Cylinder
17302B.D	
6301.25D	
828.52.3.6.M2	Solenoid Valve
1260.20.200	Piston
2435.52.00.17	Distributor
2435.52.00.19	5/2 way valve
0ORM100.A (1260.20.50)	Kleinzyylinder - ISO 6432, doppeltwirkend
1260.32.240.M	Pneumatic cylinder
N337.0A (230V/50-60Hz)	Wege miniature valve
1280.32.50.AM	
1348.40.150.01	square piston cylinder
17204B.B.D.S	
RS/1702/41	filter element
2419A0010	Rundzyylinder
8884.52.00.39.F00	

Product	Description
8884.52.00.35.F00	valve
305.11.00.L-110V	
2541.62.44.35.02(24V/DC)	2x3/2-way valve
2435.52.00.39.78	valve
1500.U/1	Magnetsensor
2431.52.00.39.48	
228.53.31.9.1/2	5/3 way valve
1501.32.10	
8884.53.31.35.F05 (24V/DC)	5/3 way ECO 22 valve
8884.53.32.35.F05	5/3-way ECO 22 valve
105.32.6.40C	valve
6.01.18/4	Fine Throttle Check Valve
1260.10.15 M	
T172BEMBCS	Airplus G3/8 Size 2 Filter Regulator
H100A00065 (1271.25.25)(0PGL122)	
1349.40.250.01	
1380.40.03F	Flansch
1262.20.15 (stock)	Kleinzyylinder ISO 6432
S5	Valve
214.52.10/1	5/2 Wegeventil
0PXB582	Pilot valve
224.53.32.9.1/2	1/4" BSPP Female Lever Valve
224.53.31.9.1/2	5/3 Wegeventil
878/2.52.3.9.M2	
214/2.32.0.1	3/2 way valve
104.52.6.31.P	
GN173BJC	
2531.52.00.35.02 (24V/DC)	5/2 directional valve
N174BEBD	diverse
858/2.52.1.8	5/2 Wegeventil
Seal kit 234/2.52.11.11	
RS.DCNO	magnetic sensor
214/2.52.11.11	
2435.52.00.39.62	Directional valve
1280.16.25.M	Kleinzyylinder ISO 6432 "MIR"
RG858/0003	
RK1703A/014	
2645.52.00.36.02 (24DC)	
MB56	solenoid
PN01532(858/4.52.3.9.M2)	5/2-way valve G 1/8
2415.52.00.35.02	5/2 directional valve
19M14.S.10.SS.R0	Einstufiger Vakuumerzeuger
1580.HAP	miniature sensor
6.08.14/4	Verteiler
6.01.14.N	Throttle check valve

Product	Description
RK1386/0016	Kolbendichtung
RG1380/0004	Repair kit
1511.32.160.XZ	Kurzhubzylinder
2435.52.00.39.06 (110V/AC)	Electric spring reset
104.32.0.1.PC	3/2-way valve
1511.50.20X	Kurzhubzylinder
RG1390\0001	Dichtungssatz
171S2B.0007	Precision pressure regulator G 1/4
0PIF471	valve
551.231.D8.M2.XX	BLOCK-VALVE
424/1.32.0.1.S5	Wegeventil
1501.63.5	short stroke cylinder
RK1500/0006 (1501.63.0)	Cylinder kit
PN97337 (1328.50.70.02)	Compact cylinder
RG1319/0012 / 1319-1320.63.0.01	seal kit
RS/OR44x2.5	seal
RS/OR2075	seal
RS/OR2037	seal
RS/OR106	seal
428.32.0.1	3/2-way valve
0PLG161.1	Solenoid Valve w/ Coil
2531.52.00.36.02 (24V/DC)	SOLENOID VALVE
N173BFA	Airplus Filter
1581.63.10.07.1	Pneumatic cylinder
243552003558	
N371.32	Way miniature valve
MB58	solenoid
305.11.00.L-230V-LED Grün	connector
104.53.32.6.30.1.P	5/3 way valve
824.52.3.9.M2	Directional valve
60205	Quick exhaust valve
60705	check valve
101M5M5	CYLINDRICAL NIPPLE
RPXT230406	Y INNESTABILE 2 X 4 + 1 X 6
TB230406	Y-Connector
105.32.6.2/2	Valve
105.32.6.2/1	Microvalve
412/2.52.0.1.M2	Solenoid Spring Valve
RK228/0078	Pivoting lever
B011212	fitting
B011012	fitting
0PTC001.200.B	Pneumatic cylinder
RK1703A/001	Diaphragm for venting
478/1.32.0.1NA.M2 (normally open)	
478/1.32.0.1NA.M2 (normally closed)	

Product	Description
1321.50.350.01V	cylinder
468/1.32.0.1.M2	
1013.52.3.6.M3R	way valve
H200A00070	5/2 way valve
2411.52.00.36.02 (24V/DC)	Solenoid Valve
RSPP063003300	Piston
X2411.52.00.35.02 (24V/DC)	
XN331.0A	Way miniature valve
RSPP063064450	Piston
RG1383/0004	Gasket kit
2445.52.00.39.02	5/2 way valve
MC57	Magnetspule
1319.40.200.01	Cylinder
RG1319/0023	seal kit
RGHOF118B/0001	Sealing set
0HOF118.B	Short stroke cylinder
2420A1783, 1261.25.360.AL	ISO 6432 small cylinder
1308.63.100.01	Pneumatic cylinder
N341.0A	miniature valve
N341.0B	miniature valve
1386.32.160.01	cylinder
105.32.11.1	3/2 way valve
171E2N-T-D-0009A	Proportional pressure regulator
17204B.C.D.S	filter regulator
243152003902	
RG1319/0005	Repair kit
6.04.05	VALVE
305.M1	3/2-way micro valve
1319.63.190.01	PNEUMATIC CYLINDER
6.07.14	UNIDIRECTIONAL VALVE
1321.100.325.01	PNEUMATIC CYLINDER
488.52.0.1.M11 (24V/DC-3.8W)	valve
17220	Progressive starting valve
RK234/0004	Repair Kit 234.52.11.1
224.52.11.1	5/2 way valve
1320.63.0300.01	Profile tube cylinder
X2431.52.00.36.09	Solenoid Valve Pneumax
RK1013/0001	
RK1383/0011	Piston complete
1387.80.300.01	ECOPLUS-T cylinder - ISO 15552
1387.50.160.01	CYLINDER
2435.52.00.39.15	way valve
1501. 50.0015	Short stroke
333-020E//	repair kit
228.52.2.1	5/2 way valve

Product	Description
6430A0093 (OEM)	
1260.32.100.M.A	small cylinder
2415.52.00.36.02	valve
2431.52.00.39.06	Valve
RG1319/0006	
N371.R16 (24V/DC)	Valve
779.32.11.1C	3/2 Way Seat Valve
RG1319/0017	NBR 50mm Seal Kit to Suit 1321 Cylinder
1021.53.31.3.5.M4R	valve
1400.63.350.03.06	
805.52.0.1.02 (24V/DC)	Pneumax Type V 24 DC
1511.40.0050	CYLINDER, PNEUMAX COMPACT BORE 40 STROKE 50 DOUBLE ACTING MAGNETIC
1511.32.20	PNEUMATIC CYLINDER
UMB5	magnetic coil
105.32.11.11	3/2 way valve
1400.40.240.03.06	Oil brake cylinder
858/3.52.3.6.M2	5/2 way valve
PN07251.15 (1280.25.0)	Small cylinders - ISO 6432, double acting
488.32.0.1.M11	Valve
1387.63.125.01	Pneumatic cylinder
MB10/1	coil
1581. 80. 20.03.1	Compact cylinder
MB5	coil
M3R	electric control
RG1319/0020	Seal Kit for Cylinder
N331.2A	
1260.32.10.MA	Small cylinder
105.32.6.40A	3/2 way valve
2531.52.00.39.02 (24V/DC)	5/2 directional valve
2530.02.37P	Base plate, left
2241.52.00.35.02 (24V/DC)	Pneumatic valve
2241.52.00.36.02	Pneumatic valve
2306.52.00.39.02	Pneumatic valve
228.52.8/2	5/2 way valve
468/1.32.0.12.M2	3/2 way valve
1012.53.31.3.5.M3R	5/3 way valve
1011.53.31.3.5.M4R	5/3 way valve
1550.40.100.11.1	cylinder
T772/V.32.0.1.MP	3/2-way - vacuum valve G 1/2,
TB290418	Plug-in throttle check valve
428.53.32.0.0.S22 (110V/50Hz)	5/3- Way Valve
228.52.4.13	5/2 directional valve
G1021233M	Stop cylinder
T173BVEB2	ELECTRIC SHUT-OFF VALVE

Product	Description
1386.40.160.01	Cylinder
1511.40.20X.SL.20	Short stroke cylinder
T514.52.00.39.B56	SOLENOID VALVE
T173BEMBC	Airplus filter controller G1/2
1504.40.40	Short stroke cylinder
PXG.VE.T-ECO.0004	Valve unit
T488.52.0.1.M11 (24V/DC-3.8W)	5/2 directional valve
T488.53.31.0.0.M11 (24V/DC-3.8W)	5/3 directional valve
17101B.A.P	filter
1280.32.350.AM	Small cylinder ISO 6432 "MIR"
104.32.6.30 P.C	directional valve
1500.U-5M	Magnetic sensor
104.32.2.1.LA	3/2 directional valve
1580.U	Miniature sensor
6.09.12.UN	Check valve
6.02.18	Quick air vent valve
214/2.32.2.1/1	3/2 way valve
RG214/0001	Seal kit
2445.52.00.36.03	Valve
T424.52.0.1.B05 (24V/DC	5/2 directional valve
TB280618P	Plug-in throttle check valve
TB101200	Plug - Bulkhead connection
TB101000	Plug - Bulkhead connection
TB100800	Plug - Connection
TB100600	Plug - Bulkhead connection
TB010814	Plug - Straight fitting G 1/4
TB010614	Plug - Straight fitting G 1/4
TB221212	Plug - Angle fitting G 1/2
TB221012	Plug - Angle fitting G 1/2
SSCG12-12	Male stud fitting straight 1/2"
RIPUC15444	Distribution Bar
TB050600	Plug - T-connection, plastic
TB050800	Plug - T-connection, plastic
TB22T0618	Plug - Angle fitting G1/8
TB22T0614	Plug - Angle fitting G1/4
TB22T1014	Plug - Angle fitting G1/4
IPLL06-G02	Plug-in angled fitting
IPL08-G02	Plug - Elbow fitting 1/4
IPLL10-G02	Plug-in angled fitting
0FIP232	pneumovibration
1740.50.N	Pressure intensifier
501414U	Shut-off valve
50G1212U	unlockable check valve
T771/V.32.0.1.MP	3/2-way vacuum valve
828/7.53.31.1.8	electrically operated 5/3 directional valve

Product	Description
2431.52.00.35.88	5/2-way valve
1260.32.40	Small cylinder
171E2N.T.D.0005	proportional pressure regulator
8245235M2	Valve
73E2N.T.D.0009	Proportional pressure regulator
771/V.32.11.1C	Vacuum valve
858/2.52.3.5.M2	5/2 directional valve
2445.62.44.35.02	directional valve
1011.52.3.9.M3R	5/2 directional valve
0PXD429.C	
RG858/0006	Gasket set
T172BVL	Airplus Size 2 Shut-Off Valve G3/8
T172BPA	Airplus G3/8 Size 2
T173BEMBDS	Filter regulator
MB57	solenoid
5300.F15.00.03	Sub-D Straight Plug
PNM0279	Adapter for proportional pressure regulators
PNM0284	Adapter for proportional pressure regulators
8884.52.00.39.F05 (24V/DC)	5/2-way ECO 22 valve
RK1390/0005	Repair Kit 1390 (91) .80.0.01
RG1390/0005	gasket kit
412/1.52.0.0.S5	
771/V.32.0.1.A.M1	Vacuum valve
0PIF338	pressure regulator
MRS.U	miniature sensor
104.53.32.6.28.1.L	Pneumatic switch
17100.125.NR	Pressure Translator
1480.110.A.D.0	Hydropneumatic cylinder
1319.40.320.01	rollers
173S2B.0007	Precision pressure regulator G 1/2
414/2.32.0.1.M2	3/2 directional valve
P173BDCV	Air plus oil separators
468/1.52.0.1.M2	Valve
514/N.32.0.1.M2	directional valve
228.53.32.99	directional valve
1260.32.10.M	Small cylinder
PXF 1352-50-C-D	Compact Cylinder
PXF 1352-60-C-D	Compact Cylinder
PXF 1352-80-C-D	Compact Cylinder
2435.52.00.35.12	
RK1383/0003	Piston complete
1501.50.100	Short-stroke Cylinder
1501.32.60	Short-stroke Cylinder
1504.50.5	Short-stroke Cylinder
1301.50.13/1F	clevis

Product	Description
858/4.52.3.6.M2	directional valve
AF.E.250.104	
0FDT252	Miniature Short-stroke Cylinder
1303-1304-1305.63.0.01	
224.32.11.1	directional valve
C1D225BG1A01	Automatic Kraft Spanner
LED RS.UA	Magnetic sensor
T488.52.0.1E.M2	5/2-way valve
T488.52.0.0.M2	5/2-way valve
T488.52.0.1.M2	5/2-way valve
17304B.BDS	Filter regulator
171S2B.0004	Precision pressure regulator G 1/4
104.32.0.1.LC	3/2 directional valve
PVA.B.DE.N.T.D.F	2/2-way multi-media valve G 3/4
RS.DCC1	Magnetic sensor
228.32.6.13/1	3/2-way valve
6.09.14.UN	throwback
1281.32.125.AM	Small cylinder
1281.32.200.AM	Small cylinder
828.53.31.1.8	5/3-way valve
1562.32.80.01.1	Compact Cylinder
414/6.52.0.12.M2/L	5/2-way valve
858/2.52.1.6	5/2-way valve
2435.52.00.18	
RG414/0002	
RS.UA/1L	Magnetic sensor
X5T4.52.00.35.M2	
1581.20.30.02.1	"EUROPE "Compact Cylinder
6100.25.20.B	Compact Cylinder
1319.50.500.01	Cylinder - ISO 6431 VDMA 24562
1319.40.30.01	Cylinder - ISO 6431 VDMA 24562
1501.40.15	Short-stroke Cylinder
1581.25.30.02.1	"EUROPE "Compact Cylinder
1581.25.30.01.1	"EUROPE "Compact Cylinder
1511.50.100	Short-stroke Cylinder
1319.80.500.01.B	rollers
1011.53.31.3.5.M3R	5/3 directional valve
805.52.11.11	5/2-way valve M 5
1511.32.25	Short-stroke Cylinder
2415.52.00.36.15	5/2 directional valve
2306.52.00.35.02 C6	valve
2308.52.00.36.02 B8	5/2-way valve ENOVA
2308.52.00.35.02 C8	valve
N331.R0A (24V/DC)	Valve
1515.50.15.20	Tandem Short time Cylinder

Product	Description
173E2N.C.D.0009	Proportional pressure regulators
RG1605/0004	Gasket set
RK1605/0004	cylinder head
2411.52.00.39.12 (24V/DC) (D45519312.)	5/2-way valve
RG1383/0005	Gasket set
2431.52.00.39.06 (110V/AC)	5/2-way valve
1319.80.100.01	Cylinder
2541.52.00.35.02	5/2 directional valve
2540.02.37P	Input baseplate
2540.03.00	Input baseplate
T500618U	shut-off valve
2540.12.37P	Input baseplate
2541.52.00.36.02	5/2 directional valve
171E2NTD.0006A	Proportional pressure regulators
RKT1703A/104 (T173BDCV)	Container with protection and semi-automatic condensate drain
RS/1703/261	Filter Element
T173BFA	Container with protection and semi-automatic condensate drain
MRS.UAP	Miniature sensor
2415.52.00.39.02	5/2 directional valve
2306.62.44.35.02	2x3/2 directional valve
T288.32.9 1/2	3/2 directional valve
1386.63.150.01	ECOPLUS-T cylinder
RG1380/0005	Gasket kit
MB 66	coil
1400.40.200.03.06	Oil brake cylinder
1280.32.30.M	Small cylinder
T173BRD	
1280.10.15.M	Small cylinder
900.18.1-1	Pressure switch P/E
484.52.0.1.M11	5/2-way ECO valve
1319.32.75.01	cylinders
Repair kit for G1021001-1 (G1021001/2)	repair kit
1387.80.200.01	ECOPLUS Cylinder
RKT1703A/104	Container with protection and semi-automatic condensation drainage
SPLR-06	Suppressor
N338.0A (3/2 NC)	
1396.32.200.01	
1396.32.100.01	
1396.63.75.01	
1280.25.50.MX	Small cylinder
2615.52.00.39.08	Solenoid valve
1500.U	magnetic sensor
105.32.7.1/1	3/2 way valve

Product	Description
1260.32.150	Small cylinder
228.52.10	5/2 way valve
MD57	solenoid
1390.40.300.01	
1605.40.950.01M	Roller without rods
1390.40.250.01	
1605.40.2500.02M	Rodless cylinder
1390.40.600.01	
RG1319/0011	gasket set
488/1.52.0.1.D5 (0001344195B)	Valve
464/1.52.0.1.m2	5/2 way valve
MB5 (Coil)	Solenoid
0PXM386.C	
1605.32.660.01.M	Roller without rods
RK428/0008	wear parts set
RS/1702/13	20 ym filter element
17103A.P	
T228.32.11.11	3/2-way valve
MB24	Solenoid Coil For Pilot Valve
8884.53.31.35.F00	valve
G1018971	Pressure cylinder
M042-12-20	
0PGL187	
2415.53.32.35.18	5/3 way valve
212.53.31.9	5/3-way valve
T221018	Mounting with swivel clamp
T221018K	
RKT1703/238	oil separator cartridge
RK1200/0512	supplies
RK1396/0012	repair kit
RK1560/0036	repair kit
T488.52.0.1.M57 (110V/50-60 Hz)	5/2 way valve
774.32.0.1C.M2	3/2 way seat valve
1580.U	miniature sensor
1260.40.600.A	
2431.52.00.35.0 (701500084/00)	Directional valve
1581.32.0030.05.1	CYLINDER, PNEUMAX (BD2A2-11)
2546.01B	intermediate base plate
2541.53.31.35.02	5/3 way valve
8884.32.C.39.F05 (24V/DC)	Valve
N338.R0E-8 (24V/DC, 1W)	
17304B.B.C.S	filter regulator
96309.70. (1261.40.70)	small cylinder ISO 6432
468.52.0.1.M2	
MB 17	solenoid

Product	Description
1260.25.200	Small cylinder
771/V.32.0.1C.M2	3/2 way vacuum valve
2431.52.00.35.18	5/2 way valve
2400.04.10	Electrical supply module
2304.62.44.35.02	2x3/2 way ENOVA valve
TB010414	plug - flat mounting
TB011014	plug - straight fitting
2435.52.00.39.88	Directional valve
N172BVEB2	
RG1319/0013	Gasket set for 1321.100.0.01
305F1038	
4061014	Fitting
X1551.100.80.02.1	European compact cylinders
818.52.0.12.02	5/2 way valve
484.32.0.1.M11	3/2 way ECO valve
6310.16.D	pincers
2420A1063	compact cylinders
900.52.5	
17109A.C	pressure regulator
1397.63.125.01	ECOPLUS-M cylinder
1320.63.200.GLB	roller guide unit
6.09.14.U	check valve
900.52.5C	control block
828.52.1.8	5/2 way valve
1011.52.3.9.M4R	5/2-way valve
1012.52.3.9.M4R	5/2-way valve
778.32.11.1C	3/2 way poppet valve
RS.DC	Magnetic sensor
OPXM602.1970	SPECIAL PISTON.
428.32.0.12.S24	3/2-way valve
T773.32.11.1 - 3/4"	3/2-way poppet valve
0PXM602-1970	SPECIAL CABLE CYLINDER
1319.63.25.01	cylinder
1501.32.15	Short-stroke cylinders
1511.100.40	Short-stroke cylinders
SS174AVBR2	Audio streaming booster
T424.52.0.1.E.B09	5/2 way valve
RGPGL107A/0001	gasket set
0PGL107.A-0100	Special cylinders
104.NC	wicket
2411.52.00.35.02 (24V/DC)	
1260.50.110	Small cylinder ISO 6432
132004032F	
132008032F	
1605.25.2150.01.MH	boneless cylinder

Product	Description
BOBX024CC	coil
551.1F1.D8.M1.XX	Tecno FUN Stop Ventil + Drosselventil
1260.20.300 M	small cylinder
SMPA11111WZ	valve terminal
1511.32.30	Short-stroke cylinders
1260.50.75	small cylinder
1281.20.100	round cylinders
1400.40.100.03.2	oil brake cylinder
532532T	
722.32.0.1C.M2	Electropneumatic poppet valve 1/2"
17330.B	3/2 way stop valve
MCH2	Straight plug with cable
900.18.4	Time delay valve
15161000020M	tandem spinta setli comuni
PXG.1319.63.100.01	profile tube cylinder,
2431.52.00.39.19 (24V/DC)	directional control valve
1319-1320.63.0.01	
1321.50.160.01	cylinders
1280.32.25.AM	Small cylinder
0PGL107.A-0100 / H100C00103	
2530.03.00	entrance baseplate
2530.01M	OPTYMA MONOST MODULAR BASE.
2530.01B	OPTYMA BISTAB MODULAR BASE.
2530-12-37P	TERMIN.SIN OPTYMA AUTOALIM. 37PNP
MB67	solenoid
1580.U-5	Sensor
T424.52.0.1.B56	5/2 way valve
T424.52.0.1.B09	5/2 way valve
6900.E	hydraulic damper
PN07509.125	
7300037100	
1320.63.50.MP	Profile pipe cylinder
17109B.D	pressure regulator
1260.16.0050	
C3	right angle plug
412/1.53.31.0.0	
424/1.52.0.12	
1511.40.10	Short-stroke cylinders
2431.62.44.35.88	2x3/2-way valve
2241.62.44.35.02	2x3/2-way valve NC-NC OPTYMA32-S
1262.32.0100.A	Cylinder
4643201M2	Pneumatic solenoid valve
MR-00007001.2	solenoid
MR-00007001.1 007119	double Solenoid
G1021112070	

Product	Description
2431.52.00.39.36	Pneumatic Distributor
228.32.1.1	
224.52.9/2	5/2 way valve
1390.63.200.0	cylinders
28.32.6.28	3/2 way valve
17112B.C	precision pressure regulator
6.09.14.BN	Retail/shut-off valve locking on both sides
N338.R0E-8	Valve, Pneumax
MB7	Coil,
M2	Valve
RS.UC	magnetic sensor
0PXB310.150.E	cylinders
6.01.12N	throttle check valve
RS.UACH1/1L	magnetic sensor
1260.20.0030.M	Cylinder, Pneumax
N321.0B (24V/DC)	2/2-way valve
1321.40.200.01	cylinders
TB281038	plug-in throttle check valve, supply air
228.52.0.1	5/2 way valve
17301B.B	filters
T172BEMAC	Airplus filter regulator
1319.40.125.01	cylinders
6.04.18/1	valve
T773/VS.32.0.1.MP	Valve
RK1605/0013	sledge complete
RS/1640/113	toboggan
1280-16-100M	
1501.20.5	Pneumatic Cylinder
G1018224SC	2/2 way multi-media valve
MRS.U-PVC	Sensor
2740.03.00	
2740.01M	
2741.52.00.39.62	
V2700-OPXV1034	
2740.02.25P	
17109A.B	
1319.50.180.01	ISO 15552 profile tube cylinder
1319.40.400.01	Profiled tube cylinder
551.161.D6.D6.XX	Quick vent valve
17104B.B.D.P	FILTER PRESSURE REGULATOR FOR FETTE-
105.32.6.1/3	3/2 way valve
2635.53.31.35.02 (24V/DC)	5/3 way valve
2635.53.31.35.12	5/3 way valve
2635.52.00.26.02	5/2 way valve
2635.52.00.39.02 (24V/DC)	5/2 way valve

Product	Description
2635.52.00.29.02 (24V/DC)	5/2 way valve
0PGL161.2 / 431.52.00.36.15	special solenoid valve
305.11.00	socket
2435.53.32.35.05	VALVE
17304B.A.C	filter regulator
1320.32.920.01 (2420A0268)	cylinders
858/4.53.31.3.5.M2	5/3 way valve
T488.52.0.0E.M5	5/2 way valve
6430A0084	CYLINDER
T173BPA	Airplus distributor block
104.52.6.30.P	
1011.52.3.5.M3R	5/2-way valve
1011.52.3.5.MP3	ELECTRO VALVE
2411.52.00.39.02	5/2 way valve
808.32.0.1.02	
315.11.01L	
010814-5	
1580.HAN	miniature sensor
224.53.31.9.1/1	5/3 way valve
1503.40.15	short stroke cylinder
T173X	Assembly kit
2431.62.44.35.12	Directional valve
2531.53.31.35.02 (24V/DC)	5/3-way valve
RG1319/0016	gasket kit
MHS.P.02A	.
17301B.A	
F3206BV25	2/2 way multi-media valve without solenoid coil
MG58	magnetic coil
G1020345	round cylinder
774.32.11.1C	3/2 way seat valve
224 32 9 1/1	3/2 way valve
MC5-2	magnetic coil
808.52.11.1	5/2 way valve
T488.52.11.1	5/2 way valve
1319.32.500.01	cylinders
1511.50.15	short stroke cylinder
T172BEMBL	filter pressure regulator
T488.32.0.1.M2	3/2 way valve
2316.52.00.39.02	5/2-way valve ENOVA
C9660116218	ECOPLUS-M cylinder
2530.03.25P	TERMI.DESTRO OPTYMA 25 POLE PNP
2530.08F	8 I/O MODULE FOR OPTYMA 32F
2531.62.44.35.02	solenoid valve
1540.50.100.01.1	cylinders
1319.80.130.01	Profile pipe cylinder

Product	Description
T488.06	baseplate
SPL14	suppressor
1714B	pressure switch
T172BEMBC	Airplus filter regulator
T172BPP	distributor block
T1714B	pressure switch
2431.52.00.39.05	Directional valve
1320.B	Magnetic sensor holder
1320.C	Magnetic sensor holder
17402NB.D	Pressure Regulator
1463.150.D.F.F.	Hydropneumatic cylinder
0LTM103	Directional valve
228.52.3.3R	roller lever valve
0PGL130.4	3/2 way miniature valve
PXG.1319.40.300.01	Profile pipe cylinder
OPGL187	valve
1386.32.250.01	cylinders
T17250	Airplus mounting bracket
1230.20.20	
2415.52.00.19	5/2 way valve
17002B.D	pressure regulator
1511.25.50	short stroke cylinder
RS8.UA	Magnetic sensor
RG1580/0007	Seal kit
MB10	magnetic coil
1396.80.100.01.	ECOPLUS-M cylinder - ISO 15552
T173BEPADSC	Airplus filter regulator
17301B.B.S	filters
RKT1703A/124	receptacles
1321.63.100.100.E	Tandem cylinder
1280.20.50.M	small cylinder
6425A00232	5/2-way valve
2435.52.00.39.18	5/2 way valve
1319.32.180.01	cylinders
17210.M2	Start valve
771.32.0.1C.M2	3/2 way valve
2541.62.55.35.02	2x3/2 way valve
P174BEBD	Airplus filter regulator
8880.52.00.39.F05	valve
RG1011/0002	
0PXB692.B	
2306.52.00.39.02 A6	Electro solenoid valve
2304.52.00.39.02 A4	Electro solenoid valve
PXG.1319.50.220.01	PISTON
1386.63.100.01	cylinders

Product	Description
PXG.1387.80.350.01	profile tube cylinder
1501.50.50	short stroke cylinder
228.53.32.9.1/2	
1260.40.30	small cylinder
17004B.B.D.P	filter regulator
RS/1702/226-08	Operating element
T488.52.0.0.M5 (24V/DC)	5/2 way valve
1511.50.20	short stroke cylinder
PXG.1319.100.150.01	PNEUMATIC CYLINDER
1301.50.13F	Gabelkopf
1319.63.250.01	cylinders
1260.32.140.ME	small cylinder
RK214/0016	
551.2F1.D8.M2.XX	90° check valve
17109B.A.SMF	pressure regulator
17104B.B.C.P	filter regulator
17109A.D	pressure regulator
228.52.55/2	5/2 way valve
MI56	magnetic coil
MHS.P	Miniature sensor
GB.0696/11-10K	valve
17304A.B.D	filter regulator
228.32.5/2	3/2 way valve
1581.32.35.01.1	compact cylinder
104.32.6.25.LC	3/2 way valve
1581.32.25.01.1	compact cylinder
1390.160.250.01	profile tube cylinder
1304.125.09F	fork flange
1319.32.160.01	Cylinder
T228.32.0.1	Directional valve
412/2.53.31.0.0.M2	
N331.1A (24V/DC)	
RG1300/0003	
1282.25.211	small cylinder
1260.10.40	small cylinder ISO 6432
1511.50.30	short-stroke cylinder
1605.40.400.01.MG	rodless cylinder
2420A1788 (1282.25.211)	Special design cylinder
T773/V.32.0.1.MP	vacuum valve
2311.03P	Left end plate
211.32.11.11	3/2 way valve
1605.25.500.01.MH	rodless cylinder
1319.50.1500.01	Cylinder
T514.52.00.39.C09	
PXG.1386.50.150.01	

Product	Description
PXG.1396.100.1000.01	
RG771/0001	
RG1700/0026	gasket kit
1280.20.100.M	
1319.40.0150.01	Cylinder
S56/1	pilot valve
SC08-G01	throttle check fitting
1396.32.800.01	profile tube cylinder
2415.52.00.39.02 (2304A0215)	5/2 way valve
1605.25.0350.01.M	rodless cylinder
11390 (27131700)	
1386.50.0200.01	ECOPLUS-T cylinder - ISO 15552
RG1605/0001	
RG1380/0003	gasket set for 138_.50.0.01
1396.50.150.01	ECOPLUS-M cylinder - ISO 15552
1501.50.20	short stroke cylinder
1280.32.400.AMT	cylinder
315.11.00	socket
2241.52.00.35.02	5/2-way valve OPTYMA32-S
8880.52.00.39.F00	5/2 way ECO 22 valve
228.52.9/2	5/2 way valve
T488.52.0.1.M57	5/2 way valve
0PXB922	Cylinder
OPXB692.B	
1390.160.0050.01	
OPXB922	
1112.52.3.5.12P	
OPXB693	Valve
17204B.B.C.S	filter regulator
488.52.0.1.M2	5/2 way ECO valve
6.01.18/5	Fine throttle valve
10718	screw plug
KP25P-03-F3	pressure switch
104.6.27	Switch
SS172AEAC	REGULATOR, FILTER
T228.53.32.9.1/2	VALVE
2435.53.31.35.12 (24V/DC)	Directional valve
551.131.00.00.XX	check valve
551KD8	
PVA.B.SA.N.T.E.N	
MDPT40.2RA	Pressure transducer
1396.32.350.01	Cylinder
1561.32.25.04.1	Cylinder
1260.25.160.MA	Cylinder
1581.25.120.02.1	Cylinder

Product	Description
1396.32.125.01	Cylinder
1319.63.285.01	Cylinder
17401B.B	filters
1260.25.30.M	ISO 6432 small cylinder
T514.52.00.39.B58	5/2 way valve
RKT1703A/147	receptacles
1319.125.55.01	cylinders
1319.80.150.01	cylinders
RS/1702/42	Filter element 50 ym - series 172..
RS/1702/47	charcoal filter element
1308.125.254.01A	cylinder - ISO
1400.63.254.03.04	oil brake cylinder
1280.25.50.AM	small cylinder
PG1A301EC10000	Valve
6.07.38	Check valve
514/N.52.0.1.M2	
0001508113F	
PVA.B.DE.N.T.B.V	
RG805/0002	gasket kit
PN16182.110	oil brake cylinder
T514.52.00.35.B58	5/2 way valve
104.6.22/2	Black push button
RK/F3107V001	
RK/F3107V002	
228.32.6.23/1 red	3/2 way valve
1388.63.200.01	
228.32.6.23/2 black	3/2 way valve
228.32.6.23/3 green	3/2 way valve
228.32.6.23/4 yellow	3/2 way valve
PRS6E0855-1400	cylinders
1308.125.450.01A	
RG1200/0504	kit
RG105/0001	Seal kit - valve 105.32-52
1321.80.251.01	cylinders
T173BEPADSCN	
171E2N.T.F.0005	proportional pressure regulator
171E2N.C.F.0005	proportional pressure regulator
MB11(24V 3.8W)	
T228.32.2.1	Directional valve
6100.32.25.C	Air cylinder guide included
1541.63.25.02.4	Cylinder
105.52.11.12	Air Operated Valve
C1P40EG1A03	pneumatic tensioner
828.53.31.3.5.M2/9	
17310.M2	Valve

Product	Description
2311.05P	End plate
2241.53.31.35.02	
2141.52.00.36.02	Directional valve
6400.200.R	double piston rotary drive
N171BRMD	Airplus pressure regulator
0PXB500.1.B	
1511.25.80	Cylinder
228.52.2.1/2	
17202B.C	
1540.40.15.01.1	ISO 21287 compact cylinder
1511.20.20	short stroke cylinder
2411.52.00.35.02 (24V/DC) (1942310129)	
1561.40.55.08.1 (1881310873)	compact cylinder
1319.80.250.01	
RS8.UA/1L	reed sensor
RS.UAC2	magnetic sensor
1390.50.50.01	pneumatic cylinder
2530.02.25P	Pin Left End Plate (Ext Pilot)
1550.50.150.01.1	Cylinder
1332.63.270.01	
RG1319/0010	
RG1319/0040	