







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





## **Prese**

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

## **olbrand'si Aoucd**

STducti	ApntTr ird	
<u>0E2 3 78O -RO5A6</u>	Devel controls propeller	
<u>E34OOj- P7MB</u> OT	0eilSuggeber, inkremental	
<u>C17MOO4(</u> 1	Lncremental encoder	
<u>39E8j-OjA)G</u>	Opindle clamp member	
x2R A MO 0K 37M F 28 N7-	Lndicator	
<u>x28 A -O NK 3-O F</u>	2osition indicator with hollow shaft	
<u>x28 A RO NK 3-O F</u>	Nigital position indicator	
<u>x28jAj8,Oj0Kj3-OjF</u>	Nigital position display	
<u>0E(j710j-R05A6</u>	Fotary 2addle Devel 0witch	
<u>0E2j78Oj-M5N6</u>	3/llstandskontrolle f/r 3eststoffe	
<u>2A1Oj-9j0</u>	linear potentiometer	
<u>x2Rj67,-)1jNKj37MjFj28</u>	(echanical 2osition Lndicator	
<u>x28jAj1 NKj3-OjF</u>	Nigitale 2ositionsanSeige	
<u>23-00 -( ) C10B707</u>	"ransducer	
<u>x21jAj1,Oj0Kj3-OjF</u>	Nigital position indicator	
<u>RC j 23j7000j709j-</u>	2ulley sensor, potentiometric 7O 9johms	
x2RjGj7.OjNKj37MjHj28_	(echanical 2osition Lndicator	
<u>L8Oj7OjNKj-zjOj7O</u>	Nigital 2osition Lndicator	
<u>23 -00 709jM</u>	Wire Dinear 2otentiometric "ransducer	
<u>0E2j-OO</u>	3/llstandskontrolle f/r 3eststoffe	
<u>LBOjROjNKj7zjOjR</u> O	2ositionsanSeige, analog	
<u>7MB</u> O	2osition "ransducer	
88)8jAj-j7M!ROj7M!RO	Winkelgetriebe, kugelgelagert	
<u>"ypeB 0E2j78Oj-M5N0</u>	Fotary 2addle Devel 0witch	
<u>E24jGjHj-O</u>		
<u>0E2j78Oj-RO5A6</u>	Fotary 2addle Devel 0witch	
<u>"ypeB 0E2j78Oj-RO5A6</u>	3ill level control for solids	
<u>C1OB77</u> 1	2x"EJ"Lx(E"EF	
x2CjAjß,OjNKj3ROjF_	Dinear movement counter	
23jROOj19j7O9j- same as 23jROOj7O9j-	6able transducer, potentiometric	
x2RjAj-,OjNKj37MjFj28	Nigital position indicator	
<u>"680jF7)7j6j7jG)0jR00</u>	Analog speed display	
<u>C80-70</u> R	3/llstandskontrolle f/r 3eststoffe	
<u>E34OOj1 P1OM</u> 4T	0eilSuggeber, inkremental	
<u>E3400j</u> -	Actuated encoder, incremental	
<u>E3400j</u> 1	Encoder	







Product	Description	
<u>12 321</u>		
13055 (25 l/min)	Oule Pump	
<u>87215</u>	COMPRESSION SPRING	
<u>06 911 015</u>	SprayFixx Adjusting Nozzle	
<u>08 063</u>	Measuring can-steel plate-galvanized	
<u>12634950</u>	manual/500 cc GREASE GUN	
<u>12635</u>	Air Grease Gun Metal Tube	
<u>02367 020</u>	hoppers	
<u>07 523</u>	measuring cup	
<u>07525</u>	measuring cup	
<u>12 632</u>	Standard grease press HHFP, M 10 x 1-GBDR-MU	
<u>13016</u>		
<u>17820</u>	Cartridge Filling Pump	
<u>12 649 125</u>	Pressol G coupling grease gun mouthpiece	
<u>13 012 952</u>	steel pipe barrel pump	
<u>12651</u>	G-coupling grease gun mouthpiece XL, M 10 x 1	
<u>02568</u>	Lockabel Funnel With Lid.	
<u>87351</u>	distributor repair kit	
<u>87354</u>	Piston rod repair kit	
<u>72090</u>	Shifter repair kit	
<u>08054</u>	oil storage can	
<u>55 937</u>	flat grease nipple	
<u>87-602</u>	HUB FITTING	
<u>29-997</u>	UMBILICAL JOINT	
<u>55 938</u>		
<u>12636101</u>	manual grease pump	
<u>19242</u>	OELSYS-SR-NEF-PNP 3:1	
<u>61 507</u>	electric grease pump	
<u>12 003</u>	Funnel type coupler-M 10 x 1 female	
<u>12 845 400</u>	One-hand grease gun	
<u>23721</u>		
00299	Plastic spout with sealing cap	
Model:19335	PNEUMATIC BARREL TYPE OIL PUMP	
<u>19698</u>		
<u>18785056</u>		
<u>13012</u>	steel pipe barrel pump, SRL 480-900-16 l/min stak	
<u>19257551</u>	oil transfer unit	
<u>18419051</u>	Grease supply system-with ZBH	