







93 S Railroad Avenue Unit C Bergenfield NJ 07621 USA www.enapart.com sales@enapart.com



Via del Canneto 35. Borgosatollo, Brescia - Italia www.enapart.it vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu My Newwork No:3/15 Ataşehir / İstanbul www.enapart.net satis@enapart.net



PRIVADA 10 B SUR #3908 COL. ANZUREZ, C.P. 72530, PUEBLA, PUE www.enapart.com.mx sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325 Frankfurt am Main, Germany www.enapart.de anfrage@enapart.de



4 boulevard Carnot, 95400 villiers-le-bel, Paris, France www.enapart.fr sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА ФРАНКА, БУДИНОК 55, ПОВЕРХ 3 www.enapart.com.ua sales@enapart.com.ua



MUNICIPIUL BUCUREŞTI, SECTOR 3, B-DUL BASARABIA, NR.250, CORP P+5 Hempstead, HP1 3AF , United Kingdom www.enapart.ro sales@enapart.ro



〒584-0023 大阪府富田林市若松町 東2丁目2番16号 www.enapart.co.jp sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS NIEVES 12 ,LOCAL ,50012,ZARAGOZA www.enapart.es ventas@enapart.es



Складова база "Онгъл", Склад А2, п.к. 4006, гр. Пловдив, България www.enapart.bg sales@enapart.bg



3 Austin Mews, High Street, Hemel www.enapart.co.uk sales@enapart.co.uk





OSLSVS

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

OltaliBROAaND'i

RVPUCTr	aSoTVdurdPc
90724 15 kg 3V	9tainless steel bending bar load cell
0D9CG8kgC3V	4EOE4E P4AM9XI3E49
<u>5R513VO</u>	
<u>V5V53V</u>	4 P E C 3ENN Pype6 A93CV5tC3VC93 in stainless steel
Pyp6 A37C1tC3VC9B8-13VT	4 P E C W!geLelle
A4P.MS.5G813V 39DC+C81PC3VC93	4 P E C NSAX 3ENN
V5V53V Pype A93CV5tC3VC93	Noad 3ell
<u>A93C15PC3VC9</u> 3	4 P E C 3ENN
90724CG55kgC3VC93 APE@	9ensor
51V53V Pyp6 0D9CV5kgC3V	4EOE4E P4AM9XI3E49
4N3CG5tC3VG/G53V	4 P E C W(*E)ENNE
5V583V F90724C855kgC3VC93 V+HUWT	4 P E C W(*E)ENNE
<u>4N3C5,1tC3</u> V	4 P E C W(*E)ENNE
<u>G5K8555V3</u> V	DlattformCW!geLelle
<u>UK83</u>	Deson
<u>A37CG,5tC3VC9</u> 3	4evere transducers
+ounting plate for 4N3 5.81C1.5t	4BM* PS49BSM NSAX 3ENN
Darts set for load corner 4N3 5.81CGtHOA	3ompression vessel load cell
Adapter plate for 4N3CGt	3ompression Noad 3ell
<u>997C8tC3VC9</u> 3	load cell
<u>/VUVCG.1kC3VC85</u> PG	
<u>0D9CU5kgC3</u> V	Noad cell
4N3CG,5tC3V FG/G3VT	4 P E C W(*E)ENNE
G/G53VT 4N3CG5tC3V	W!geLelle
DHM6 5V5G3V Pype6 90724CG55kgC3VC93	4EOE4E P4AM9XI3E49
90724	9ingleCEnded Noad 7eam
<u>4N3C5,81tC3</u> V	4ing torsion load cell
Pyp6 1G5VC15 –lbsC3VCV5–G FGK5153VT	4 P E C W(*E)ENNE
<u>90724CG55kgC3</u> V	Noad cell
/G8VCKklbsCXVC85DG	9cherstabCW!geLelle
OPV55 H AC8CGC5C5CE	WiegeCElektronik
<u>58G3V997CGtC3VC9</u> 3	4 P E C W(*E)ENNE
<u>5R5813VO</u>	Iniversal Noad 3ell
<u>GU51553VO</u>	load cell
<u>0D9CG8kgC3</u> 8	
<u>5R13VO</u>	4 P E C W(*E)ENNE





RVPUCTr	aSoTVdurdPc
90724C15kgC3VC93 V+HUW	Noadcell
90724C15kgC3VC93 V+HUW	Noadcell
<u>V5153V</u>	
<u>5V583V</u>	Noad 3ell
<u>A 7C5K</u>	-lemmenkasten F unction 7o2T
79DC5,G81tC3VC93	Iniversal Noad 3ell
<u>15/5R5G</u>	e2ternal oint head
<u>15/5V58</u>	9ingleCEnded Noad 7eam
Pyp6 997C1,5tC3VC93	
Elastomer bearing for 997 1t 1GGC18CG5CK	
DHM6 -//1U5CVVC4B	
90724C15kgC3VC93 V+HUW	
Pyp6 /G8VC8,5tC3VC85DG	W!geLelle
55A93C5K5PC3KC55@	
<u>79DC1,5tC3VC9</u> 3	sensor
<u>K5515</u>	
/G8VCG1–CA1C85DG	cell
<u>G/513V</u>	Noad cell
<u>997C1,5tC3VC9</u> 3	Weighing 3ell
<u>0D9CUkgC3</u> V	load cell
<u>VUVCG55lbsC</u> XV	
79DCG-lbCG55559CG3	
90724C855kgC3VC93	transducer
5V5G3V H 90724CG55kgC3VC93	7endestab load cell
G58GGVC5G	0ydrometer
5V5G3V Pype 90724CG55kgC3VC93	4EOE4E P4AM9XI3E49
/VUVCG55kgC3V	9Cload cell
DHM6 5V5583V Pype6 90724C85kgC3VC93	Noad cell
4N3CGtC3V H G/G3V	4ing load cell
<u>15KG/5UO</u>	EinkugelCfoot
90724C855kgC3V	Noad cell
<u>90724C155kgC3V</u>	
<u>–94C8-tC48</u>	Noad cell
997C8555lbsCG5555+CG3	Noad 3ell
<u>79DCG,81tC3VC</u> 93	
/VUVC5,1PC3V	sensor
A93CV5tC3VC93	pressure load cell
15KG/5UO F15KCR/CR5CKT	9ingle ball base
90724CG55kgC3VC93	4EOE4E P4AM9XI3E49
<u>-//1GVCG/C4</u>	P4AM9XI3E4
/G5VC85–lbsC7G5CV5DG	4EOE4E P4AM9XI3E49
90724CV15kgC3VC93	Noad cell
4N3CGtC3V FG/G3V1+T	4ing load cell
G8K8C15kgC3V	Dlatform load cell
1G5VCV5-lbsC7G5CV5DG	4EOE4E P4AM9XI3E49





RVPUCTr	aSoTVdurdPc
<u>0D9CV5kgC3</u> V	platform load cell
<u>188VC7G5CU1–CK5</u> DG	4 P E C NSAX 3ENN
4N3CU5PC33 DHM6 554N3C5U5PC33C55@	4ing load cell
39DC+CU5tC3KC+4C93	
/VUVC815kgC3V	9 load cell
<u>GU58553</u> V	Pilt 7ar Noad 3ell
90724C15kgC3KC93 V+HUW	Pilt 7ar Noad 3ell
<u>997C1tC3VC9</u> 3	3utting 7lade Noad 3ell
<u>39DC+CG55tC38C9</u> 3	load cell pressure
<u>/VUVC7G5C155lbsC85</u> PG	NSAX 3ENN
90724 3V 155 kg	9ingleCEnded Noad 7eam
<u>79DC815C7G5CV5</u> D1	transducer
39DC+C81tC3V	3ompression Noad 3ell
<u>/VUVCGtC</u> 3V	load cell
<u>A37C5,1tC3</u> V	cell
A93CV5tC3VC93 HHV5V53V	Dressure load cell
<u>/VUVCG55kgC</u> 3G	load cell
1G5VC15-lbsC7G5	
A93CK5tC3VC93	4EOE4E P4AM9XI3E49
<u>/G8V 155kg 3V</u>	
UK83C85kgC3V	load cell
<u>A938CV5tC3V +4</u>	
/G8VC155lbsCA1	4EOE4E P4AM9XI3E49
V1G5CV55kgC3VCE2Ci	
<u>90724C15kgC7G</u> 5	4EOE4E P4AM9XI3E49
90724C15kgC3VC93 APE@	4EOE4E P4AM9XI3E49
<u>4N3C8tC3</u> V	4ing load cell
4N3C8tC3V APE@	4ing load cell
<u>A37 G.5t 3V</u>	load cell
<u>5V5G3K</u>	
1G5VCG5-lbsCG5555+CV1	
/VUVC155kgC3VC85PG	Noad 3ell
/VUVC815kgC3VC85PG4	9 load cell
4N3C155kgC3VC+4CAPE@	
<u>4N3C155kgC3</u> V	
39DC+CK5tC3VC93	load cells
<u>K58R5M</u>	terminal bo2
<u>R558</u>	terminal bo2
KRVGVGOP	
<u>8G5U17G</u> 5	1-0-1-011000000000000000000000000000000
90724C1kgC33C93	4EOE4E P4AM9XI3E49
90724CG5kgC3VC93	7ending beam load cell
1G5V G55–lbs 3V	
<u>-//UG8C5VC4</u>	Noad 3ell
1G8VCG-CA1C85DG	transducers





RVPUCTr	aSoTVdurdPc
<u>997CGtC3VC9</u> 3	9ensor
/VUVCXVC885kgC85 W	
/VUVCXVCG5PC85PG	9 load cell
A37C5,1tC3VCAPE@	
4N3CG5tC3V	Noad 3ell
997C155kgC3VC93	4evere transducers
VUVCXVC155lbsC85DG	4 P E NSAX 3ENN
<u>VUVCGtC</u> XV	4EOE4E P4AM9XI3E49
VUVC1-CXVC85DG	4 P E NSAX 3ENN
<u>+G82G,R</u> 1	
997C8klbsC3V	
90724CG55kgC7G5C93	
<u>/VUVC1tCX</u> V	
<u>A93CK5PC3</u> V	
550D9C5G8-C3VC55@	
90724C15kgC3VC93	
A37 1.5tC3V	
<u>/VUVC7G5C855C85P</u> GC4	
4N3 1t 3V	
<u>5539DCG55tC38C5</u> G@	P4AM9XI3E4
<u>/G8VCA1C85–C85D</u> G4	9hear beam load cell
<u>/G8VC8,1–CA1C85</u> DG	9hear beam load cell
/G8VCGtC3VC85DG	9hear beam load cell
<u>A93 V5t</u>	load cell
0D9CV5kgC3VCAPE@	4EOE4E P4AM9XI3E49
39DC+CK5tC3VC93 H 5GK53V	3ompression Noad 3ell
<u>A37C8,5tC3VC9</u> 3	9hear beam load cell
<u>997C8tC3</u> V	load cell
39D+CK5tC3VC93H99	3ompression Noad cell
<u>5/VUVC815–*C3V</u>	Pransducer
4N3 3V 8555 kg	load cell
/G8VCA1CG1–C85DG	
<u>188VC7G5CU1–CK5)</u> –4	load cell
<u>4N3 V,1t 3V</u>	ring load cell
<u>/VUVC1tC3</u> V	
A37C1tC3V	9cherstab
Pyp6 A3N3CXVC855-C31D1	load cell
calibration for A3N3CXVC855–C31D1	
VUVC7G5CG55C85DGC4	
515U3V H 550D9C55U-C3VC55@	U –g 4evere Noad 3ell
997 8t 3V APE@	load cell
4N3 815kg 3V	loadcell
4N3 815kg 3V APE@	load cell
<u>/G8VC1–CA1C85</u> DG	load cell
<u>/VUVC3VC815kg</u>	load cell





RVPUCTr	aSoTVdurdPc
997 H R//1GGCG1C4	load cell
5R51V	NSAX 3ENN
/G8V 1t XV	load cell
-//1GVCG- H A37C8,5tC3VC93	shear beam load cell
79DC8.1tC3VC93 H 5-813V	4EOE4E P4AM9XI3E49
1G5VC85 -lbsC3VCV5MP	4 P E C NSAX 3ENN
UK55GC51C WCG55	et Weigh aircraft weighing
VUVC15kgCXV	Noad 3ell
/VUVC7G5CG15C85PGC4	transducer
55997C558PC3VC55@ H 997C8tC3VC93	9hear rod load cell
-//18RC8UC4	Noad cell
DM6 -//UG8CKGC4 Pype6 VUVCG55kgCXV	Noad cell
R//1GGCGRC4	4EOE4E P4AM9XI3E4
/G5VC7G5CG55–C15DG4	double shear rod load cell
/VUVCG1-lbsCXV	load cell
A37CG.5tC3UC93	4EOE4E P4AM9XI3E4
9W)C155kgC3V	NSAX 3ENN
-//18-C88C4	HO, OCOLINI
90724C155kgC3VC93CUW	revere transducers
1GG58KKP	Elastomer 7earing for 997
1GG58K-	Liastoffici / Caring for 557
VUVCXVC1.5PC85DG	
VUVCXVCV55lbsC85DG4	4 P E C NSAX 3ENN
/VUVCXVC815=*C85PGC4	TI E O NO. W CENT
-//R8/CGKC4	
90724C85kgC3V	load cell
90724C85kgC3V APE@	load cell
R//1GGCGUC4	1000 0011
5GU53V H 39DC+CU5tC3VC93	Dressure load cell
G8VURV-	pendulum support
A938CV5tC3VC93C+4	revere transducer
5/G58C58E1C3VC55@ H GU813V	revers transactor
997C7G5C8–CG5D14	9hear rod load cell
90724C85kgC3K	load cell
90724C85kgC3K APE@	load cell
VVV53VG85+	load cell
8-G3VU+	1000 0011
8-513VU+	
/VUVC5.1PC3VC85PG	9 cell
/VUVC7G5C155C85PG4	3 33
K//5K-CG5 stainless steel	9IDDS4P WBP0 AMPBC4SNN
K5R55Q	9I+ 7S@
VVV53VG	3.1. 7.0 <u>G</u>
1G85V5UO	
VUVC7G5CV-	4 P E C NSAX 3ENN
<u>1010/000</u> 1	= 0.13, 3, 0.1111





RVPUCTr	aSoTVdurdPc
-//U58CVVC4B H DM6 GU51553V	load cell
/G8VC155kgC3VC85DG	load cell
VUVC815kgCXVC85DG	9 load cell
<u>G/13V</u>	Noad cell
5G8557G5 H 39DC7G5C855-CV5D1	Noad cell welded seal BDU- MPED
<u>G/5813V</u>	
39DC+ K5t	load cell
<u>1G5VC15–C3</u> V	XoubleCEnded 7eam Noad 3ell
997CAVC8-CG1D1	Pransducers
5R813VO H /VUVC8,1tC3V	
5R13VO HVUVC1tC3V	
-//1GVCG-C4 H 8-83V	P4AM9XI3E4
90724C85-*C3VC93	
VUVCV55lbCV5559CK5	transducer
<u>/VUVC7G5CG–C85P</u> G4	load cell
<u>1G8VCA1C1–C85</u> DG	load cell
8-83V A37C8,5tC3VC93	
- <u>//U8KCV5</u>	
/VUVC15kgC3VC859DNC4	
Pyp6 VUVCG55lbs H VUVC7G5CG55lbsC85DG	load cell
<u>/VUVC3VC155kg</u>	Noad cell
<u>/VUVC3VCG555</u> kg	Noad cell
<u>/VUVC3VC8155kg</u>	Noad cell
/G5V 85klbs 7G5	Noad cell
/G5V V5klbs 7G5	Noad cell
/G5V 15klbs 7G5	Noad cell
<u>5-5813V</u>	
<u>4N3 1t 3U</u>	
39DC+ U5t 3K	
51G8VC55KECA1C55@ H Pype6 1G8VC1-CXVC85DG	load cell
51G58C155NC3VC55@	
A3N3CXVCG55-C31D1	3anister Noad 3ell
/VUVC15kgC3V	Pransducers
<u>/VUVC885kgCX</u> V	
55VUVCV55NCXVC55	
55997C551PC3VC58@ H 997C1tC3VC93	9hear rod load cell
<u>A93C15PC3</u> V	Noad cell
<u>A93C15PC3</u> U	load cell
79D 815 kg 3V	Noad 3ell
51G83V H 0D9CG8kgC3V	4everse transducer
55VUVCG55-CXVC55 H Pyp6 VUVCG55kgCXV	load cell
KRV55GOP@P855 H 8V5_O	WeigeCElektronik
<u>DM6 GK585GO H /G5VC7G5C85</u> —CV5—G4	4evere transducer
<u>1G8VCA1C8.1–C85</u> DG	
1G5VC7G5C85-CV5D G04 5VC585EC7GC5V@	NSAX 3ENN





RVPUCTr	aSoTVdurdPc
<u>8-13V</u>	
<u>5G813V</u>	4EOE4E P4AM9XI3E49
Pype6 VUVC1,5tCXV	
Pype6 /VUVC1tC3V	
<u>1GRV55</u> K	
A93CV5tC3VC93 Fcable G1mT	