



# ENAPART



93 S Railroad Avenue Unit C  
Bergenfield NJ 07621 USA  
[www.enapart.com](http://www.enapart.com)  
[sales@enapart.com](mailto:sales@enapart.com)



Via del Canneto 35,  
Borgosatollo, Brescia - Italia  
[www.enapart.it](http://www.enapart.it)  
[vendite@enapart.it](mailto:vendite@enapart.it)



Barbaros Mah. Ihlamur Bul. Ağaoğlu  
My Newwork No:3/15 Ataşehir / İstanbul  
[www.enapart.net](http://www.enapart.net)  
[satis@enapart.net](mailto:satis@enapart.net)



PRIVADA 10 B SUR #3908 COL.  
ANZUREZ, C.P. 72530, PUEBLA, PUE  
[www.enapart.com.mx](http://www.enapart.com.mx)  
[sales@enapart.com.mx](mailto:sales@enapart.com.mx)



Friedrich-Ebert-Anlage 36, 60325  
Frankfurt am Main, Germany  
[www.enapart.de](http://www.enapart.de)  
[anfrage@enapart.de](mailto:anfrage@enapart.de)



4 boulevard Carnot, 95400  
villiers-le-bel, Paris, France  
[www.enapart.fr](http://www.enapart.fr)  
[sales@enapart.fr](mailto:sales@enapart.fr)



65049, ОДЕСА, ВУЛИЦЯ ІВАНА  
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3  
[www.enapart.com.ua](http://www.enapart.com.ua)  
[sales@enapart.com.ua](mailto:sales@enapart.com.ua)



MUNICIPIUL BUCUREȘTI, SECTOR 3,  
B-DUL BASARABIA, NR.250, CORP P+5  
[www.enapart.ro](http://www.enapart.ro)  
[sales@enapart.ro](mailto:sales@enapart.ro)



〒584-0023 大阪府富田林市若松町  
東2丁目2番16号  
[www.enapart.co.jp](http://www.enapart.co.jp)  
[sales@enapart.co.jp](mailto:sales@enapart.co.jp)



PLAZA NUESTRA SEÑORA DE LAS  
NIEVES 12 ,LOCAL ,50012,ZARAGOZA  
[www.enapart.es](http://www.enapart.es)  
[ventas@enapart.es](mailto:ventas@enapart.es)



Складова база „Онгъл“, Склад А2, п.к.  
4006, гр. Пловдив, България  
[www.enapart.bg](http://www.enapart.bg)  
[sales@enapart.bg](mailto:sales@enapart.bg)



3 Austin Mews, High Street, Hemel  
Hempstead, HP1 3AF , United Kingdom  
[www.enapart.co.uk](http://www.enapart.co.uk)  
[sales@enapart.co.uk](mailto:sales@enapart.co.uk)

# TECHNOR

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

## BRAND'S PRODUCTS

Product	Description
<a href="#">ZBWE101</a>	Base mounted NO contact element
<a href="#">XAWP8272 9 ENG</a>	PORTABLE FIBERGLASS
<a href="#">XAWP882</a>	console(Control Panel)
<a href="#">XAWP9421</a>	White push button
<a href="#">B090100S00472 XAWP9422</a>	DOUBLE STEP PUSHBUTTON BLACK
<a href="#">XCKWD2102P16 (1117406)</a>	HarmAtex Atex Limit Switch
<a href="#">331849 TEAXCKWJ210541H29</a>	limit switch
<a href="#">XCWD2115L2</a>	Position switch
<a href="#">XMLW-C300D2S12</a>	pressure switch
<a href="#">ZBWE102 old code/ B090601040029</a> <a href="#">new code</a>	NF contact element mounted on base
<a href="#">XCWD2110L5</a>	Position switch with fixing by the body with rectilinear movement by means of a metallic push button
<a href="#">07-3711-12154000</a>	Control unit
<a href="#">05-0056-0073</a>	Purge gas valve
<a href="#">05-0056-0041</a>	Pressure reducer
<a href="#">ELBF351-001</a>	control unit
<a href="#">XCKWD2145P16</a>	Position switch
<a href="#">ZBWV3 B090602040011</a>	GREEN LIGHT BULB
<a href="#">B090100S00142 / XCW-D2102L1</a>	Zama alloy limit switch
<a href="#">XBW5AS542 old code/ B090601040049</a> <a href="#">new code</a>	
<a href="#">XCW-D21F0L5</a>	Position switch
<a href="#">XCWD2115L10</a>	Position switch
<a href="#">XADW12110P11IC</a>	box
<a href="#">XCWD2110L1</a>	LIMIT SWITCH WITH METAL PLUNGER ACTUATOR
<a href="#">XAWP06003273</a>	STOP BUTTON
<a href="#">XAWP9411</a>	White hooded push button head
<a href="#">XAWP9412</a>	BT POUSSOIR CAPUCH. NOIR
<a href="#">XCKWM2110H29</a>	limit switches
<a href="#">FL-40IM</a>	
<a href="#">FL-40HG</a>	
<a href="#">XCKWJ210541H29</a>	Position switch
<a href="#">B170112110 - 1 packet = 100 pcs.</a>	PLUG
<a href="#">B141101010 - 1 packet = 100 pcs.</a>	GASKET
<a href="#">B170112210 - 1 packet = 100 pcs.</a>	PLUG
<a href="#">B141101020 - 1 packet = 100 pcs.</a>	GASKET

Product	Description
<a href="#">B170112310 - 1 packet = 100 pcs.</a>	PLUG
<a href="#">B141101030 - 1 packet = 100 pcs.</a>	GASKET
<a href="#">B170112410 - 1 packet = 100 pcs.</a>	PLUG
<a href="#">B141101040 - 1 packet = 100 pcs.</a>	GASKET
<a href="#">B170112510 - 1 packet = 100 pcs.</a>	PLUG
<a href="#">B141101050 - 1 packet = 100 pcs.</a>	GASKET
<a href="#">XCWD2115L</a>	
<a href="#">XAWP06003791</a>	
<a href="#">XCKWJ210513H29</a>	Position switch
<a href="#">B090100S01128</a>	
<a href="#">XCWD21F0L2</a>	Position switch
<a href="#">XAWP8272[ENG] English labels</a>	
<a href="#">XC8TA1P11C</a>	
<a href="#">XLW5AV053</a>	
<a href="#">A027711</a>	
<a href="#">A0101111311</a>	PROJECTOR
<a href="#">XCRFW171</a>	Switch
<a href="#">XC8TA1P15I</a>	Limit switch
<a href="#">XC8TA1P11IC</a>	Limit switch
<a href="#">XC8TA1P14I</a>	Limit switch
<a href="#">XCWD2145L1</a>	Position switch with fixing through the body with angular movement by lever thermoplastic roller adjustable
<a href="#">B090601040030</a>	
<a href="#">XBW5AS8442</a>	button
<a href="#">XCKWMR54D1H29EX</a>	Position switch
<a href="#">ZCWD21L1</a>	
<a href="#">ZAW102</a>	CONTACT BLOCK, SLOW BREAK
<a href="#">ZBWY4951</a>	ARROW FOR SINGLE STEP PUSHBUTTON (UP)
<a href="#">ZBWY2954</a>	ARROW FOR SINGLE STEP PUSHBUTTON (DOWN)
<a href="#">ZBWY4901</a>	ARROW FOR SINGLE STEP PUSHBUTTON (RIGHT)
<a href="#">ZBWY2904</a>	ARROW FOR SINGLE STEP PUSHBUTTON (LEFT)
<a href="#">ZBWY4952</a>	ARROW FOR SINGLE STEP PUSHBUTTON (LEFT)
<a href="#">ZBWY2330</a>	label
<a href="#">ZB5AS834</a>	
<a href="#">A041431 O230</a>	SIGNALLING LIGHTING FIXTURE
<a href="#">ZBWV1</a>	White LED signalling element
<a href="#">B060301010011</a>	
<a href="#">XBW4BS8442</a>	Punch button
<a href="#">XAWP08UDLRFR3ES1</a>	
<a href="#">XCWD2115L1</a>	Position switch
<a href="#">ZBWE102</a>	
<a href="#">XBW4BA21</a>	Push button
<a href="#">XC8JC161P11C</a>	Limit switch
<a href="#">XC8JC10131P11IC</a>	Limit switch
<a href="#">XBW5AG41</a>	Selector switch

Product	Description
<a href="#">XBW5AD41</a>	
<a href="#">XBW4BS9442</a>	
<a href="#">B011000S00006</a>	Pendant control unit
<a href="#">A600903030008</a>	
<a href="#">PSRC-C-220</a>	COMMUTATOR
<a href="#">XCWD2102L2</a>	Position switch with body fixing
<a href="#">XAWP08MDGDAAM0</a>	Hanging box 8 units XAWP089 GRP
<a href="#">XAWP08MDGDAAMES1</a>	Hanging box 8 units
<a href="#">XCWD4102L5</a>	Position switch with body fixing
<a href="#">XCWD41F0L5</a>	Position switch
<a href="#">P/N: 119476, Type: CES-I-AR-M-C04-U10-119476</a>	MULTICODE SAFETY SWITCH
<a href="#">XAWP6271</a>	Control box
<a href="#">XBW5AS</a>	MUSHROOM BUTTON WITH ROTATING UNLOCK
<a href="#">A042600</a>	Fluorescent light
<a href="#">A054552</a>	switch
<a href="#">XAWP52325057</a>	control box
<a href="#">ZCWE02</a>	STEEL ROLLER PUSH
<a href="#">XBW5AS8442-XAWP</a>	
<a href="#">ZB8MA02 SAV</a>	Push Button
<a href="#">ZC1BF0101 SAV</a>	Kit
<a href="#">ZB8MA04 SAV</a>	Push Button
<a href="#">ZC1BF0103 SAV</a>	Kit
<a href="#">ZC1BF0105 SAV</a>	Kit
<a href="#">B090100S00057</a>	limit switch
<a href="#">XLW5AV013</a>	LED indicator light
<a href="#">XLW5AV043</a>	LED indicator light
<a href="#">XLW5AV033</a>	LED indicator light
<a href="#">XAWP0824MUD01</a>	Button box
<a href="#">XAWP08UDLRFRHS11</a>	Hanging box of 8 units
<a href="#">B090602040010</a>	Lamp
<a href="#">A054452</a>	
<a href="#">XCKWJ2161H29</a>	METAL END PLUNGER LIMIT
<a href="#">XCKWJ2161H29 ( cable entry for Ø8 to 13mm cable)</a>	Position switch
<a href="#">XAWP8272[ENG]</a>	Hanging box
<a href="#">XCKWJ210559H29</a>	Position switch
<a href="#">ZBWE-101 (Ith:10A)</a>	
<a href="#">ZBWE-102 (Ith: 10A)</a>	
<a href="#">XCWD2102L5</a>	
<a href="#">XCWD4102L10</a>	Position switch
<a href="#">XAWP672[ENG] English labels</a>	control box
<a href="#">XAWP4272</a>	
<a href="#">XBW5AP42</a>	Pushbutton
<a href="#">ZB8MD01 SAV</a>	BT TOURN. MANET. 2POS SAV

Product	Description
<a href="#">ZB8MD03 SAV</a>	
<a href="#">XC8JC161P14I</a>	Position switch
<a href="#">XAWG504</a>	
<a href="#">XCWD21F0L1</a>	Position switch
<a href="#">B090601000010</a>	
<a href="#">B090603000015</a>	DISCONNECTOR
<a href="#">A027618</a>	
<a href="#">XBW5AJ21</a>	rotating button
<a href="#">ZC1BF0102 SAV</a>	Replacement KIT
<a href="#">XLW4BP4832</a>	push button
<a href="#">XBW4BD21</a>	push button
<a href="#">XBW4BG41</a>	switch
<a href="#">XLW4BV013</a>	indicator
<a href="#">XLW4BV053</a>	indicator
<a href="#">ZCWD21L5</a>	position switch
<a href="#">XAWP16ESFRUDLR1.2</a>	control station
<a href="#">ZCWE01</a>	
<a href="#">ZCWY12</a>	
<a href="#">B016Y12117935</a>	
<a href="#">B090603000022</a>	PSRC-C-220 — SWITCH
<a href="#">B090602000030</a>	RED LUMINOUS GEM
<a href="#">XAWP08UDLRFR21</a>	
<a href="#">XAWG8DMGD03AU</a>	
<a href="#">XAWG8DMGD03AU ( with 2 more contacts)</a>	
<a href="#">XBW4BS8445</a>	
<a href="#">XAWP94SC</a>	
<a href="#">XAWP92SC</a>	
<a href="#">PSRC-220 / B090603000015</a>	DISCONNECTOR
<a href="#">XBW4BP31</a>	GREEN EX BUTTON
<a href="#">XBW4BP42</a>	RED EX BUTTON
<a href="#">ZBWE1111</a>	Contact element NO mounting on a plate
<a href="#">ZBWE1121</a>	
<a href="#">B090601040003</a>	
<a href="#">A500923600001 EB-236 (EX-D) - 220/240V 50/60HZ</a>	
<a href="#">A020143610003 RMS-560-02/PNL -EX DE- 2X36W</a>	
<a href="#">11/118514-01</a>	
<a href="#">XCRF171</a>	
<a href="#">XAWP08002608 SV</a>	
<a href="#">A027714</a>	
<a href="#">XAWP04003125</a>	
<a href="#">B090602000027</a>	GLOWING YELLOW GEM
<a href="#">B090602000011</a>	

Product	Description
<a href="#">XAWP94MD</a>	
<a href="#">ZBWV3</a>	Indication light
<a href="#">XCWD4116L5</a>	
<a href="#">A027712</a>	PILOT LAMP
<a href="#">A027611</a>	TRIP RESET PUSH BUTTON
<a href="#">XBW5AS8342-XAWP</a>	
<a href="#">XAWP08UDLRFR0ES2 SV</a>	
<a href="#">B090601040049</a>	RED MUSHROOM BUTTON WITH ROTARY RELEASE
<a href="#">B011043010149</a>	
<a href="#">C010111100001</a>	
<a href="#">C070700000014</a>	
<a href="#">C070700000002</a>	
<a href="#">C070800040005</a>	
<a href="#">XBW5AD21</a>	
<a href="#">XAWZ3</a>	BLANK PLATE
<a href="#">XAWP682</a>	
<a href="#">XAWP682 9</a>	
<a href="#">XAWP882 9</a>	
<a href="#">XAWP882 SV</a>	
<a href="#">XAWP682 SV</a>	
<a href="#">XCKWM2106H29</a>	
<a href="#">XBW5AP31</a>	Push button with protruding impulse with green cap and plastic collar (1 NO 10A)
<a href="#">XBW5AP21</a>	Black capped overhead push button with 1 NO 10A plastic collar
<a href="#">XBW5AP41</a>	Push button with protruding impulse with red cap and plastic collar (1 NO 10A)
<a href="#">XBW5AD33</a>	Full green 400V transformer light
<a href="#">XBW8MV3V5</a>	PILOT LIGHT
<a href="#">XBW8MV4V5</a>	PILOT LIGHT,
<a href="#">P/N: B1301.514005, Type: XBW4BG21</a>	black switch
<a href="#">P/N: B1307.000369, Type: ZBWE101</a>	Contact element NO
<a href="#">XAWG003784</a>	CONTROL BOX
<a href="#">XLW4BV033</a>	LED green light and metal collar
<a href="#">XLW4BV043</a>	Red LED light and metal collar
<a href="#">PLD10</a>	WHITE GLOWING GEM
<a href="#">A021441800002 G2X-218 -EX NA-2X18W</a>	
<a href="#">A601102010015</a>	
<a href="#">TNAE151510</a>	stainless steel junction box
<a href="#">XAWP8272 SV ENG</a>	
<a href="#">B090100S00470</a>	
<a href="#">XAWP9413</a>	
<a href="#">F-395.PA/230/1700</a>	
<a href="#">F-250.50-4/000/1800</a>	outlet valve
<a href="#">B130700099000</a>	NC contacts
<a href="#">B090601000004</a>	Buttons
<a href="#">B090602000026</a>	GREEN LUMINOUS GEM

Product	Description
<a href="#">B090602000016</a>	WHITE MONOLED
<a href="#">B090601000005</a>	
<a href="#">B090601000006</a>	
<a href="#">B090603000016</a>	
<a href="#">B090603000013</a>	
<a href="#">B090601040003 XBW4BP31S</a>	
<a href="#">B090601040011 XBW4BP42S</a>	
<a href="#">B090601040033 + B090601040030 XBW4BL45</a>	
<a href="#">B090601040002 XBW4BP21S</a>	
<a href="#">ZCWE24</a>	
<a href="#">B090601030001</a>	
<a href="#">B090601030002</a>	
<a href="#">B1310.000201</a>	Emergency push button
<a href="#">XAWP06UDLR0ES1</a>	
<a href="#">B090603000010</a>	PSRC-D-220 — DIVERTER
<a href="#">B012074010114</a>	Selector switch
<a href="#">B040112265901</a>	
<a href="#">B040112265902</a>	
<a href="#">B090601000014</a>	BLACK BUTTON
<a href="#">B090602000005</a>	MONOLED RED
<a href="#">B090602040001</a>	pilot lights 24V to 254V AC/DA current from 2 to 10 mA
<a href="#">B090601000015</a>	
<a href="#">B090601000016</a>	
<a href="#">XC8-JC10111P11C</a>	LIMIT SWITCH
<a href="#">XBW4BA31</a>	
<a href="#">XC8JC10131P11C</a>	Position switch
<a href="#">EVF-P 218</a>	
<a href="#">B090602000006</a>	GREEN MONOLED
<a href="#">XAWP94VV</a>	
<a href="#">B090601040029</a>	contact element
<a href="#">B011000S00113</a>	