



ENAPART



93 S Railroad Avenue Unit C
Bergenfield NJ 07621 USA
www.enapart.com
sales@enapart.com



Via del Canneto 35,
Borgosatollo, Brescia - Italia
www.enapart.it
vendite@enapart.it



Barbaros Mah. Ihlamur Bul. Ağaoğlu
My Newwork No:3/15 Ataşehir / İstanbul
www.enapart.net
satis@enapart.net



PRIVADA 10 B SUR #3908 COL.
ANZUREZ, C.P. 72530, PUEBLA, PUE
www.enapart.com.mx
sales@enapart.com.mx



Friedrich-Ebert-Anlage 36, 60325
Frankfurt am Main, Germany
www.enapart.de
anfrage@enapart.de



4 boulevard Carnot, 95400
villiers-le-bel, Paris, France
www.enapart.fr
sales@enapart.fr



65049, ОДЕСА, ВУЛИЦЯ ІВАНА
ФРАНКА, БУДИНОК 55, ПОВЕРХ 3
www.enapart.com.ua
sales@enapart.com.ua



MUNICIPIUL BUCUREȘTI, SECTOR 3,
B-DUL BASARABIA, NR.250, CORP P+5
www.enapart.ro
sales@enapart.ro



〒584-0023 大阪府富田林市若松町
東2丁目2番16号
www.enapart.co.jp
sales@enapart.co.jp



PLAZA NUESTRA SEÑORA DE LAS
NIEVES 12 ,LOCAL ,50012,ZARAGOZA
www.enapart.es
ventas@enapart.es



Складова база „Онгъл“, Склад А2, п.к.
4006, гр. Пловдив, България
www.enapart.bg
sales@enapart.bg



3 Austin Mews, High Street, Hemel
Hempstead, HP1 3AF , United Kingdom
www.enapart.co.uk
sales@enapart.co.uk

Tridonic

Enapart always strives to provide the competitive prices and timings of supplies for its customers. We sell only original equipment and spare parts, although we are not always the official distributor or manufacturer's dealer. All displayed trademarks and part numbers are the property of their respective owners.

BRAND'S PRODUCTS

Product	Description
P/N: 22185214 Type: PC 1x36 T8 PRO Ip	PC 1x36 T8 PRO sl 220-240V 50/60/0Hz
22185219	Electronic Ballast
86458601	
ZRM 4.5-ES/C / 12307	ignitor
87500089	Igniter
P/N: 24138923 Type: DALI USB	PC Interface Module DALI - USB
PC 2x14-28 T5	TOP ip electronic ballast
ZRM 20-ES/B	Tridonic Zündgerät für Metaldampflampen
22176712 / RS232 PS/S	
22185109 PCA 2x28/54 T5 EXCEL one4all Ip	Processor-controlled ballast with y II inside
(22176495) TE-0060 BASIC 111	Electronic Transformer
P/N: 87500088 Type: ZRM 6-ES/CT	Superimposed ignitor
22185327 Tridonic DALI XC	
22185166 / PC 2x54 T5 TOP Ip	FL ballast
22185209 PC 1x80 T5 PRO Ip	Electronic fixed output
9305 SIB 530-250	Ballast 250W for MH / NAV lamps
22176186 / PC 2/14-35/49/54 T5 PRO-M Ip	Digital Ballast
22176186	Electronic ballast
89899826	EM 54/80 - 6 T5 BASIC
ZRM 20-ES/B 400 (20826425)	Igniter / Ignitor - Digital Overlay
ZRM 20-ES/B 400 ULAG	Zündgerät / Ignitor - Digitales Überlagerungs
HSP15223221	
7714 SI 530-250 TS	
22185105 / PCA 1x35/49/80 T5 EXCEL one4all Ip	Ballast
22185250 PCA	
22154332 Dali-PCDS	
P/N: 28000441 Type: DALI PCD 1-300 one4all	Dimmer
22185226 / PC 2x36 T8 TOP sl	
P/N: 22185098 Type: PCA 2x80 T5 ECO Ip	
28000093	
89818655	
28001253 / LCA 100W 24V one4all SC PRE	LED Driver
PC 2x36W T8 PRO	
PC 3/4x14 T5 PRO	
P/N: 89818662 Type: EM 34B BASIC	Emergency lighting unit
OGLS 400W	Vorschaltgerät

Product	Description
ZRM 6-ES/CT	Overlay igniter with automatic shut-off
28000005 / DALI x/e-touchPANEL 02	Operating and control unit
DLA G1 100mm 1000LM 830 R SNC	
DLA G1 100mm 1000LM 840 R SH SNC	
28001092	
DLA G1 150mm 2000LM 840 R SH SNC	
87500446	LED driver
89818556 / EM 33A BASIC	
P/N: 89899951 Type: EM 33A MINI BASIC	
87500259 / PC 2x36 T8 TEC	EVG electronic ballast
89818662	
22176000 / PC 1x18-24 BASIC sI	
P/N: 89899950 Type: EM 34A MINI BASIC	Emergency lighting supply unit
P/N: 22176408, Type: PC 1/2x26-42 TC PRO	ballast
86458250 / PCI 1x035 pcb B011	Digital electronic ballast
89800084	TBS 3DH4-0T4-SP34 3.6v 4.0Ah Ni-Cd Battery Pack
89800085 \ NICD 4A 50	
PC 3/4x18 T8 TOP Ip	
PC 3/4x14 T5 PRO Ip	FL ballasts
P/N: 89899886 Type: PC 2X35 - 6 T5 COMBO LP	
P/N: 89899698 Type: ACCU - NICD C 6A STICK	
P/N: 89899890 Type: PC 2X54 - 6 T5 COMBO LP	
24034323	
86458342 PCI 0070 FOX B011	Ballast for metal halide lamps
87500320	Driver
87500257	ballast
86457898	Tridonic Fox Digital Electronic Ballast 70w CDMT
22176002	Electronic Ballast
28001716	Control module DALI XC
24138923	DALI - USB PC interface module
P/N: 87500214 Type: PC 4X14 T5 TEC LP	PC TEC series electronic ballast for T5 bulbs
28000211	
28000661 / LCA 100W 250-700mA one4all Ip PRE	Power supply
OGLIS 1000W 140 220-240/60 140B194	
P/N: 28001716 Type: DALI XC	
P/N: 22176405 Type: PC 1/2x9-13 TC PRO	
86453116	constant voltage LED operating device
87500463	LED Driver
basicDIM ILD 5DPI 14f	Compact control module with ambient light sensor and motion sensor
86458401	DALI Repeater
PCA 1/36 ECO	
PCA 1x36 T8 PRO	
P/N: 22185156 Type: PC 2x54 T5 PRO Ip	
20560905	

Product	Description
P/N: 89895960 Type: ACCU - NICD 3A STICK 1X3	
P/N: 89800089 Type: ACCU - NICD 4A 55	cell
P/N: 89818655, Type: EM33B BASIC	Emergency lighting module
P/N: 87500194 LCI 35W 350/500/1050mA TEC C – 10,15	Driver
87500570	Driver
P/N: 22185128 Type: PCA 1x26-57 TC EXCEL one4all	
LCBI 15W 350mA BASIC PH-CUT SR ADV	
P/N: 28000897 Type: DALI MSensor 02 5DPI 41f	
P/N: 28000895 Type: DALI MSensor 02 5DPI 41rc	
P/N: 28000896 Type: DALI MSensor 02 5DPI 41w	
P/N: 28000894 Type: DALI MSensor 02 5DPI 41rs	
P/N: 28000647	remote control
PC 3/4x14 T5 PRO lp (22185211)	
22185220 / PC 3/4x14 T5 TOP lp	
28000700	LED driver
28000701	
22185228	ballast
28000310	ballast
22185164 / PC 2x49 T5 TOP LP	ballast
28000031	ballast
89800109	ballast
22185166	ballast
28000043	ballast
P/N: 87500081 Type: ZRM 2.5-ES/C	Ignitor
22185216	ballast
22185154	
87500084 / ZRM 12-ES/C	
P/N: 89121840 Type: OGLS 400 C044W 220-240/50 060V150	
28000041 obsolete	
P/N: 89805250 Type: PC 1x36-33 COMBO	Tridonic PC
Art. Nr. 22185223 (Type: PC 1x36 T8 TOP sl)	Electronic fixed output
87500605	
28001663 / LCA 60 W 24 V one4all SC PRE	converters
28001437 / LCA 150W 24V one4all SC PRE	
P/N: 22185218 Type: PC2x58 T8 PRO sl	
28001124	
28001132	
P/N: 22185120 Type: PCA 1x26-57 TC ECO Xitecll	
ZRM 4.5-ES/C	Digitales Überlagerungs- Zündgerät
28000655 / LCA 50W 100-400MA ONE4ALL LP PRE	Power supply
P/N: 28000039 Type: PCA 2x36 T8 ECO lp xitec ll	Electronic Ballast
P/N: 87500191 Type: LCI 20W 700mA TEC SR	converter

Product	Description
P/N: 89800178 Type: EM converterLED BASIC 103 50V	
P/N: 22185128 Type: PCA 1x26-57 TC EXCEL one4all xitec II	
P/N: 22185221 Type: PC 3/4x24 T5 TOP Ip	
P/N: 89899928 Type: PC 2x18-4 TC COMBO	
P/N: 89899677 Type: Pack-NiCd 4C	
89800334	
P/N: 22185220 Type: PC 3/4x14 T5 TOP Ip	
P/N: 22185166 Type: PC 2x54 T5 TOP Ip	
89800206	
P/N: 28001071 Type: LCA 60W 350-1050mA one4all C PRE OTD	
28001074	
22176407 / PC 1/2x18 TC PRO	
P/N: 89899928 Type: PC 2x18-4 TC COMBO 220-240V	
P/N: 24166311 Type: LCI 005/0350 E020	
P/N: 87500192 Type: LCI 35W 350mA TEC C	
PC258 T8 Pro	
Art.Nr.: 87500573	
28001662 / LCA 35W 24V one4all SC PRE	Driver
28001663	
28001437	Driver
28000045	Electronic ballast
89800453	PC 2/36 T8 Industry
28000876 (alt: 86458559)	Power supply
P/N: 28000413 Type: LCU 96W 24V SR TOP	DRIVER
89899890	
PC 3/4x18 T8 TOP Ip (22185228)	High-Frequency Electronic Ballast
22176077	PC 1/30 T8 PRO
22176078	PC 2/30 T8 PRO
P/N: 22185210 Type: PC 2x80 T5 PRO Ip	
28000412	Constant voltage LED control gear
P/N: 22185227 Type: PC 2x58 T8 TOP sl	
28000047	
89818556	Module
20820138	
28002773	Accu-NiCd 3A 55
LC 15/350/43 fixC SC SNC2 (87500729)	DRIVER
P/N: 22185108 Type: PCA 1x28/54 T5 EXCEL one4all Ip Xitec II	
28000713	constant current led driver
28000690 LC	
P/N: 89899611, Type: EM14BBASIC-TR	Emergency unit for luminaire
28002470 / LC 165W 400-700MA FLEXC LP ADV	Constant current LED driver

Product	Description
87500336	LED driver
22185157 / PC 1x14-35W T5 TOP Ip	electronic ballast
87500386	Driver
P/N: 22185209 , Type: PC 1x80 T5 PRO Ip	Ballast
28002302	
28001073	
28000690 / LC 100W 250-700mA flexC Ip EXC	constant current led driver
22185217 / PC 2x36 T8 PRO sl	Electronic Ballast
PCA 1x18/24 TCL EXCEL one4all c ,(Art.Nr. 22185251)	ELCTRONIC BALLAST
28001108	RESISTANCE I-SELECT 2 PLUG
28001036	
28000657	Ballast
87500621	Current Led Driver
87500733	LED DRIVER LC 25/500/43
87500735	LED DRIVER LC 25/700/36
87500737	LED DRIVER LC 30/500/54
28002417	DRIVER LC 100W/24V BDW SC PRE
87500734	DRIVER LC 25/600/42 FIXC SC SNC2
28000672	DRIVER
28001571	DRIVER
28000674	Driver
28001253	Driver
28001570	driver
28000676 / LCA 45W 500-1400MA ONE4ALL SC PRE	Power supply
28000675	Driver
28000667 / LCA 60W 900-1750mA one4all C PRE	Driver
28000665	DRIVER LCA 25W 350-1050MA ONE4ALL C PRE
22185209	Electronic ballast
87500774	
87500629	Driver
87500559	Driver
87500566	power supply
87500838	Driver
87500835	Driver
89800206 / EM 06 PRO G2	emergency conversion kit
22185226	Electronic Ballast
22185096	BALLAST
89800108	Basic kit unit
22185225	
28002746 / SLE G7 17mm 5000lm FASHION H EXC	LED Modules
22185121	
87500256 / PC 2x18 T8 TEC	
22185102	
22185237 / DALI-RM/S 4x10A	

Product	Description
89800308	
89800459	Fluorescent tube
22185107 / PCA 2x80 T5 EXCEL one4all lp xitec II	
22185099	
22185100	
22185097	ballast
28000037	
28000035	
22185095 / PCA 2x14/24 T5 ECO lp	
89818236	EMERGENCY MODULE & BALLAST
Art.Nr.28000706 (LC 25W 350-1050mA flexC SC EXC)	LED Driver
28000694 (LC 25W 350-1050mA flexC C EXC)	
28000695 (LC 45W 500-1400mA flexC C EXC)	
28000707(LC 45W 500-1400mA flexC SC EXC)	
22185214	
28002469	
28002494	
22 176 107	Compact electronic starter for fluorescent lamps with fixed output Tridonic PC TC PRO
p/n: 28000538; Type: LCI 100W 350mA-900mA	
P/N: 87500921, Type: LC 20W 100-1050mA 44V o4a NF SR EXC3	LED driver
PCA 2x80 T5 ECO lp	
PCA 2x21/39 T5 ECO lp	
PC 2x36 T8 TOP sl 22185226	ballasts
28002091 / ACCU-NiMH 2.2Ah 6A	
28002383 / SPD 10kV CE SNC	Surge protection
89800687	emergency lighting driver/inverter
28000666	Driver
PC 4/14 T5 Ar.N:22 068 976	
Type LC 40W 900mA fixC C SNC \ 87500560	Driver
20296024 / OGL 250 W 30 220-240/50 030A084	
OGLIS 250W 40 230-250/50 040A094 TP	
20820138 / OGLS 400W 60 220-240/50 060A114TP	
20296030 / OGL 400 W 40 220240/50 040A094	
28003210 / LC 14W 250-350MA FLEXC R ADV2	Power supply
PC 1/58 T8 TOP SL	
p/n: 28000936; Type: 5DPI 14rc	M Sensor
24138830 / PC 1x5-16 W BASIC	electronic ballast
LC 10/250/40 fixC SC SNC2 (87500795)	Tridonic LED-Driver
LC 35/200-350/121 flexCC lp SNC3 (28003376)	Power Supply
P/N: 28003377, Type: LC 50/200-350/170 flexCC lp SNC3	LED driver
22176000 / PC 1x18-24W BASIC sl	
28001807	Power Supply

Product	Description
OGL 1000W 120	
28002238	
20880891	ballast
Art.N: 24138831	PC4-13 electronic ballast
87500507 / PC 1/36 TCL PRO	Electronic Ballast
28002300	constant current converter
22185148 \ PC 2x14-35 T5 PRO Ip	High Frequency Ballast
28001911 / LCA 100W 350-1050mA 2xDT8 Ip PRE	PRE LED DRIVER
28000673 / LCA 10W 150-400mA one4all SC PRE	LED-driver
87500225 \ LCI 35W 700mA	LED converter
28001953	
87500747	
28000672 / LCA 45W 500-1400mA one4all SR PRE	
87500781 LC 38/700/54 fixC Ip SNC2	
87500089 / ZRM 12-ES/CT	igniter
28001847 / DALI Interface RS232 PS/S	
PCA 2/26 TCD ECO/22084752	
LC 25W 350-600mA	Netzteil: Impuls; LED; 25W; 27÷44VDC; 350÷600mA; 198÷264VAC; IP20
28001920	35W 24V Constant Voltage LED Driver
89603341	
87500717 / LCO 90/200-1050/165 o4a NF C EXC3	led driver
28000876 / DALI PS2	power supply
87500744 / LC 40/900/45 FIXC SC SNC2	LED driver
28000882 / DSI-V/T	LUX CONTROL
22185100 / PCA 2x28/54 T5 ECO Ip Y II	
28002103 / LLE FLEX G1	LED module
28000022 \ DALI Touchpanel 02	
24166012	mains adapter x-touchPANEL
P/N: 28002774, Type: Accu-NiCd 5A 55	cell
89800564/21346035	EM converter
PN: 22185217 / Type: PC 2x36 T8 PRO sl	high frequency ballast
87500716	LED Driver
87500274	LED-Treiber
87500283	
87500578 / LC 10W 500mA fixC C SNC	constant current driver for luminaire installation
87500509 / PC 1/55 TCL PRO	
87500447 / LC50W 700mA fixC Ip SNC	
P/N: 28001250, Type: LCA 75W 250-550mA	LED driver
89800563	Emergency LED driver EM converter
P/N: 87500083, Type: ZRM 6-ES/C	
89800649	converterLED
87500995	LED drivers
89800650	EM converter

Product	Description
87500921 / LC 20W 100-1050mA 44V o4a NF SR EXC3	LED-Driver
PC 124T5PRO LP (22 087 891)	
PC154T5PRO LP (22 176 140)	
28000683	led driver
28002487 / LC 40W 900mA fixC SC ADV	
PCA236T8ECO-TR	
87500797	Driver
87500728	
89800574	
28003431 SLE G7	
28002087	
28000657 / LCA 75W 100-400mA one4all lp PRE	Power supply
28002306	Power supply
87500726 / LC 50/250-400/140 o4a lp ADV	
20569782 / OMBIS 35 B103W 230-250/50 035A097T	ballast
PC 1x18W T8 TEC / 87500255	
28000674 / LCA 17W 250-700mA one4all SC PRE	Driver
87500994	Linear drivers
87500994 LC 50/200-350/170 flexC lp SNC4	
P/N:87500766 , Type: LC 50/1200/42 fixC SC SNC2	driver
28002465 / LC 38W 250-350mA flexC lp ADV	Power supply
28002269 / DALI-PCD 1-300 one4all G2	Phase and section dimmers
HF118-24L TRI	
28002214	lighting management
28002496 / LC 20W 350/500/700mA flexC SR ADV	driver
89800645 / EM converterLED PRO 305 MH/LiFePO4 250V	Self-contained emergency
89800574 / EM converterLED BASIC 203 NiCd/NiMH 250V	Emergency lighting LED driver for manual testing
87500782 / LC 57/1050/54 FIXC LP SNC2	
87500095 / ZRM 12-ES/C 400	Standard ignitor
28000510	LED Driver
28000508	Led driver
87500467 / LC 65W 700mA fixC lp SNC	Led luminaire ballast
28002053 / LCI 150W 325-1050mA 300V o4a sl PRE	Driver
28002467 / LC 71W 250-350mA flexC lp ADV	Driver
22088937 PC 2/18 TCD PRO	
87500258 PC 1x36 T8 TEC	
4014001	ballast
87500757	power supply
87500087 / ZRM 4.5-ES/CT	Digital superimposed ignitor with timer
89800558	EM convert emergency lighting control unit
LC50W100	LED Driver

Product	Description
P/N: 28004411, Type: LC 55/350-1050/54 flexC NF h16 EXC4	Driver
P/N: 87500607, Type: LC 75W 350MA FIXC LP SNC	power supply
DFX 530-18 (7727)	Power Supply eletr.
24166332 / LCU 150/12 E020 120-240V	LED Driver
LC 25/350/71 fixC SC SNC2 (87500732)	
28002474 / LC 57W 800-1050mA flexC Ip ADV	LED Constant current LED driver for luminaire installation
28000681	power supply
87500292	Top Low Profile
TBS 4SCH1-5T4-SP34 / 89899692	Battery Pack
OGLI 2000W 160	
28002475	
87500665	
87500666	
137946HTC	
89805272	
913713028266	
913713028366	
1x21/39 T5 ECO IP 22185101	
P/N: 87500851, Type: LC 85/1200	LED-Treiber
89800385	Emergency lighting battery
LC 60W 24V SC SNC	
28000201 / LCI 65w 150mA-400mA TOP Ip	
28003375 / LC 25/200-350/70 flexCC Ip SNC3	Power supply
28000660 / LCA 75W 900-1800mA one4all Ip PRE	LED driver
P/N: 22176211, Type: PCA 3X14/24 T5 Eco Ip	electronic ballast
87500668	
BCS49.1FX-11/220-240	
Accu NiCd 4A 50	
28001808	
89603037	
87501098	
28002924	
22185216 / PC 2x18 T8 PRO Ip	
87500831	
89800092	
28002416	LED driver
87500752	Power supply
28001983	
87500783, Type: LC 75/1400/54 fixC Ip SNC2	LED switching power supply
28004038 / LCI 150W 250-1050mA pD NF h28 PRE4	Industry linear dimming
28003557	LED driver
LC 35W 24V SC SNC2	
28000039 / PCA 2X36W T8 ECO IP	Ballast
HF-P 249 TL5 HO III 220-240V 50/60Hz IDC	

Product	Description
913713034166	
89800432 / EM powerLED ST FX 103 SR NiCd 45W 50V	Combined emergency lighting LED driver
PACK-NiCd 4D	Battery pack
4350000	
4345000	
87500726 / LC 50W 250-400mA 140V o4a Ip ADV	power supply
AD148 28003377 LC 50/200-350/170 flexCC Ip SNC3	
28004618/ LED-Driver LC 40W 75-400mA 230V bDW NFC h16 PRE4	LED driver
DALI XC G3 CWM 30 DA2	Control module
AB516 28005113 LC 75/350-550/216 flexCC Ip SNC4e	LED driver
PC 1x38 - 34 HO DD COMBO / 89899933	
28000705	LED ballast
LC 25/500/43 fixC SR SNC2 / 87500751	
LLE G2 (28002916)	
LLE G2 (28002913)	
28004119 / LC 10/200-350/29 flexC Ip SNC4	Linear driver
89805277	Test switch
87500832 / LCO 90/200-1050/165 pD+ NF C PRE3	LED-Driver
AD820 28003555 LCO 75W 200-1400mA flexC 0-10V NF L SNC3	
ELTR04625	
28002472	LED-Driver LC 19W 250-350mA flexC Ip ADV
22 176 169	Ballast
23568729/Elpro ELB DALI T8 2X36W (QTIDAL - 20009012	
87500826	LED driver
28005037 / LC 90W 200-800mA flexC NF h16 EXC4	LED driver
89899605	LED EM green
LCO 90/200-1050/165 NF C ADV3	
87501100	LC 60/200-350/200 flexCC Ip SNC4
87501101	LC 75/350-500/216 flexCC Ip SNC4
89800559	Emergency Battery
PCA 2/36 TCL EXCEL one4all	Ballast
87501147 / LC 30W 350-700MA DA SC SNC4	
87501146 / LC 15W 100-400MA DA SC SNC4	
89800560 / EMconverterLED BASIC 204 NiCd/NiMH 50V	EMconverterLED
28004142	LC 38W 400-700mA flexC Ip SNC4
89800559 / BASIC 203 NiCd/NiMH 50V	Emergency lighting LED Driver for manual testing
TE-0105	Transformer
37968/155 MBQ 155/2 TCI SRL	
LCA 85W 600-1800mA DT8 Ip PRE	
28004120	